



	HJC26	USP	2	Varies	16d/3-1/2"	10d/3"
	HUS26	USP	5	NA	16d/3-1/2"	16d/3-1/2"
	THD26-2	USP	1	NA	16d/3-1/2"	10d/3"

= 1st Level Wall

= 2nd Level Wall

Truss Placement Plan
SCALE: 1/4"=1'

= Indicates Left End of Truss
(Reference Engineered Truss Drawing)
Do NOT Erect Truss Backwards

LOAD CHART FOR JACK STUDS
(BASED ON TABLES R502.5(1) & (2))
NUMBER OF JACK STUDS REQUIRED @ EA END OF HEADERS

END REACTION (UP TO) REACTION (DOWN TO) HEADERS	END REACTION (UP TO) REACTION (DOWN TO) HEADERS	END REACTION (UP TO) REACTION (DOWN TO) HEADERS
1700	2550	3400
3400	5100	6800
5100	7650	10200
6800	10200	13600
8500	12750	17000
10200	15300	
11900		
13600		
15300		

BUILDER	A & G Residential
JOB NAME	Lot 10 Turlington Acres
PLAN	Hampton C RP
SEAL DATE	3/12/2020
QUOTE #	
JOB #	J1024-5561

CITY / CO.	Coats / Harnett
ADDRESS	Bennett Rd.
MODEL	Roof
DATE REV.	10/14/24
DRAWN BY	Marshall Naylor
SALES REP.	Marshall Naylor

Signature Marshall Naylor
Marshall Naylor

comtech
ROOF & FLOOR TRUSSES & BEAMS
Reilly Road Industrial Park
Fayetteville, N.C. 28309
Phone: (910) 864-8787
Fax: (910) 864-4444