Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

alexadams@bcsoil.com

April 23, 2025 Project #1215

RE: 59 Grading Stick Ct. - Angier, NC 27501– (Harnett County, NC PIN# 0693-24-8994)

OWNER ACCEPTANCE OF SEPTIC SYSTEM

I certify that <u>Drees Homes</u> is accepting the subsurface wastewater (septic) system installed at 59 Grading Stick Ct. The acceptance includes the AOWE permit as issued and designed by Adams Soil Consulting, PLLC and installed by Full Circle Septic Installers).

Owner's Representative (print):

DocuSigned by:

Weekley

Owner's Representative – (Signature Date):

DocuSigned by:

4/24/2025 | 7:39:17 AM EDT

Adams Soil Consulting 1676 Mitchell Road Angier, NC 27501 919-414-6761

April 23, 2025 Project #1215

This document is submitted in addition to the "Notice of Intent to Construct" submittal package previously supplied to the local health department in pursuant to G.S. 130A-336.1

RE: 59 Grading Stick Ct. - Angier, NC 27501– (Harnett County, NC PIN# 0693-24-8994

To whom it may concern:

This letter is to notify the Harnett County Environmental Health Department that the construction of the wastewater system has been completed. The system was installed to acceptable construction standards. The installation was constructed in conformance to the original construction documents and utilizing "infiltrator chambers" accepted status product. This document may serve as "Authorization to Operate" the installed system.

Operation and Management Program

Have the effluent filter in the septic tank cleaned periodically by a professional. Have the solids pumped out of the septic tank every 3-5 years by a professional. Maintain adequate vegetative cover over the drainfield. Keep surface waters away from the tank and drainfield. Do not pour grease or oil down the sink. Contact a professional for periodic maintenance.

Alex Adams

Adams Soils Consulting, PLLC NC Licensed Soil Scientist #1247



North Carolina Onsite Wastewater Contractor Inspector Certification Board Authorized Onsite Wastewater Evaluator Permit Option for Non-Engineered Systems Notice of Intent (NOI) to Construct

x_New ExpansionRepair RelocationRelocation of Repair Area
Owner or Legal Representative Information: Teri Treffzs Name: Drees Homes Company Mailing address: 211 Grandview Drive - Suite 102 City: Ft. Mitchell State: KY Zip: 41017 Phone: 919-256-5478 Email: ttreffzs@dreeshomes.com
Authorized Onsite Wastewater Evaluator Information: Name: Alex Adams Certification #: AOWE# 10021E Mailing address: 1676 Mitchell Road City: Angier State: NC Zip: 27501 Phone: 919-414-6761 Email: alexadams@bcsoil.com
Site Location Information: Site address: Lot #57 (Tobacco Road) 59 Grading Stick Ct Angier, NC 27501 Tax parcel identification number or subdivision lot, block number of property: PIN# 0693-24-8994 County: Harnett
System Information: Accepted Status Wastewater System Type: Type III (b) Daily Design Flow: 600 gallons/day Saprolite System:YesXNo
Facility Type: X_Residential5 # Bedrooms10 Maximum # of Occupants Business
Requird_Attachments: xPlat_or_Siteplanx Evaluation of Soil and Site Features by Licensed Soil Scientist
Attest: On this the 21st day of November 2024 by signature below I hereby attest that the information required to be included with this NOI to Construct is accurate and complete to the best of my knowledge. Furthermore, I hereby attest that I have adhered to the laws and rules governing onsite wastewater systems in the state of North Carolina. This NOI shall expire on 21st day of November 2029. Signature of Authorized Onsite Wastewater Evaluator:
Signature of Owner or Legal Representative:
Disclosure: The owner may apply for a building permit for the project upon submitting a complete NOI to Construct and the fee required (if any) to the local health department. An onsite wastewater system authorized by an authorized onsite wastewater evaluator shall be transferable to a new owner with the consent of the authorized onsite wastewater evaluator.
Local Health Department Receipt Acknowledgement: Signature of Local Health Department Representative: Date:

Sheet 1 of 1 PROPERTY ID#0693-24-8894 COUNTY: Haenett

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

(Complete all fields in full)

OWNER: Drees ADDRESS:

PROPOSED FACILITY: Single Family, 5-bedroom PROPOSED DESIGN FLOW (.1949): 600 gpd LOCATION OF SITE: 59 Grading Stick Ct, Angier, NC, 27501

WATER SUPPLY: Public Water

EVALUATION METHOD: Auger Boring

APPLICATION DATE:

DATE EVALUATED: 11/15/2024

PROPERTY SIZE: 1. Acres

TYPE OF WASTEWATER: Sewage

P R O F I L E	.1940 LANDSCAPE POSITION/ SLOPE %	HORIZON		RPHOLOGY 1941)	FA				
		DEPTH (IN.)	.1941 STRUCTURE/ TEXTLSE	.1941 CONSISTENCE/ MINERALOGY	.1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS & LTAR
	Linear	0-12	GR/LS	VFR,NS,NP,SEXP	N.O	36"	N.O	N.O	P.S .35
1	Slope/5%	12-36	SBK/SCL	FR,SS,SP,SEXP					
	Linear Slope/5%	0-14	GR/LS	VFR,NS,NP,SEXP	N.O	36"	N.O	N.O	P.S .35
2		14-36	SBK/SCL	FR,SS,SP,SEXP					
	Linear Slope/5%	0-20	GR/LS	VFR,NS,NP,SEXP	N.O	36"	N.O	N.O	P.S .35
		20-36	SBK/SCL	FR,SS,SP,SEXP					
3									
4									

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM	OTHER FACTORS (.1946):
Available Space (.1945)	S	S	SITE CLASSIFICATION (.1948): PS
System Type(s)	Type III B	Type III B	EVALUATED BY:A. Adams OTHER(S) PRESENT:
Site LTAR	0.35	0.35	

COMMENTS: ______Updated February 2014

Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

alexadams@bcsoil.com

November 21, 2024

Project #1215

"This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-336.2

RE: Tobacco Road -Lot #57 - 59 Grading Stick Ct. - Angier, NC - 5-bedroom Single Family Residence (PIN# 0693-24-8994)

To whom it may concern:

Adams Soil Consulting (ASC) conducted a preliminary soil evaluation on the above referenced parcel to determine the areas of soils which are suitable for subsurface wastewater disposal systems (conventional & LPP). The soil/site evaluation was performed using hand auger borings during moist soil conditions based on the criteria found in the State Subsurface Rules 15ANCAC 18E. From this evaluation, ASC is providing the attached septic system design for a new single-family home sized for a 600 gallon/day septic system.

The suitable soils found on the subject property were somewhat variable in the initial and repair areas. The area designated for the initial/primary septic system (see attached septic plan) was found to contain soils with greater than 24 inches in depth before a restrictive horizon was encountered.

The initial and primary septic fields for the new home were sized based on a flow rate of 600 gallons/day and utilizing Accepted Status system for the initial and a PPBPS repair system. Any unauthorized site disturbance, filling, soil removal, or layout changes may result in the permit being revoked.

The septic installer contractor shall install the repair (if needed) system on contour, see attached site plan for the primary system and repair. No underground utilities, water lines, or sprinkler systems shall be placed into the initial or repair septic areas. Installation must meet all state and local county regulations for septic system installation. The trenches must be installed in the same location as the site plan. If flags trench flags are missing at the time of installation, they must be remarked by Adams Soil Consulting staff. Contact Alex Adams at 919-414-6761. A preconstruction conference is required with the septic installer prior to construction activities at least 14 days in advance of construction activities.

This report does not guarantee the future function of any waste water disposal system installed.

If you have any questions regarding the findings on the attached site plan or in this report, please feel free to contact me anytime.

Sincerely,

Alex Adams

NC Licensed Soil Scientist #1247 AOWE Certification: 10021E





I UDACCO RU

Lot 57 5 BR Harnett County

- *House footprint to be field staked by surveyor and system verified prior to any construction
- **Septic area must not be altered by construction activities.
- ***No cuts of 2' or greater within within 15' of septic area
- **** Recommend protective barrier around septic field during construction.
 - *If plumbing is not sufficie. pump tank will be required septic field.


INITIAL:

Lines 1-6 (430') Accepted Status Pressure Manifold REPAIR:

Lines 7-10 (340') PPBPS

Pressure Manifold

Adams Soil Consulting 919-414-6761



I UDACCO RU

Lot 57 5 BR Harnett County

- *House footprint to be field staked by surveyor and system verified prior to any construction
- **Septic area must not be altered by construction activities.
- ***No cuts of 2' or greater within within 15' of septic area
- **** Recommend protective barrier around septic field during construction.
 - *If plumbing is not sufficie. pump tank will be required septic field.

INITIAL:


Lines 1-6 (430') Accepted Status Pressure Manifold REPAIR:

Lines 7-10 (340')

PPBPS

Pressure Manifold

Adams Soil Consulting 919-414-6761



Tobacco Road - Lot #57 PRESSURE MANIFOLD DESIGN -Initial SYSTEM

of BDR: $\underline{5}$ Daily Flow: $\underline{600}$ gal/day L.T.A.R.: $\underline{0.3500}$ gal/day/sq.ft

Septic Tank: 1250 gals Pump Tank: 1000 gals Sq. Foot: 1350 System Type: Accepted

Number of Taps: <u>3</u> Length of Trenches: <u>360</u> ft(See Tap Chart for Details)

Depth of Trenches: 20 in Manifold Length: 36 in

Manifold Diameter: 4in sch 80pvc Tap Configuration: 6 in spacing 1 side(s) of manifold

Supply Line: length: 100 ft Diameter: 2 in sch 40pvc

Friction Loss + Fitting Loss: 11.26 ft(supply line length + 70' for fittings in pump tank)

Design Head: 2 ft Elevation Head: 8.00 ft

Total Head: 21.26 ft Pump to Deliver: 55.98 gals/min at 21.26 ft head

Dosing Volume: <u>205</u> gals,

Drawdown: 205 gals divided by 21.4 gals/in = 9.6 inches

Simplex Control Panel required; elapsed time meter and cycle counter required; Floats to be determined by type of pump tank used. A septic tank filter is required.

TAP CHART

Benchmark	<u>0</u>	is = 100.00	set at				Design Head:	2			Change in
Pump tank elev.		<u>2</u>	75.00	Pump elev.	70.00		Manifold elev.	96.00		# of Panels	-
line	color	rod read	Elevation	length	hole size	flow/tap	gal/day	trench area	LINE LTAR	(PPBPS)	Panels (in)
1		5.00	95.00	50	1/2in SCH 80	5.48	58.74	150	0.3916		
2		5.80	94.20	80	3/4in SCH 80	10.10	108.25	240	0.4511		
3		6.60	93.40	80	3/4in SCH 80	10.10	108.25	240	0.4511		
4		7.00	93.00	80	3/4in SCH 80	10.10	108.25	240	0.4511		
5		7.30	92.70	80	3/4in SCH 80	10.10	108.25	240	0.4511		
6		7.80	92.20	80	3/4in SCH 80	10.10	108.25	240	0.4511		
			Total Feet =	450	gal/min =	55.98		LTAR =	0.3500		
			Feet Required =		Velocity =	5.35		(Itar + 5%)	0.3675		
Total # of Panels ((PPBPS)			Des. Flow	<u>600</u>			(Itar w/25% red)	0.4667		
% of Dose Vol.		70		Pump Run=	10.72			(Itar + 5%)	0.4900		
Dose Volume		205		Tank Gal/IN	<u>21.4</u>						
Dose Pump Time		3.66		Elev. Head	8.00						
Drawdown in Inch	nes	9.6									
Comments:											



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 1/17/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

th	IPORTANT: If the certificate holder is e terms and conditions of the policy, ertificate holder in lieu of such endors	certai	n pol									
PRO	DUCER		` '		CONTAC NAME:	T Angela S	Sensenig					
Wad	e Associates, LLC		PHONE	(252)	631-5269		FAX (A/C, No):	252)649	-2443			
250 Pollock St.						(A/C, No, Ext): (232/031-3209 (A/C, No): (252 E-MAIL ADDRESS: asensenig@wadeict.com						
					ADDRES			DING COVERAGE			NAIC #	
Nev	Bern NC 28			NAIC #								
INSU				INSURE		38970						
	x Adams, DBA: Adams Soil Cor		ina		INSURE							
	6 Mitchell Rd.	isuit	ıng		INSURE							
167	o Mitchell Rd.				INSURER D:							
_					INSURE							
		501			INSURER F:							
	VERAGES CEF HIS IS TO CERTIFY THAT THE POLICIES O			NUMBER: 24-25	-NI IOOII	IED TO THE IN		REVISION NUN		CEDIOD		
IN C E	DICATED. NOTWITHSTANDING ANY REQ ERTIFICATE MAY BE ISSUED OR MAY PER CLUSIONS AND CONDITIONS OF SUCH P	UIREM TAIN, POLICI	IENT, THE II	TERM OR CONDITION OF AN NSURANCE AFFORDED BY T MITS SHOWN MAY HAVE BE	IY CONT HE POL	TRACT OR OTH ICIES DESCRI UCED BY PAID	HER DOCUME! BED HEREIN I CLAIMS.	NT WITH RESPECT	T TO WHIC	H THIS		
insr Ltr	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER		POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)		LIMITS			
	COMMERCIAL GENERAL LIABILITY							EACH OCCURRENC		\$		
	CLAIMS-MADE OCCUR							DAMAGE TO RENTE PREMISES (Ea occu		\$		
								MED EXP (Any one p	person)	\$		
								PERSONAL & ADV I	NJURY	\$		
	GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGREGA	ATE	\$		
	POLICY PRO- JECT LOC							PRODUCTS - COMP/	OP AGG	\$		
	OTHER:									\$		
	AUTOMOBILE LIABILITY							COMBINED SINGLE (Ea accident)	LIMIT	\$		
	ANY AUTO							BODILY INJURY (Pe	r person)	\$		
	ALL OWNED SCHEDULED AUTOS AUTOS							BODILY INJURY (Pe	r accident)	\$		
	HIRED AUTOS AUTOS							PROPERTY DAMAGE (Per accident)	■	\$		
	AUTOS							(i ci accident)		\$		
	UMBRELLA LIAB OCCUR							EACH OCCURRENC	E	\$		
	EXCESS LIAB CLAIMS-MADE							AGGREGATE		\$		
	DED RETENTION \$	1								\$		
	WORKERS COMPENSATION	T						PER STATUTE	OTH- ER	<u> </u>		
	AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE Y/N	71						E.L. EACH ACCIDEN		\$		
	OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	N/A						E.L. DISEASE - EA EI		\$		
	If yes, describe under DESCRIPTION OF OPERATIONS below							E.L. DISEASE - POLI		\$ \$		
									OT LIMIT	Ψ	+1 000 000	
A	Errors & Omissions			MEO1118-06		1/31/2024	1/31/2025	General Aggregate			\$1,000,000	
								Each Occurrence			\$1,000,000	
DES	CRIPTION OF OPERATIONS / LOCATIONS / VEHICLI	ES (AC	ORD 10	1, Additional Remarks Schedule, m	ay be atta	ached if more space	ce is required)					
CF	RTIFICATE HOLDER				CANC	ELLATION						
	*FOR INFORMATIONAL PURP XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.									
	xxxxxxxxxxxxxxx				AUTHORIZED REPRESENTATIVE							
					N Whitsett/RACHEL							