


- All bracing, blocking, beams, purlins @ 2'0" o.c., ledger, etc. provided by others.
- Roof truss to roof truss connections provided by Riverside Roof Truss.
- Truss to building connections provided by others.

Refer to Sealed drawings for connection detail of multiple ply trusses.

NOT ALL TRUSSES ARE SYMMETRICAL AND MAY NOT PERFORM CORRECTLY IF INSTALLED BACKWARDS. PLEASE REFER TO SEALS WHILE SETTING TRUSSES TO ENSURE TRUSSES ARE ORIENTED CORRECTLY




SHOP DRAWING APPROVAL
 THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS IDENTIFIED ON THE PLACEMENT DRAWING. THE BUILDING DESIGNER IS RESPONSIBLE FOR TEMPORARY AND PERMANENT BRACING OF THE ROOF AND FLOOR LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL SYSTEMS AND FOR THE OVERALL STRUCTURE. THE DESIGN OF THE TRUSS SUPPORT STRUCTURE INCLUDING HEADERS, BEAMS, WALLS, COLUMNS, AND SUFFICIENT BRACING IN FLOOR CAVITY UNDER POINT LOADS IS THE RESPONSIBILITY OF THE BUILDING DESIGNER. FOR GENERAL GUIDANCE REGARDING BRACING, CONSULT "BRACING OF WOOD TRUSSES" AVAILABLE FROM THE TRUSS PLATE INSTITUTE, 583 D'ONOFRIO DRIVE, MADISON, WI 53179.

REVIEWED BY: _____ APPROVED BY: _____ DATE: _____

Products				
Net Qty	Plies	Product	Length	PlotID
9	1	14" NI-40x	38-00-00	FJ38
2	1	14" NI-40x	26-00-00	FJ26
18	1	14" NI-40x	22-00-00	FJ22
2	2	14" NI-40x	22-00-00	FJ22-2
4	1	14" NI-40x	20-00-00	FJ20
8	1	14" NI-40x	18-00-00	FJ18
2	2	14" NI-40x	18-00-00	FJ18-2
2	1	14" NI-40x	14-00-00	FJ14
2	1	14" NI-40x	8-00-00	FJ8
1	1	14" NI-40x	6-00-00	FJ6
1	1	14" NI-40x	4-00-00	FJ4
2	2	1 3/4" x 9 1/4" (2.0E 3100) LVL	8-00-00	BM17
2	2	1 3/4" x 9 1/4" (2.0E 3100) LVL	8-00-00	WHBM2
2	2	1 3/4" x 11 7/8" (2.0E 3100) LVL	20-00-00	GDHBM3
2	2	1 3/4" x 11 7/8" (2.0E 3100) LVL	10-00-00	WHBM1
3	3	1 3/4" x 14" (2.0E 3100) LVL	20-00-00	BM4
2	2	1 3/4" x 14" (2.0E 3100) LVL	10-00-00	BM5
13	1	1 1/8" x 14" APA Rim Board	12-00-00	RIM1
1	1	14" NI-40x	39-00-00	Bk1

Connector Summary		
Product	Manuf	Qty
IUS2.56/14	Simpson	7
IUS2.56/14	Simpson	6



Hanger Conversion Chart

Client:	MATTAMY HOMES
Job Name:	SEQUIOIA - FRENCH COUNTRY
Model:	EWP 2ND FLOOR
Lot #:	1
Order #:	24-6520-B
Designer:	R S
Date:	10/31/2024

733 RIVER PARK DRIVE
 DANVILLE, VA 24540
 (434) 793-0217
 FAX: (434) 799-8767

RIVERSIDE ROOF TRUSS, LLC

Roof Surface Area: 0 Sq. Ft.
 Floor Surface Area: 4298 Sq. Ft.

