

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J1224-6811
ORDER DATE	12/12/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006802
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bob Beckstead	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 594-9200	SALES AREA	Curtis Quick

SPECIAL TO	<b>Weaver Homes Co. Inc.</b> 350 Wagoner Drive Fayetteville, NC 28303 (919) 606-4696	<b>JOB NAME:</b> Lot 44 West Preserve <b>MODEL:</b> Roof <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 44 <b>SUBDIV:</b> West Preserve <b>TAG:</b> Lauren III / Elev. A / 3 Car / <b>JOB CATEGORY:</b> B & S - Build and Ship
	<b>Weaver Homes, Inc.</b> 152 Boyce Ct. Sanford, NC 27332	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 47 West Preserve (J1224-6442)	<b>PLAN SEAL DATE:</b> 4/29/20 BY DATE

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	CQ 12/16/24
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING CQ 12/16/24

## ROOF TRUSSES

LOADING INFORMATION: TOLL-TCDL-BCLL-BCDL 20.0,10.0,0.0,10.0 STRESS INCR. 1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS					
		TOP	BOT			TOP	BOT	LEFT	RIGHT						
	5	6.00	3.00	PIGGYBACK A1	61-06-00 61-06-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 494.0 lbs. -13.4 lbs.	Joint 13 1852.9 lbs. -201.5 lbs.	Joint 18 2884.7 lbs. -235.9 lbs.			
	1	6.00	3.00	PIGGYBACK A1A	61-06-00 61-06-00	2 X 6	2 X 6		00-10-08	Joint 1 439.9 lbs. -11.9 lbs.	Joint 12 1852.4 lbs. -201.6 lbs.	Joint 17 2887.5 lbs. -236.3 lbs.			
	1	6.00	3.00	GABLE A1GE	61-06-00 61-06-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 175.2 lbs. -87.6 lbs.	Joint 36 195.6 lbs. -72.4 lbs.	Joint 38 316.0 lbs. -117.4 lbs.	Joint 39 91.2 lbs. -24.7 lbs.	Joint 40 181.3 lbs. -67.1 lbs.	
	3	6.00	3.00	PIGGYBACK A2	61-06-00 61-06-00	2 X 6	2 X 6		00-10-08	Joint 1 368.6 lbs. -36.3 lbs.	Joint 10 412.9 lbs. -164.8 lbs.	Joint 13 1742.5 lbs. -286.4 lbs.	Joint 17 2688.5 lbs. -175.4 lbs.		
	4	6.00	3.00	PIGGYBACK A3	59-00-00 59-00-00	2 X 6	2 X 6		00-10-08	Joint 1 388.9 lbs. -33.5 lbs.	Joint 9 695.9 lbs. -101.6 lbs.	Joint 13 2101.4 lbs. -111.4 lbs.	Joint 15 2161.5 lbs. -218.9 lbs.		
	2	6.00	0.00	PIGGYBACK A4	59-00-00 59-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 820.4 lbs. -58.3 lbs.	Joint 10 643.9 lbs. -94.9 lbs.	Joint 14 2757.3 lbs. -56.7 lbs.	Joint 17 1050.6 lbs. -106.0 lbs.		
	5	6.00	0.00	PIGGYBACK A4A	59-00-00 59-00-00	2 X 6	2 X 10	00-10-08	00-10-08	Joint 2 528.3 lbs. -38.2 lbs.	Joint 10 596.5 lbs. -106.4 lbs.	Joint 14 2699.5 lbs. -64.7 lbs.	Joint 17 1478.1 lbs. -135.8 lbs.		
	1	6.00	0.00	GABLE A4GE	59-00-00 59-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 816.5 lbs. -237.9 lbs.	Joint 10 534.2 lbs. -25.1 lbs.	Joint 12 450.0 lbs. -390.7 lbs.	Joint 13 269.7 lbs. 83.9 lbs.	Joint 15 778.5 lbs. -250.5 lbs.	
	6	6.00	0.00	QUEENPOST G1	22-00-00 22-00-00	2 X 4	2 X 6	00-10-08	00-10-08	Joint 2 929.6 lbs. -66.3 lbs.	Joint 6 929.6 lbs. -66.3 lbs.	Joint 8 855.6 lbs. -99.3 lbs.			
	1	6.00	0.00	GABLE G1GE	22-00-00 22-00-00	2 X 4	2 X 6	00-10-08	00-10-08	Joint 2 167.9 lbs. -19.0 lbs.	Joint 12 167.9 lbs. -9.9 lbs.	Joint 14 232.0 lbs. -106.0 lbs.	Joint 15 134.8 lbs. -57.4 lbs.	Joint 16 165.1 lbs. -72.8 lbs.	
	4	6.00	0.00	COMMON P1	16-00-00 16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 680.1 lbs. -142.1 lbs.	Joint 4 680.1 lbs. -142.1 lbs.				

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J1224-6811
ORDER DATE	12/12/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006802
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bob Beckstead	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 594-9200	SALES AREA	Curtis Quick

**Weaver Homes Co. Inc.**  
**350 Wagoner Drive**  
**Fayetteville, NC 28303**  
**(919) 606-4696**

**Weaver Homes, Inc.**  
**152 Boyce Ct.**  
**Sanford, NC 27332**

**JOB NAME:** Lot 44 West Preserve **LOT #** 44 **SUBDIV:** West Preserve  
**MODEL:** Roof **TAG:** Lauren III / Elev. A / 3 Car / **JOB CATEGORY:** B & S - Build and Ship  
**DELIVERY INSTRUCTIONS:**  
**SPECIAL INSTRUCTIONS:**  
 Like Lot 47 West Preserve (J1224-6442)

**PLAN SEAL DATE:** 4/29/20  
 BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 12/16/24
	PLUMB		<b>GABLE STUDS</b>	24 IN. OC	JOBSITE 1	CUTTING	CQ 12/16/24

**ROOF TRUSSES** **LOADING INFORMATION** **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	6.00	0.00	GABLE P1GE	16-00-00 16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 680.1 lbs. -152.9 lbs.	Joint 4 680.1 lbs. -152.9 lbs.			
	20	6.00	0.00	PIGGYBACK PB1	13-06-13 13-06-13	2 X 4	2 X 4			Joint 2 290.6 lbs. -42.4 lbs.	Joint 4 290.6 lbs. -50.7 lbs.	Joint 6 586.2 lbs. 1.1 lbs.		
	2	6.00	0.00	GABLE PB1GE	13-06-05 13-06-05	2 X 4	2 X 4			Joint 2 139.7 lbs. -23.2 lbs.	Joint 8 772.9 lbs. -53.6 lbs.	Joint 10 220.5 lbs. -95.4 lbs.	Joint 11 148.4 lbs. -65.3 lbs.	Joint 12 145.7 lbs. 34.0 lbs.
	1	12.00	0.00	GABLE VA1	23-06-04 23-06-04	2 X 4	2 X 4			Joint 1 327.3 lbs. -166.8 lbs.	Joint 15 288.4 lbs. -109.2 lbs.	Joint 16 181.7 lbs. -132.6 lbs.	Joint 17 193.0 lbs. -141.3 lbs.	Joint 18 189.8 lbs. -137.4 lbs.
	1	12.00	0.00	VALLEY VA10	05-06-04 05-06-04	2 X 4	2 X 4			Joint 1 118.9 lbs. -21.2 lbs.	Joint 3 118.8 lbs. -21.2 lbs.	Joint 4 152.6 lbs. 20.1 lbs.		
	1	12.00	0.00	VALLEY VA11	03-06-04 03-06-04	2 X 4	2 X 4			Joint 1 115.2 lbs. -3.7 lbs.	Joint 2 529.6 lbs. -118.7 lbs.	Joint 3 115.2 lbs. -3.7 lbs.	Joint 4 529.6 lbs. -118.7 lbs.	
	1	12.00	0.00	VALLEY VA2	21-06-04 21-06-04	2 X 4	2 X 4			Joint 1 189.6 lbs. -90.0 lbs.	Joint 7 158.9 lbs. -49.0 lbs.	Joint 8 358.6 lbs. -144.2 lbs.	Joint 9 577.6 lbs. -182.8 lbs.	Joint 11 422.2 lbs. 72.6 lbs.
	1	12.00	0.00	VALLEY VA3	19-06-04 19-06-04	2 X 4	2 X 4			Joint 1 186.4 lbs. -125.5 lbs.	Joint 7 167.9 lbs. -88.6 lbs.	Joint 8 280.4 lbs. -131.9 lbs.	Joint 9 489.8 lbs. -184.6 lbs.	Joint 11 435.3 lbs. 69.6 lbs.
	1	12.00	0.00	VALLEY VA4	17-06-04 17-06-04	2 X 4	2 X 4			Joint 1 205.0 lbs. -23.1 lbs.	Joint 5 179.9 lbs. 10.1 lbs.	Joint 6 549.7 lbs. -213.0 lbs.	Joint 8 414.0 lbs. 62.3 lbs.	Joint 9 550.1 lbs. -213.2 lbs.
	1	12.00	0.00	VALLEY VA5	15-06-04 15-06-04	2 X 4	2 X 4			Joint 1 171.1 lbs. -29.3 lbs.	Joint 2 1517.9 lbs. -84.8 lbs.	Joint 5 149.0 lbs. 0.0 lbs.	Joint 6 471.7 lbs. -186.1 lbs.	Joint 7 415.7 lbs. 60.7 lbs.
	1	12.00	0.00	VALLEY VA6	13-06-04 13-06-04	2 X 4	2 X 4			Joint 1 133.9 lbs. -37.8 lbs.	Joint 5 114.8 lbs. -12.4 lbs.	Joint 6 390.2 lbs. -166.1 lbs.	Joint 7 394.7 lbs. 58.0 lbs.	Joint 8 390.5 lbs. -166.2 lbs.

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J1224-6811
ORDER DATE	12/12/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006802
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Dustin Blackwell	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Bob Beckstead	SALES REP	Lenny Norris
JOBSITE PHONE #	(919) 594-9200	SALES AREA	Curtis Quick

S H I P T O	<b>Weaver Homes Co. Inc.</b> 350 Wagoner Drive Fayetteville, NC 28303 (919) 606-4696	<b>JOB NAME:</b> Lot 44 West Preserve <b>MODEL:</b> Roof <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> 44 <b>SUBDIV:</b> West Preserve <b>TAG:</b> Lauren III / Elev. A / 3 Car / <b>JOB CATEGORY:</b> B & S - Build and Ship
	<b>Weaver Homes, Inc.</b> 152 Boyce Ct. Sanford, NC 27332	<b>SPECIAL INSTRUCTIONS:</b> Like Lot 47 West Preserve (J1224-6442)	<b>PLAN SEAL DATE:</b> 4/29/20 BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 12/16/24
	PLUMB					CUTTING	CQ 12/16/24
	<b>GABLE STUDS</b>		24 IN. OC	JOBSITE	1	JOBSITE	1

## ROOF TRUSSES

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	12.00	0.00	VALLEY VA7	11-06-04 11-06-04	2 X 4	2 X 4			Joint 1: 113.9 lbs., -76.6 lbs. Joint 5: 93.6 lbs., -55.2 lbs. Joint 6: 339.1 lbs., -161.4 lbs. Joint 7: 222.8 lbs., 54.1 lbs. Joint 8: 339.3 lbs., -161.5 lbs.
	1	12.00	0.00	VALLEY VA8	09-06-04 09-06-04	2 X 4	2 X 4			Joint 1: 201.4 lbs., -26.4 lbs. Joint 3: 201.3 lbs., -26.4 lbs. Joint 4: 307.6 lbs., 12.4 lbs.
	1	12.00	0.00	VALLEY VA9	07-06-04 07-06-04	2 X 4	2 X 4			Joint 1: 167.6 lbs., -29.9 lbs. Joint 3: 167.5 lbs., -29.9 lbs. Joint 4: 215.2 lbs., 28.4 lbs.
	1	6.00	0.00	VALLEY VP1	15-08-09 15-08-09	2 X 4	2 X 4			Joint 1: 107.2 lbs., -3.6 lbs. Joint 5: 107.2 lbs., 1.7 lbs. Joint 6: 343.9 lbs., -77.1 lbs. Joint 7: 271.6 lbs., 33.3 lbs. Joint 8: 343.8 lbs., -77.2 lbs.
	1	6.00	0.00	VALLEY VP2	11-08-09 11-08-09	2 X 4	2 X 4			Joint 1: 194.9 lbs., -25.7 lbs. Joint 3: 194.9 lbs., -31.7 lbs. Joint 4: 456.3 lbs., 0.6 lbs.
	1	6.00	0.00	VALLEY VP3	07-08-09 07-08-09	2 X 4	2 X 4			Joint 1: 133.1 lbs., -21.3 lbs. Joint 3: 133.2 lbs., -25.0 lbs. Joint 4: 256.2 lbs., 11.0 lbs.
	1	6.00	0.00	VALLEY VP4	03-08-09 03-08-09	2 X 4	2 X 4			Joint 1: 198.5 lbs., -26.1 lbs. Joint 3: 198.5 lbs., -26.1 lbs. Joint 4: 303.3 lbs., 12.2 lbs.

## ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	BlueLinx (F)	LVL, Metsa(F) 2.0,	07-00-00		BM1
2	BlueLinx (F)	LVL, Metsa(F) 2.0,	14-00-00		GDH-1
3	BlueLinx (F)	LVL, Metsa(F) 2.0, 16"	23-00-00		GDH