															DA	E 06/11/	25 PAGE 1	
Re	action	Sun	nma	r <mark>y of</mark>	Order	Г	REQ.	QUOT	E DATE	11			ORD	ER #			25-0034	
				-		-	ORDE			01/03	01/03/25			TE #				
						h	DELIV	'ERY	DATE	//					ER ACCT #	000	0006802	
	_			& FLO					IVOICE	11					ER PO #			
C	omTec	ch∥ i	TRUSSE	S & BE	AMS		ORDE	RED	BY	Josh	Kinney		INVO	ICE #	#			
Reil	y Road Indu	strial P	ark P.C	. Box 40	0408		COUNTY				ett		TERM	NS				
	etteville, N.C						SUPE	RINTE	ENDANT	Josh	Kinney		SALE		EP	Len	ny Norris	
						L.	JOBS	ITE P	HONE #	(740)	391-6131		SALE	ES AF	REA	Cur	tis Quick	
	Manar	10.00	- C -	1					-	(ļ					
s	Weaver I			inc.		NAME:Lo	n 3A E	inuad					T # 3A		IBDIV: Elbri	uye Fai	111	
SOLD	350 Wag				_	EL:Roof			TAG:	_auren H	/ 3 Car / SL /	i udor JO	B CATEG	ORY	:_			
Ŧ	Fayettev			303	DELIV	ERY INST	RUCTIO	ONS:										
Ľ	(919) 606	6-469	6															
s	Weaver I	Home	s Inc															
S H I P			3, IIIC	•	SPEC	SPECIAL INSTRUCTIONS:												
P T O	31 Griffir		o=-	•														
ō	Lillingto	n, NC	2754	6											PLAN S		ATE:	
					I											BY	DATE	
BU	LDING DE	PART	MENT	OVERI	HANG INFO	HEEL HEIG	HT	00-0	04-05	REQ. LAY	OUTS	REQ. ENG	INEERING		QUOTE		//	
	of Order	-		END CU											LAYOUT	CQ	06/10/25	
				PLUMB	(GABLE ST	UDS	24	IN. OC	J	OBSITE 1		JOBSITE	1	CUTTING	CQ	01/08/25	
P	OOF T	RIIC	SEC	LC	ADING	TCLL-TCDL-	BCLL-BC		RESS INCR.		OF TRUSS S		24 0 101 0) C /				
Л		RUS	SES	IN	FORMATION	20.0,10.0	,0.0,10	.0	1.15	RU	OF 18055 5	PACING:	24.0 IN. C	J.C. (119.)			
F	ROFILE	QTY	PIT	СН	TYPE	BASE		MBER	OVER	HANG	REACTIO	NS						
		PLY	TOP	BOT	ID	0/A	TOP	BOT	LEFT	RIGHT								
			6.00	2 00	GABLE A1GE	61-06-00		276	00-10-08	00-10 09	Joint 2	Joint 18		nt 19	Joint 2		Joint 21	
		1	6.00	3.00	AIGE	01-00-00	/ 2 ^ 6	/~^0	00-10-08	00-10-08	341.8 lbs. -141.5 lbs.	2299.0 -926.2		28.8 lk 83.9 lk		.7 lbs. i lbs.	97.6 lbs. 14.6 lbs.	
								1		 	- 141.0 IDS.	-920.2	iusbi	ບວ.ອ ແ		105.	14.0 IUS.	
					GIRDER	61-06-00					Joint 2	Joint 16	loir	nt 21				
1		5	6.00	3.00	A2			2 X 6	00-10-08	00-10-08	1345.1 lbs.	3031.1		ແ∠⊺ ′21.1 I	bs.			
		-									33.2 lbs.	31.9		′5.7 lb				
								1										
					GIRDER	61-06-00					Joint 1	Joint 2	Joir	nt 13	Joint	15	Joint 20	
		1	6.00	3.00	A2A	61-06-00	2 X 6	6 2 X 6		00-10-08	1302.2 lbs.	1812.3	lbs. 18	863.4 I	bs. 3031	.0 lbs.	2722.8 lbs.	
											45.5 lbs.	190.2	lbs. 2	51.1 lk	os. 31.	9 lbs.	75.5 lbs.	
				Ī														
					ATTIC	61-06-00					Joint 1	Joint 16		nt 21				
		3	6.00	3.00	A3	61-06-00	2 X 6	2 X 6		00-10-08	993.0 lbs.	3110.5		82.0 I				
											4.8 lbs.	39.0 l	bs. 6	62.6 lb	S.			
						22.04.00					loint 1	Inine 40	1	~+ 4 4				
		3	6.00	3.00	GIRDER A4	33-04-08 33-04-08		2 2 6			Joint 1 778.7 lbs.	Joint 10 1059.9		nt 11 930.0 I	hs			
-		5	0.00	5.00	<i>/</i> ,,,						36.2 lbs.	1059.9 99.1 l		1.9 lbs				
								1				00.11						
					GIRDER	33-08-00		1			Joint 1	Joint 10	Joir	nt 11				
		1	6.00	3.00	A4A	33-08-00		6 2 X 6			778.9 lbs.	1086.0		952.8 I	bs.			
Ľ	~~~										36.2 lbs.	101.2	lbs.	6.0 lbs	S			
							1				1							
		İ	ĺ															
					GIRDER	33-08-00					Joint 2	Joint 11		nt 13				
~		4	6.00	0.00	GIRDER A5	1		2 X 6	00-10-08		395.8 lbs.	1051.9	lbs. 27	'87.2 I				
4		4	6.00	0.00		1		2 X 6	00-10-08				lbs. 27					
4			6.00	0.00	A5	33-08-00	2 X 6	2 X 6	00-10-08		395.8 lbs. 10.4 lbs.	1051.9 91.5 I	lbs. 27 bs. 2	787.2 24.6 lb	s.			
4		2			A5 GIRDER	33-08-00	2 X 6				395.8 lbs. 10.4 lbs. Joint 1	1051.9 91.5 I Joint 2	lbs. 27 bs. 2 Joir	787.2 24.6 lb nt 5	s. Joint (Joint 7	
4			6.00	0.00	A5	33-08-00	2 X 6		00-10-08		395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs.	1051.9 91.5 Joint 2 713.9	lbs. 27 bs. 2 Joir lbs. 5	787.2 24.6 lb nt 5 54.2 lb	s. Joint (s. 74.	9 lbs.	264.2 lbs.	
		2			A5 GIRDER	33-08-00	2 X 6				395.8 lbs. 10.4 lbs. Joint 1	1051.9 91.5 I Joint 2	lbs. 27 bs. 2 Joir lbs. 5	787.2 24.6 lb nt 5	s. Joint (s. 74.			
4		2			A5 GIRDER A6	33-08-00 33-04-08 33-04-08	2 X 6				395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs. 21.4 lbs.	1051.9 91.5 Joint 2 713.9 22.2	lbs. 27 bs. 2 Joir lbs. 5 bs3	287.2 24.6 lb 24.2 lb 30.4 lb	s. Joint (s. 74. s43.	9 lbs. 9 lbs.	264.2 lbs. -148.7 lbs.	
		2			A5 GIRDER	33-08-00 33-04-08 33-04-08 33-04-08	2 X 6	6 2 X 6			395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs.	1051.9 91.5 Joint 2 713.9	lbs. 27 bs. 2 Joir lbs. 5 bs3 Joir	787.2 24.6 lb nt 5 54.2 lb	s. Joint (s. 74. s43. Joint *	9 lbs. 9 lbs.	264.2 lbs.	
		2 2 Ply	6.00	0.00	A5 GIRDER A6 GABLE	33-08-00 33-04-08 33-04-08 33-04-08	2 X 6	6 2 X 6	00-10-08		395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs. 21.4 lbs. Joint 2	1051.9 91.5 I Joint 2 713.9 22.2 I Joint 9	lbs. 27 bs. 2 Joir bs. 5 bs3 Joir bs. 11	787.2 24.6 lb nt 5 54.2 lb 30.4 lb nt 10	s. Joint (s. 74. s43. Joint (bs. 1663	9 lbs. 9 lbs. 11	264.2 lbs. -148.7 lbs. Joint 12	
		2 2 Ply	6.00	0.00	A5 GIRDER A6 GABLE	33-08-00 33-04-08 33-04-08 33-04-08	2 X 6	6 2 X 6	00-10-08		395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs. 21.4 lbs. Joint 2 248.9 lbs.	1051.9 91.5 Joint 2 713.9 22.2 Joint 9 52.3	lbs. 27 bs. 2 Joir bs. 5 bs3 Joir bs. 11	787.2 24.6 lb 54.2 lb 30.4 lb at 10 44.6	s. Joint (s. 74. s43. Joint (bs. 1663	9 lbs. 9 lbs. 11 3.8 lbs.	264.2 lbs. -148.7 lbs. Joint 12 -108.2 lbs.	
		2 2 Ply	6.00	0.00	A5 GIRDER A6 GABLE A7GE PIGGYBACK	33-08-00 33-04-08 33-04-08 33-04-08	2 X 6 2 X 6 2 X 6	6 2 X 6	00-10-08		395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs. 21.4 lbs. Joint 2 248.9 lbs.	1051.9 91.5 Joint 2 713.9 22.2 Joint 9 52.3	lbs. 27 bs. 2 Joir bs. 5 bs3 Joir bs. 11	787.2 24.6 lb 54.2 lb 30.4 lb at 10 44.6	s. Joint (s. 74. s43. Joint (bs. 1663	9 lbs. 9 lbs. 11 3.8 lbs.	264.2 lbs. -148.7 lbs. Joint 12 -108.2 lbs.	
		2 2 Ply	6.00	0.00	A5 GIRDER A6 GABLE A7GE	33-08-00 33-04-08 33-04-08 33-04-08 33-04-08 22-08-00	2 X 6 2 X 6 2 X 6	2 X 6	00-10-08	00-11-00	395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs. 21.4 lbs. Joint 2 248.9 lbs. 51.2 lbs.	1051.9 91.5 Joint 2 713.9 22.2 Joint 9 52.3 -440.8	lbs. 27 bs. 2 Joir lbs. 5 bs3 Joir bs. 11 lbs1;	787.2 24.6 lb 54.2 lb 30.4 lb at 10 44.6	s. Joint (s. 74. s43. Joint (bs. 1663	9 lbs. 9 lbs. 11 3.8 lbs.	264.2 lbs. -148.7 lbs. Joint 12 -108.2 lbs.	
4		2 2 Ply 1	6.00	0.00	A5 GIRDER A6 GABLE A7GE PIGGYBACK	33-08-00 33-04-08 33-04-08 33-04-08 33-04-08 22-08-00	2 X 6 2 X 6 2 X 6	2 X 6	00-10-08	00-11-00	395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs. 21.4 lbs. Joint 2 248.9 lbs. 51.2 lbs. Joint 13	1051.9 91.5 I Joint 2 713.9 22.2 I Joint 9 52.3 I -440.8 Joint 17	Ibs. 27 bs. 2 Joir Ibs. 5 bs3 Joir bs. 11 Ibs1; Ibs.	787.2 24.6 lb 54.2 lb 30.4 lb at 10 44.6	s. Joint (s. 74. s43. Joint (bs. 1663	9 lbs. 9 lbs. 11 3.8 lbs.	264.2 lbs. -148.7 lbs. Joint 12 -108.2 lbs.	
		2 2 Ply 1	6.00	0.00	A5 GIRDER A6 GABLE A7GE PIGGYBACK B1GE	33-08-00 33-04-08 33-04-08 33-04-08 33-04-08 22-08-00 22-07-00	2 X 6 2 X 6 2 X 6 2 X 6	2 X 6	00-10-08	00-11-00	395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs. 21.4 lbs. Joint 2 248.9 lbs. 51.2 lbs. Joint 13 1511.0 lbs. 57.8 lbs.	1051.9 91.5 I Joint 2 713.9 22.2 I Joint 9 52.3 I -440.8 Joint 17 1511.0 57.8 I	Ibs. 27 bs. 2 Joir Ibs. 5 bs3 Joir bs. 11 Ibs1; Ibs.	787.2 24.6 lb 54.2 lb 30.4 lb at 10 44.6	s. Joint (s. 74. s43. Joint (bs. 1663	9 lbs. 9 lbs. 11 3.8 lbs.	264.2 lbs. -148.7 lbs. Joint 12 -108.2 lbs.	
4		2 2 Ply 1 1	6.00 6.00 12.00	0.00	A5 GIRDER A6 GABLE A7GE PIGGYBACK B1GE PIGGYBACK	33-08-00 33-04-08 33-04-08 33-04-08 33-04-08 22-08-00 22-07-00 22-07-00	2 X 6 2 X 6 2 X 6 2 X 6 2 X 6	2 X 6 2 X 6 2 X 10	00-10-08	00-11-00	395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs. 21.4 lbs. Joint 2 248.9 lbs. 51.2 lbs. Joint 13 1511.0 lbs. 57.8 lbs. Joint 1	1051.9 91.5 I Joint 2 713.9 22.2 I Joint 9 52.3 I -440.8 Joint 17 1511.0 57.8 I Joint 10	Ibs. 27 bs. 2 Joir Ibs. 5 bs3 Joir bs. 11 Ibs1: Ibs. bs.	787.2 24.6 lb 54.2 lb 30.4 lb at 10 44.6	s. Joint (s. 74. s43. Joint (bs. 1663	9 lbs. 9 lbs. 11 3.8 lbs.	264.2 lbs. -148.7 lbs. Joint 12 -108.2 lbs.	
		2 2 Ply 1	6.00	0.00	A5 GIRDER A6 GABLE A7GE PIGGYBACK B1GE	33-08-00 33-04-08 33-04-08 33-04-08 33-04-08 22-08-00 22-07-00	2 X 6 2 X 6 2 X 6 2 X 6 2 X 6	2 X 6	00-10-08	00-11-00	395.8 lbs. 10.4 lbs. Joint 1 106.1 lbs. 21.4 lbs. Joint 2 248.9 lbs. 51.2 lbs. Joint 13 1511.0 lbs. 57.8 lbs.	1051.9 91.5 I Joint 2 713.9 22.2 I Joint 9 52.3 I -440.8 Joint 17 1511.0 57.8 I	Ibs. 27 bs. 2 Joir Ibs. 5 bs3 Joir bs. 11 Ibs1: Ibs. bs. bs.	787.2 24.6 lb 54.2 lb 30.4 lb at 10 44.6	s. Joint (s. 74. s43. Joint (bs. 1663	9 lbs. 9 lbs. 11 3.8 lbs.	264.2 lbs. -148.7 lbs. Joint 12 -108.2 lbs.	

																		DAT	E06/11/	/25	PAGE 2
Reactio	on Su	Jmr	nai	ry of	Order		RE	Q. C	υοτ	E DATE	. /	11				DER #			25-00		
~				-		R DAT			01/03/25				OTE #			-					
							DE		ERY	DATE	/	1			CUS	том	ER AC	CT #	000	00006	802
ROOF & FLOOR								DATE OF INVOICE									ER PC				
ComTech TRUSSES & BEAMS									REDE	ЗY	Jo	osh I	Kinney		INV	OICE	#				
L Reilly Road	ndustric	ul Parl	C P.O	Box 40	0408		-	UNT				arne			TEF	RMS					
Fayetteville,							SU	PER		NDANT	· Jo	osh	Kinney			ES R	EP		Len	ny No	orris
,,			(.,						HONE #			391-6131			ES AI			-	tis Qu	
											1)	40)	331-0131								
S b Fayet (919)	350 Wagoner Drive								-	e Farm TAG :	Laurer	ηΗ/	3 Car / SL /		DT # 3A DB CATE			Elbrid	lge Fa	rm	
¹ / _P 31 Gr	er Hor iffin R aton, N	d.			SF	PECIAL INS	TRUC	TION	IS:												
	,,			-													PI	LAN S	EAL D	ATE:	
B		 -		<u></u>					00	14.05								1	BY	-	DATE
BUILDING		RTM	<u>-NT</u>		HANG INF		FIGHL	1	00-0	04-05	REQ.	LAY	OUTS	REQ. EN	GINEERIN	G	QUO		CQ		6/10/25
Roof Order			-	END CU			OTUD		041							4		-			6/10/25 1/08/25
			L	PLUMB	1	GABLE			-	N. OC	_	JC	DBSITE 1		JOBSITE	1	CUTT	ING		0	1/00/20
ROOF	TRL	JSS	ES) ADING FORMATIO	DN 20.0,1			_	ESS INCR.	_	ROO	OF TRUSS S	SPACING	:24.0 IN.	0.C. (TYP.)				
PROFIL	E QT PL		PIT OP	CH BOT	TYPE ID	BAS O/		LUM	BER	OVE	RHANC RIGI		REACTIO	ONS							
·			UF	БОТ	PIGGYBA			IUF	БОТ	LEFI	RIG		Joint 11	Joint 15							
\wedge		7 1	2.00	0.00			-00 2	2 X 6	2 X 10				1493.1 lbs.	1493.1							
													179.8 lbs.	179.8							
	2 F	1 Ply 1	2.00	0.00	PIGGYBA B4		-00 2	2 X 6	2 X 10				Joint 11 3990.6 lbs. 298.5 lbs.	Joint 15 3990.6 298.5	6 lbs.						
		6	6.00	0.00	QUEENPO G1			2 X 6	2 X 6	00-10-08	3 00-10	-08	Joint 2 920.1 lbs. -63.8 lbs.	Joint 6 920.1 -63.8							
		1	6.00	0.00	HIP G1GE	22-00 22-00		2 X 6	2 X 6	00-10-08	8 00-10	-08	Joint 2 156.5 lbs. -25.1 lbs.	Joint 12 156.8 -31.5	lbs.	oint 14 233.2 II 107.7 II		Joint 1 143. -61.6	7 lbs.		t 16 9.0 lbs. .1 lbs.
		7	6.00	4.00	SCISSOR P1			2 X 6	2 X 6	00-10-08	3 00-10	-08	Joint 2 680.1 lbs. -141.9 lbs.	Joint 4 680.1 -141.9							
		1	6.00	4.00	GABLE P1GE			2 X 6	2 X 6	00-10-08	3 00-10	-08	Joint 2 680.1 lbs. -152.6 lbs.	Joint 4 680.1 -152.6							
		1	6.00	0.00	GABLE PB1		-05 2	2 X 4	2 X 4				Joint 2 287.2 lbs. -41.9 lbs.	Joint 6 287.2 -42.7	lbs.	oint 8 302.8 ll 12.0 lb					
		8	6.00	0.00	PIGGYBA0 PB2		-05 2	2 X 4	2 X 4				Joint 2 225.5 lbs. -34.0 lbs.	Joint 4 225.5 -40.3	lbs.	oint 6 430.0 ll 1.7 lbs					
		3	6.00	0.00	PIGGYBA PB3		-10 2	2 X 4	2 X 4				Joint 2 230.5 lbs. -34.7 lbs.	Joint 5 130.3 -38.5	lbs.	oint 6 366.2 ll 6.7 lbs					
		5	6.00	0.00	PIGGYBA PB4		-02 2	2 X 4	2 X 4				Joint 2 243.6 lbs. -28.5 lbs.	Joint 5 178.0 -43.8	lbs.	oint 6 346.9 ll -8.8 lbs					
	2 F	1 Ply	6.00	0.00	PIGGYBA PB5		-10 -10 2	2 X 4	2 X 4				Joint 2 230.5 lbs. -34.7 lbs.	Joint 5 130.3 -38.5	lbs.	oint 6 366.2 ll 6.7 lbs					

DATE 06/11/25 PAGE 3 **Reaction Summary of Order REQ. QUOTE DATE** 11 **ORDER #** J0125-0034 ORDER DATE 01/03/25 **QUOTE #** DELIVERY DATE 000006802 11 CUSTOMER ACCT # **ROOF & FLOOR** 11 DATE OF INVOICE **CUSTOMER PO #** ComTech TRUSSES & BEAMS ORDERED BY Josh Kinney **INVOICE #** COUNTY Harnett TERMS Reilly Road Industrial Park P.O. Box 40408 SALES REP Fayetteville, N.C. 28309 (910) 864-TRUS SUPERINTENDANT Josh Kinney Lenny Norris (740) 391-6131 Curtis Quick **JOBSITE PHONE #** SALES AREA JOB NAME: Lot 3A Elbridge Farm LOT # 3A SUBDIV: Elbridge Farm Weaver Homes Co. Inc. SOLD TAG: Lauren H / 3 Car / SL / Tudor JOB CATEGORY: _ 350 Wagoner Drive MODEL:Roof **DELIVERY INSTRUCTIONS:** Fayetteville, NC 28303 т (919) 606-4696 S H I P Weaver Homes, Inc. SPECIAL INSTRUCTIONS: 31 Griffin Rd. Т Lillington, NC 27546 PLAN SEAL DATE: DATE ΒY BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 QUOTE **REQ. LAYOUTS REQ. ENGINEERING** 11 END CUT RETURN LAYOUT CQ 06/10/25 Roof Order 01/08/25 GABLE STUDS 24 IN. OC JOBSITE JOBSITE CUTTING CQ PLUMB 1 1 LOADING TCLL-TCDL-BCLL-BCDL STRESS INCR. ROOF TRUSSES ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) INFORMATION 20.0,10.0,0.0,10.0 1.15 PROFILE QTY PITCH TYPE BASE LUMBER **OVERHANG** REACTIONS

				1 at 1			0121	10.010	H REACTIONS						
PLY	TOP	BOT	ID	O/A	TOP	BOT	LEFT	RIGHT							
1 2 Ply	6.00	0.00	PIGGYBACK PB6	08-10-10 08-10-10		2 X 4			Joint 2 245.0 lbs. -29.6 lbs.	Joint 7 150.3 lbs. -19.9 lbs.	Joint 8 331.7 lbs. -10.5 lbs.				
1	6.00	0.00	VALLEY VP1	15-08-09 15-08-09	2 X 4	2 X 4			Joint 1 163.4 lbs. -11.0 lbs.	Joint 5 107.2 lbs. 1.7 lbs.	Joint 6 232.9 lbs. -55.0 lbs.	Joint 7 271.6 lbs. 33.3 lbs.	Joint 8 429.9 lbs. -124.1 lbs.		
1	6.00	0.00	VALLEY VP2	11-08-09 11-08-09	2 X 4	2 X 4			Joint 1 194.9 lbs. -25.7 lbs.	Joint 3 194.9 lbs. -31.7 lbs.	Joint 4 456.3 lbs. 0.6 lbs.				
1	6.00	0.00	VALLEY VP3	07-08-09 07-08-09	2 X 4	2 X 4			Joint 1 133.1 lbs. -21.3 lbs.	Joint 3 133.2 lbs. -25.0 lbs.	Joint 4 256.2 lbs. 11.0 lbs.				
1	6.00	0.00	VALLEY VP4	03-08-09 03-08-09	2 X 4	2 X 4			Joint 1 101.3 lbs. -6.1 lbs.	Joint 3 101.3 lbs. -6.1 lbs.	Joint 9 1244.7 lbs. -35.8 lbs.	Joint 16 2046.9 lbs. -109.5 lbs.			

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
3	Hangers, USP	HUS 26			SIMPSON (HUS26)
	~ :	1		1	
2	BlueLinx (F)	LVL, Metsa(F) 2.0,	08-00-00		BM1
	<u> </u>			1	· · · · · · · · · · · · · · · · · · ·
2	BlueLinx (F)	LVL, Metsa(F) 2.0,	07-00-00		BM3
	<u> </u>			1	· · · · · · · · · · · · · · · · · · ·
2	BlueLinx (F)	LVL, Metsa(F) 2.0,	06-00-00		BM2
	••				· · · · · · · · · · · · · · · · · · ·
2	BlueLinx (F)	LVL, Metsa(F) 2.0,	14-00-00		GDH-1
	••				· · · · · · · · · · · · · · · · · · ·
3	BlueLinx (F)	LVL, Metsa(F) 2.0, 18"	22-00-00		GDH (Side Load)
	••				
2	Hangers, USP	THD28-2			SIMPSON (HHUS28-2)