

Reaction Summary of Order



| | | | |
|-----------------|-----------------|-----------------|--------------|
| REQ. QUOTE DATE | / / | ORDER # | J1224-6540 |
| ORDER DATE | 12/09/24 | QUOTE # | |
| DELIVERY DATE | / / | CUSTOMER ACCT # | 0000007263 |
| DATE OF INVOICE | / / | CUSTOMER PO # | |
| ORDERED BY | Andrew Erickson | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Andrew Erickson | SALES REP | Curtis Quick |
| JOBSITE PHONE # | (910) 403-1973 | SALES AREA | Curtis Quick |

| | | | |
|-----------------|--|---|---|
| S O F T W A R E | Erickson Homes LLC 1507 Slocomb Road Linden, NC 28356 | JOB NAME: 289 Bret Rd. MODEL: TAG: KOEN1124 DELIVERY INSTRUCTIONS: | LOT # SUBDIV: JOB CATEGORY: WCall - Will Call |
| | Erickson Homes 289 Bret Rd. Cameron, NC | SPECIAL INSTRUCTIONS: | PLAN SEAL DATE: BY DATE |

| | | | | | | | |
|----------------------------|----------------------|--------------------|--------------------|---------------------|-------------------------|--------------|----------------------------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | / / |
| Roof Order | END CUT | RETURN | | | | LAYOUT | CQ 12/09/24 |
| | PLUMB | NO | GABLE STUDS | 16 IN. OC | JOBSITE 1 | JOBSITE 1 | CUTTING CQ 12/09/24 |

| | | | | |
|---------------------|----------------------------|---------------------|--------------|---|
| ROOF TRUSSES | LOADING INFORMATION | TCLL-TCDL-BCLL-BCDL | STRESS INCR. | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) |
| | | 20.0,10.0,0.0,10.0 | 1.15 | |

| PROFILE | QTY | PITCH | | TYPE ID | BASE O/A | LUMBER | | OVERHANG | | REACTIONS | | | | |
|---------|------------|-------|------|--------------|----------------------|--------|-------|----------|----------|--|--|--|--|---------------------------------------|
| | | TOP | BOT | | | TOP | BOT | LEFT | RIGHT | | | | | |
| | 1 | 7.00 | 0.00 | GABLE A1GE | 58-00-00 58-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 12 216.7 lbs. -74.9 lbs. | Joint 14 217.5 lbs. -91.5 lbs. | Joint 15 70.3 lbs. -38.7 lbs. | Joint 16 1733.0 lbs. -334.7 lbs. | Joint 17 132.5 lbs. -473.6 lbs. |
| | 6 | 7.00 | 6.00 | PIGGYBACK A2 | 58-00-00 58-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 14 2323.4 lbs. -128.5 lbs. | Joint 25 2419.4 lbs. -127.1 lbs. | | | |
| | 2 2 Ply | 7.00 | 6.00 | PIGGYBACK A3 | 58-00-00 58-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 14 5121.8 lbs. -308.0 lbs. | Joint 25 5083.9 lbs. -280.5 lbs. | | | |
| | 1 | 7.00 | 6.00 | PIGGYBACK A4 | 58-00-00 58-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 14 2314.7 lbs. -128.0 lbs. | Joint 25 2428.2 lbs. -126.8 lbs. | | | |
| | 2 | 7.00 | 6.00 | PIGGYBACK A5 | 58-00-00 58-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 14 2209.8 lbs. -122.2 lbs. | Joint 25 2533.0 lbs. -123.9 lbs. | | | |
| | 1 | 7.00 | 6.00 | PIGGYBACK A6 | 58-00-00 58-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 2 1394.6 lbs. -67.6 lbs. | Joint 14 2242.9 lbs. -124.0 lbs. | Joint 25 2499.9 lbs. -124.8 lbs. | | |
| | 12 | 7.00 | 0.00 | PIGGYBACK A7 | 36-00-00 36-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | | Joint 12 1274.8 lbs. -165.6 lbs. | Joint 17 2260.4 lbs. -73.9 lbs. | | | |
| | 1 | 7.00 | 0.00 | GABLE A7GE | 36-00-00 36-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | | Joint 2 317.7 lbs. -37.7 lbs. | Joint 23 7.1 lbs. -5.6 lbs. | Joint 24 41.6 lbs. -27.8 lbs. | Joint 25 95.9 lbs. -16.9 lbs. | Joint 26 166.0 lbs. -47.7 lbs. |
| | 6 | 7.00 | 0.00 | PIGGYBACK B1 | 48-00-00 48-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 9 1774.5 lbs. -108.2 lbs. | Joint 17 2690.6 lbs. -132.4 lbs. | | | |
| | 1 | 7.00 | 0.00 | GABLE B1GE | 48-00-00 48-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 2 218.8 lbs. -124.3 lbs. | Joint 30 157.8 lbs. -28.7 lbs. | Joint 32 194.4 lbs. -113.0 lbs. | Joint 33 171.5 lbs. -76.8 lbs. | Joint 34 174.4 lbs. -77.6 lbs. |
| | 1 | 12.00 | 0.00 | COMMON C1GE | 24-00-00 24-00-00 | 2 X 6 | 2 X 6 | 00-10-08 | 00-10-08 | Joint 2 425.9 lbs. -191.6 lbs. | Joint 18 377.0 lbs. -119.2 lbs. | Joint 20 236.6 lbs. -282.7 lbs. | Joint 21 183.6 lbs. -119.8 lbs. | Joint 22 191.2 lbs. -141.9 lbs. |

Reaction Summary of Order



| | | | |
|-----------------|-----------------|-----------------|--------------|
| REQ. QUOTE DATE | / / | ORDER # | J1224-6540 |
| ORDER DATE | 12/09/24 | QUOTE # | |
| DELIVERY DATE | / / | CUSTOMER ACCT # | 0000007263 |
| DATE OF INVOICE | / / | CUSTOMER PO # | |
| ORDERED BY | Andrew Erickson | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Andrew Erickson | SALES REP | Curtis Quick |
| JOBSITE PHONE # | (910) 403-1973 | SALES AREA | Curtis Quick |

| | | | |
|----------|--|---|--|
| SCHEDULE | Erickson Homes LLC 1507 Slocomb Road Linden, NC 28356 | JOB NAME: 289 Bret Rd. MODEL: TAG: KOEN1124 DELIVERY INSTRUCTIONS: | LOT # SUBDIV: JOB CATEGORY: WCall - Will Call |
| | Erickson Homes 289 Bret Rd. Cameron, NC | SPECIAL INSTRUCTIONS: | PLAN SEAL DATE: BY DATE |

| | | | | | | | |
|----------------------------|----------------------|-----------------------|-----------|---------------------|-------------------------|-------------------|----------------------------------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | / / |
| Roof Order | END CUT PLUMB NO | RETURN GABLE STUDS | 16 IN. OC | JOBSITE 1 | JOBSITE 1 | LAYOUT CUTTING | CQ CQ 12/09/24 12/09/24 |

| | | | | |
|---------------------|----------------------------|---|----------------------|---|
| ROOF TRUSSES | LOADING INFORMATION | TCLL-TCDL-BCLL-BCDL 20.0,10.0,0.0,10.0 | STRESS INCR. 1.15 | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) |
|---------------------|----------------------------|---|----------------------|---|

| PROFILE | QTY | PITCH | | TYPE ID | BASE O/A | LUMBER | | OVERHANG | | REACTIONS |
|---------|------------|-------|------|-----------------|----------------------|--------|-------|----------|-------|---|
| | | TOP | BOT | | | TOP | BOT | LEFT | RIGHT | |
| | 11 | 12.00 | 0.00 | COMMON C2 | 24-00-00 24-00-00 | 2 X 6 | 2 X 6 | | | Joint 1 1254.3 lbs. -34.8 lbs. Joint 11 1254.3 lbs. -34.8 lbs. |
| | 10 | 7.00 | 0.00 | GABLE PB1 | 13-09-04 13-09-04 | 2 X 4 | 2 X 4 | | | Joint 2 133.7 lbs. -7.2 lbs. Joint 6 133.7 lbs. 0.4 lbs. Joint 8 339.3 lbs. -85.4 lbs. Joint 9 268.7 lbs. 42.3 lbs. Joint 10 339.9 lbs. -85.8 lbs. |
| | 1 | 7.00 | 0.00 | GABLE PB1GE | 13-09-04 13-09-04 | 2 X 4 | 2 X 4 | | | Joint 1 104.2 lbs. -39.3 lbs. Joint 2 140.3 lbs. -23.5 lbs. Joint 7 79.3 lbs. -6.1 lbs. Joint 8 201.6 lbs. -158.5 lbs. Joint 9 200.4 lbs. -155.2 lbs. |
| | 2 2 Ply | 7.00 | 0.00 | GABLE PB2 | 13-01-05 13-01-05 | 2 X 6 | 2 X 4 | | | Joint 2 138.7 lbs. -17.2 lbs. Joint 6 138.7 lbs. -5.1 lbs. Joint 8 320.4 lbs. -81.7 lbs. Joint 9 264.1 lbs. 44.1 lbs. Joint 10 322.7 lbs. -83.3 lbs. |
| | 12 | 7.00 | 0.00 | GABLE PB3 | 13-09-04 13-09-04 | 2 X 4 | 2 X 4 | | | Joint 2 133.7 lbs. -6.4 lbs. Joint 6 97.0 lbs. 5.7 lbs. Joint 7 343.5 lbs. -86.9 lbs. Joint 8 268.0 lbs. 41.0 lbs. Joint 9 339.9 lbs. -85.8 lbs. |
| | 1 | 7.00 | 0.00 | GABLE PB3GE | 13-09-04 13-09-04 | 2 X 4 | 2 X 4 | | | Joint 2 140.4 lbs. -21.5 lbs. Joint 8 103.4 lbs. 0.2 lbs. Joint 9 258.2 lbs. -117.1 lbs. Joint 10 152.7 lbs. -68.7 lbs. Joint 11 146.3 lbs. 28.8 lbs. |
| | 6 | 7.00 | 0.00 | PIGGYBACK PB4 | 03-09-04 03-09-04 | 2 X 4 | 2 X 4 | | | Joint 2 116.4 lbs. -22.3 lbs. Joint 4 116.4 lbs. -25.7 lbs. Joint 6 134.7 lbs. 11.5 lbs. |
| | 1 | 7.00 | 0.00 | PIGGYBACK PB4GE | 03-09-04 03-09-04 | 2 X 4 | 2 X 4 | | | Joint 1 174.6 lbs. -155.2 lbs. Joint 2 116.4 lbs. -45.3 lbs. Joint 4 123.0 lbs. -33.7 lbs. Joint 5 387.0 lbs. -100.3 lbs. Joint 6 266.7 lbs. -110.3 lbs. |
| | 1 | -7.00 | 0.00 | GABLE VA1 | 21-01-12 21-01-12 | 2 X 4 | 2 X 4 | | | Joint 12 287.5 lbs. -51.4 lbs. Joint 13 240.9 lbs. -109.7 lbs. Joint 14 152.4 lbs. -68.2 lbs. Joint 15 179.1 lbs. -79.7 lbs. Joint 16 172.7 lbs. -77.1 lbs. |
| | 2 | -7.00 | 0.00 | VALLEY VA2 | 19-06-07 19-06-07 | 2 X 4 | 2 X 4 | | | Joint 1 245.4 lbs. -131.1 lbs. Joint 8 98.8 lbs. -22.2 lbs. Joint 9 317.5 lbs. -76.8 lbs. Joint 10 432.2 lbs. -79.1 lbs. Joint 12 529.0 lbs. -79.4 lbs. |
| | 2 | -7.00 | 0.00 | VALLEY VA3 | 16-01-05 16-01-05 | 2 X 4 | 2 X 4 | | | Joint 1 136.1 lbs. -25.3 lbs. Joint 3 136.1 lbs. -31.1 lbs. Joint 4 198.5 lbs. 16.2 lbs. Joint 7 123.0 lbs. -27.9 lbs. Joint 8 349.0 lbs. -83.6 lbs. |

Reaction Summary of Order



| | | | |
|-----------------|-----------------|-----------------|--------------|
| REQ. QUOTE DATE | / / | ORDER # | J1224-6540 |
| ORDER DATE | 12/09/24 | QUOTE # | |
| DELIVERY DATE | / / | CUSTOMER ACCT # | 0000007263 |
| DATE OF INVOICE | / / | CUSTOMER PO # | |
| ORDERED BY | Andrew Erickson | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Andrew Erickson | SALES REP | Curtis Quick |
| JOBSITE PHONE # | (910) 403-1973 | SALES AREA | Curtis Quick |

| | | |
|-------------|--|--|
| S H I P T O | Erickson Homes LLC 1507 Slocomb Road Linden, NC 28356 | JOB NAME: 289 Bret Rd. LOT # SUBDIV: MODEL: TAG: KOEN1124 JOB CATEGORY: WCall - Will Call |
| | Erickson Homes 289 Bret Rd. Cameron, NC | DELIVERY INSTRUCTIONS: SPECIAL INSTRUCTIONS: <p style="text-align: right;">PLAN SEAL DATE: BY DATE</p> |

| | | | | | | | | | | | | | | | | |
|----------------------------|---|--------------------|----------|---------------------|-------------------------|--------------------|-----------|--|---------|---|--|---------|---|---------------|----|----------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | / / | | | | | | | | | |
| Roof Order | <table border="1"> <tr> <td>END CUT</td> <td>RETURN</td> </tr> <tr> <td>PLUMB</td> <td>NO</td> </tr> </table> | END CUT | RETURN | PLUMB | NO | GABLE STUDS | 16 IN. OC | <table border="1"> <tr> <td>JOBSITE</td> <td>1</td> </tr> </table> | JOBSITE | 1 | <table border="1"> <tr> <td>JOBSITE</td> <td>1</td> </tr> </table> | JOBSITE | 1 | LAYOUT | CQ | 12/09/24 |
| END CUT | RETURN | | | | | | | | | | | | | | | |
| PLUMB | NO | | | | | | | | | | | | | | | |
| JOBSITE | 1 | | | | | | | | | | | | | | | |
| JOBSITE | 1 | | | | | | | | | | | | | | | |
| | | | | | | CUTTING | CQ | 12/09/24 | | | | | | | | |

| ROOF TRUSSES | | LOADING INFORMATION | | TCLL-TCDL-BCLL-BCDL | STRESS INCR. | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) | | | | | | | | |
|---------------------|-----|----------------------------|------|---------------------|----------------------|---|-------|----------|-------|-------------|------------|-------------|-------------|------------|
| | | | | 20.0,10.0,0.0,10.0 | 1.15 | | | | | | | | | |
| PROFILE | QTY | PITCH | | TYPE ID | BASE O/A | LUMBER | | OVERHANG | | REACTIONS | | | | |
| | | TOP | BOT | | | TOP | BOT | LEFT | RIGHT | | | | | |
| | 2 | -7.00 | 0.00 | VALLEY VA4 | 12-08-02 12-08-02 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 5 | Joint 6 | Joint 7 | Joint 8 |
| | | | | | | | | | | 179.7 lbs. | 145.6 lbs. | 378.6 lbs. | 436.2 lbs. | 313.5 lbs. |
| | | | | | | | | | | -126.2 lbs. | -33.1 lbs. | -91.8 lbs. | -75.1 lbs. | -87.5 lbs. |
| | 2 | -7.00 | 0.00 | VALLEY VA5 | 09-03-00 09-03-00 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 4 | Joint 5 | Joint 6 | |
| | | | | | | | | | | 128.9 lbs. | 162.1 lbs. | 442.3 lbs. | 185.0 lbs. | |
| | | | | | | | | | | -87.0 lbs. | -38.0 lbs. | -101.1 lbs. | -68.2 lbs. | |
| | 2 | -7.00 | 0.00 | VALLEY VA6 | 05-09-14 05-09-14 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 4 | Joint 5 | Joint 6 | |
| | | | | | | | | | | 151.6 lbs. | -0.4 lbs. | 295.9 lbs. | 353.8 lbs. | |
| | | | | | | | | | | -209.1 lbs. | -17.2 lbs. | -59.8 lbs. | -140.3 lbs. | |
| | 2 | -7.00 | 0.00 | VALLEY VA7 | 02-04-12 02-04-12 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 3 | Joint 4 | | |
| | | | | | | | | | | 39.7 lbs. | 60.6 lbs. | 131.8 lbs. | | |
| | | | | | | | | | | -45.2 lbs. | -12.3 lbs. | -46.9 lbs. | | |

| ITEMS | | | | | |
|--------------|--------------|--------------------|--------------------|-------------|-----------|
| QTY | ITEM TYPE | SIZE | LENGTH FT-IN-16 | PART NUMBER | NOTES |
| 2 | BlueLinX (F) | LVL, Metsa(F) 2.0, | 08-00-00 | | BM1 |
| 4 | BlueLinX (F) | LVL, Metsa(F) 2.0, | 07-00-00 | | BM2 & BM3 |
| 2 | BlueLinX (F) | LVL, Metsa(F) 2.0, | 06-00-00 | | BM5 |
| 2 | BlueLinX (F) | LVL, Metsa(F) 2.0, | 05-00-00 | | BM4 |
| 3 | BlueLinX (F) | LVL, Metsa(F) 2.0, | 24-00-00 | | GDH |