

Harnett County Department of Public Health

PERMIT # SFD 2301-0115

Operation Permit

☒ New Installation ☒ Septic Tank ☒ Nitrification Line ☐ Repair ☐ Expansion

PROPERTY LOCATION: 561 Grove Township Hwy, Angier

SUBDIVISION Langdon Preserve LOT # 18

Name: (owner) Clayton Properties

System Installer: David Brantley

Basement with plumbing: ☐ Garage ☒ Number of Bedrooms 4

Type of Water Supply: ☐ Community ☒ Public ☐ Well Distance from well _____ feet


System Type: 25% Reduction Type III (g) Tank chamber Types V and VI Systems expire in 5 years.

(In accordance with Table V a)

Owner must contact Health Department 6 months prior to expiration for permit renewal.

This system has been installed in compliance with applicable North Carolina General Statutes, Rules for Sewage Treatment and Disposal, and all conditions of the Improvement Permit and Construction Authorization.

Grove Township way



PERMIT CONDITIONS:

I. Performance: System shall perform in accordance with Rule .1961.

II. Monitoring: As required by Rule .1961.

III. Maintenance: As required by Rule .1961. Other: _____

Subsurface system operator required? Yes ☐ No ☐

If yes, see attached sheet for additional operation conditions, maintenance and reporting.

IV. Operation: _____

V. Other: _____

☐ _____ D-Box ☐ _____ Pump ☐ _____ Alarm ☐ _____ H2O Line ☐ _____ PWR Line

Following are the specifications for the sewage disposal system on the above captioned property.

Type of system: ☐ Conventional ☒ Other Type III (g) Tank chamber Septic Tank: 1,000 gallons Pump Tank: _____ gallons

Subsurface No. of exact length 62' width of 3' depth of 22"
Drainage Field ditches 5 of each ditch _____ feet ditches _____ inches

French Drain Required: _____ Linear feet

Authorized State Agent [Signature] REHS

Date 4-4-25