Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID: Lot #: File #: Code:

## SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Torons Spincer		
Design Flow (.177).	Property Size:	
Location of Site:    Property Recorded.   Well     Well	☐ Spring	Other
Evaluation Method: Auger Boring  Evaluation Method: Sewage  Description  Industrial Process	Mixed	2

	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY		OTHER PROFILE FACTORS				
F I L E			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
	L	0-14		Fr	104R 6/2	>48"	_		5.4
	2-5%	14-48		fi	≥ 38"	ı	525	n	
				6					
2	L	0-14	LS	fr	104R 6/2	>48"		_	5.4
	2.5%			F:	≥38"			3	
					- Arten	1 2 1			
3	L	0-16	15	Fr	104R6/2 = 38"	>48"	_	_	5.4
	2.5%			Fi	≥ 38"		. 8 *		
					, m 3, m	,			
						18	1		
							100		
-									
-		- 1			***				
	-					)			
				4 7 75					

Description	Initial System	Repair System
Available Space (.1945)		
System Type(s)	-	
Site LTAR	. 2/	-4

Other Factors (.1946):
Site Classification (.1948):
Evaluated By:
Others Present:

COMMENTS: \_\_

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE S-SHOULDER SLOPE	1	S-SAND LS-LOAMY SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTY STICKY
L-LINEAR SLOPE FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE	п	SL-SANDY LOAM L-LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	S-STICKY VS-VERY STICKY NP-NON-PLASTIC
CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	ш	SI-SILT SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM	0.6 - 0.3		SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC

IV . SIC-SILTY CLAY C-CLAY

0.4 - 0.1

SC-SANDY CLAY

MINERALOGY

STRUCTURE SG-SINGLE GRAIN M-MASSIVE CR-CRUMB GR-GRANULAR SBK-SUBANGULAR BLOCKY ABK-ANGULAR BLOCKY

SLIGHTLY EXPANSIVE

EXPANSIVE

