

BLAKE POND (NC)(RAL)
LOT 00.0094
STONEHAVEN REV. 2
ELEV 6 - GARAGE LEFT
3-CAR GARAGE SIDE ENTRY
MORNING ROOM
COVERED PORCH
BEDROOM 5

Truss Connector Total List		
Qty	Product	Manuf
150	H2.5A	Simpson
6	HUS26	Simpson
21	LUS24	Simpson
9	HUS28	Simpson

ROOF TRUSS LAYOUT

SCALE: NTS

FOR CONSTRUCTION



Structural, LLC
201 Poplar Avenue
Thurmont, MD 21788
Phone: 301-271-7591

Customer: DRB Raleigh

Job Name: Blake Pond Lot 00.0094 Roof

Lot #: 00.0094

Model Name: Stonehaven



NOTE:

IT IS THE RESPONSIBILITY OF THE BUILDING DESIGNER OR ARCHITECT TO PROVIDE AN APPROPRIATE CONNECTION FOR TRUSSES TO SUPPORTING STRUCTURE PER REACTIONS SHOWN ON TRUSS ENGINEERING. SPECIAL CONSIDERATIONS FOR MECHANICAL EQUIPMENT AND/OR PLUMBING (AND THEIR CONNECTIONS) IN TRUSS SPACE MUST BE DIAGRAMMED BY ARCHITECT OR ENGINEER PRIOR TO FABRICATION.

THIS COMPANY IS A TRUSS MANUFACTURER WHOSE RESPONSIBILITIES ARE LIMITED TO THOSE DESCRIBED IN TCA 1-1995 "DESIGN RESPONSIBILITIES". ACCORDINGLY, IT DISCLAIMS ANY RESPONSIBILITIES AND/OR LIABILITY FOR THE CONSTRUCTION DESIGN, DRAWINGS, DOCUMENTS INCLUDING THE INSTALLATION, AND BRACING OF TRUSSES MANUFACTURED BY THIS COMPANY.

WARNING:

CONVENTIONAL FRAMING, ERECTION AND/OR PERMANENT BRACING IS NOT THE RESPONSIBILITY OF THE TRUSS DESIGNER, PLATE MANUFACTURER, OR THE TRUSS MANUFACTURER. PERSONS ERECTING TRUSSES ARE CAUTIONED TO SEEK PROFESSIONAL ADVICE REGARDING THE TRUSS BRACING WHICH IS ALWAYS REQUIRED TO PREVENT SWAYING AND DOMINOING DURING ERECTION; AND PERMANENT BRACING WHICH MAY BE REQUIRED IN SPECIFIC APPLICATIONS. SEE "BRACING WOOD TRUSSES COMMENTARY AND RECOMMENDATIONS" (BCS1 1) FOR FURTHER REFERENCE.

TRUSSES SHALL BE INSTALLED IN A STRAIGHT AND PLUMB POSITION WHERE NO SHEATHING IS APPLIED DIRECTLY TO TOP AND/OR BOTTOM CHORDS, THEY SHALL BE BRACED AS SPECIFIED ON THE ENGINEERED DESIGN. TRUSSES SHALL BE HANDLED WITH REASONABLE CARE DURING ERECTION TO PREVENT DAMAGE OR PERSONAL INJURY.

ob #:

2503-4263

Designer:

Beckett Tayler

Sales Rep:

Robbie Zarobinski