

Owner: 2010 Home Applicant:
Address: 91 Caspian CT
Proposed Facility: SFD
Location of Site:
Water Supply: ☒
Evaluation Method: ☒ Auger Bores ☐
Type of Wastewater: ☒ ☐

Date Evaluated: _____
 Design Flow (.1949): 480 GPD Property Size: _____
 Property Recorded: _____
 c ☐ Individual ☐ Well ☐ Spring ☐ Other
 ☐ Pit ☐ Cut
 age ☐ Industrial Process ☐ Mixed

[illegible]

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948):
Available Space (.1945)	✓	✓	Evaluated By: <i>MLREHS</i>
System Type(s)	✓	✓	Others Present:
Site I.TAR	.5	5	

COMMENTS: _____

LANDSCAPE POSITIONS

R-RIDGE
S-SHOULDER SLOPE
L-LINEAR SLOPE
FS-FOOT SLOPE
N-NOSE SLOPE
H-HEAD SLOPE
CC-CONCLAVE SLOPE
CV-CONVEX SLOPE
T-TERRACE
FP-FLOOD PLAN

GROUPTEXTURES.1955 LTARCONSISTENCE MOISTWET

I S-SAND
LS-LOAMY SAND

II SL-SANDY LOAM
L-LOAM

III SI-SILT
SIL-SILT LOAM
CL-CLAY LOAM
SCL-SANDY CLAY LOAM

IV SIC-SILTY CLAY
C-CLAY
SC-SANDY CLAY

1.2 - 0.8

0.8 - 0.6

0.6 - 0.3

0.4 - 0.1

VFR-VERY FRIABLE
FR-FRIABLE
FI-FIRM
VFI-VERY FIRM
EFI-EXTREMELY FIRM

NS-NON-STICKY
SS-SLIGHTLY STICKY
S-STICKY
VS-VERY STICKY
NP-NON-PLASTIC
SP-SLIGHTLY STICKY
P-PLASTIC
VP-VERY PLASTIC


STRUCTURE

SG-SINGLE GRAIN
M-MASSIVE
CR-CRUMB
GR-GRANULAR
SBK-SUBANGULAR BLOCKY
ABK-ANGULAR BLOCKY
PL-PLATY
PR-PRISMATIC

MINERALOGY

SLIGHTLY EXPANSIVE
EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)



Caspian