ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

			1
REQ. QUOTE DATE	11	ORDER#	J0425-1814
ORDER DATE	04/01/25	QUOTE #	No. of the last
DELIVERY DATE	11	CUSTOMER ACCT #	0000006420
DATE OF INVOICE	11	CUSTOMER PO#	
ORDERED BY	Jay Norris	INVOICE #	
COUNTY	Lee	TERMS	TO BE PRE-PAID
SUPERINTENDANT		SALES REP	Bob Lewis
JOBSITE PHONE #		SALES AREA	

Jay Norris 525 Chisholm St. Sanford, NC 27330 (919) 353-1494

JOB NAME: 143 Knight Rd. MODEL: Roof

LOT # 143 SUBDIV: Knight Rd. JOB CATEGORY: WCall - Will Call

DELIVERY INSTRUCTIONS:

SPECIAL INSTRUCTIONS:

Jay Norris 143 Knight Rd. Sanford, NC

PLAN SEAL DATE:

DATE BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-06-08 REQ. LAYOUTS **REQ. ENGINEERING** QUOTE BL 04/01/25 04/01/25 LAYOUT BL Roof Order END CUT RETURN **GABLE STUDS** 24 IN. OC CUTTING DJS 04/01/25 JOBSITE JOBSITE PLUMB

TAG:

ROOF T	RUS	SES		ADING FORMATION	TCLL-TCDL-B 20.0,10.0,			ESS INCR.	RO	DF TRUSS SPACING: 24.0 IN. O.C. (TYP.)			
PROFILE	QTY		СН	TYPE ID	BASE O/A			OVER		REACTIO	NS		
	PLY 2	6.00	0.00	COMMON A1	45-03-00 45-03-00		2 X 6	LEFT	RIGHT	Joint 1 1957.2 lbs. -420.2 lbs.	Joint 7 2036.2 lbs. -459.9 lbs.	Joint 11 1533.8 lbs. -43.2 lbs.	Joint 17 2703.8 lbs. -62.4 lbs.
	9	6.00	0.00	COMMON A1A	45-03-00 44-04-08	2 X 6	2 X 6			Joint 11 1458.0 lbs. -102.5 lbs.	Joint 17 2631.5 lbs. -141.1 lbs.		
	. 1	6.00	0.00	HIP A2	44-04-08 44-04-08	2 X 6	2 X 6			Joint 10 1554.3 lbs. -97.0 lbs.	Joint 16 2701.2 lbs. -129.3 lbs.		
	. 1	6.00	0.00	HIP A3	44-04-08 44-04-08	2 X 6	2 X 6			Joint 1 2033.6 lbs. -70.3 lbs.	Joint 10 1996.0 lbs. -83.8 lbs.		
	_ 1	6.00	0.00	HIP A4	45-03-00 45-03-00	2 X 6	2 X 6			Joint 1 2038.0 lbs. -58.2 lbs.	Joint 11 2038.0 lbs. -58.2 lbs.		
	. 1	6.00	0.00	HIP A5	45-03-00 45-03-00	2 X 6	2 X 6			Joint 1 2015.8 lbs. -44.5 lbs.	Joint 11 2015.8 lbs. -44.5 lbs.		
	. 1	6.00	0.00	HIP A6	44-04-08 44-04-08	2 X 6	2 X 6			Joint 1 1985.6 lbs. -41.3 lbs.	Joint 9 1948.2 lbs. -53.7 lbs.	i i	
	. 1	6.00	0.00	HIP A7	44-04-08 44-04-08	2 X 6	2 X 6			Joint 1 1754.8 lbs. -67.8 lbs.	Joint 9 1733.9 lbs. -80.0 lbs.		
	. 1	6.00	0.00	HIP A8	44-04-08 44-04-08	2 X 6	2 X 6			Joint 1 1754.8 lbs. -92.7 lbs.	Joint 8 1733.9 lbs. -104.7 lbs.		
	1 2 Ply	6.00	0.00	HIP GIRDER A9GR	44-04-08 44-04-08	2 X 6	2 X 6			Joint 1 3234.8 lbs. -428.6 lbs.	Joint 11 3234.1 lbs. -446.9 lbs.		
	2	6.00	0.00	COMMON B1	45-03-00 26-10-08	2 X 6	2 X 6			Joint 9 654.6 lbs. -103.5 lbs.	Joint 13 1905.1 lbs. -77.2 lbs.		

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

		ORDER#	J0425-1814
REQ. QUOTE DATE	11	ORDER#	JU423-1014
ORDER DATE	04/01/25	QUOTE #	
DELIVERY DATE	11	CUSTOMER ACCT #	0000006420
DATE OF INVOICE	11	CUSTOMER PO#	
ORDERED BY	Jay Norris	INVOICE #	M
COUNTY	Lee	TERMS	TO BE PRE-PAID
SUPERINTENDANT		SALES REP	Bob Lewis
JOBSITE PHONE #		SALES AREA	

Jay Norris 525 Chisholm St. Sanford, NC 27330 (919) 353-1494

Jay Norris

143 Knight Rd. Sanford, NC

JOB NAME: 143 Knight Rd. MODEL: Roof TAG: LOT # 143 SUBDIV: Knight Rd. JOB CATEGORY: WCall - Will Call

DELIVERY INSTRUCTIONS:

SPECIAL INSTRUCTIONS:

PLAN SEAL DATE:

DATE BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-06-08 REQ. LAYOUTS REQ. ENGINEERING QUOTE 04/01/25 LAYOUT BL 04/01/25 Roof Order END CUT RETURN CUTTING DJS 04/01/25 GABLE STUDS 24 IN. OC **JOBSITE** JOBSITE PLUMB

ROOF T	RUS	SES		ADING	TCLL-TCDL-B			ESS INCR. RO	OF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
PROFILE	QTY	PIT	INT	TYPE	20.0,10.0, BASE			0VERHANG	REACTIONS
	PLY 1	6.00	0.00	HIP B2	O/A 44-04-08 26-10-08		2 X 6	LEFT RIGHT	Joint 1 Joint 8 1194.4 lbs. 1278.7 lbs29.5 lbs106.2 lbs.
	1	6.00	0.00	HIP B3	44-04-08 26-10-08	2 X 6	2 X 6		Joint 1 Joint 8 1188.1 lbs. 1278.7 lbs. -28.3 lbs94.1 lbs.
	1	6.00	0.00	HALF HIP B4	26-10-08 26-10-08	2 X 6	2 X 6		Joint 1 Joint 6 1193.0 lbs. 1262.0 lbs. -31.0 lbs97.9 lbs.
	1	6.00	0.00	HALF HIP B5	26-10-08 26-10-08	2 X 6	2 X 6		Joint 1 Joint 7 1188.3 lbs. 1238.8 lbs. -30.5 lbs101.2 lbs.
	1	6.00	0.00	HALF HIP B6	26-10-08 26-10-08	2 X 6	2 X 6		Joint 1 Joint 6 1184.5 lbs. 1214.7 lbs. -26.9 lbs104.0 lbs.
	1	6.00	0.00	HALF HIP B7	26-10-08 26-10-08	2 X 6	2 X 6		Joint 1 Joint 7 1045.8 lbs. 1024.6 lbs. -20.2 lbs106.3 lbs.
	1	6.00	0.00	HALF HIP B8	26-10-08 26-10-08	2 X 6	2 X 6		Joint 1 Joint 7 1045.8 lbs. 1024.6 lbs. -30.7 lbs108.1 lbs.
	1 2 Ply	6.00	0.00	HALF HIP B9GR	26-10-08 26-10-08		2 X 6		Joint 1 Joint 7 1910.6 lbs. 1996.9 lbs. -237.8 lbs328.3 lbs.
	7	6.00	0.00	COMMON C1	23-10-08 23-10-08	2 X 6	2 X 6		Joint 1 Joint 7 1115.3 lbs. 1076.6 lbs. -40.9 lbs54.5 lbs.
	, 1	6.00	0.00	HIP C2	23-10-08 23-10-08	2 X 6	2 X 6		Joint 1 Joint 6 1077.6 lbs. 1039.4 lbs. -31.0 lbs44.7 lbs.
	, 1	6.00	0.00	HIP C3	23-10-08 23-10-08	2 X 6	2 X 6		Joint 1 Joint 4 935.0 lbs. 913.7 lbs. -18.2 lbs32.1 lbs.

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	11	ORDER#	J0425-1814
ORDER DATE	04/01/25	QUOTE #	
DELIVERY DATE	11	CUSTOMER ACCT#	0000006420
DATE OF INVOICE	11	CUSTOMER PO#	
ORDERED BY	Jay Norris	INVOICE #	
COUNTY	Lee	TERMS	TO BE PRE-PAID
SUPERINTENDANT		SALES REP	Bob Lewis
JOBSITE PHONE #		SALES AREA	

LOT # 143

Jay Norris 525 Chisholm St. Sanford, NC 27330 (919) 353-1494

MODEL: Roof

DELIVERY INSTRUCTIONS:

JOB NAME: 143 Knight Rd.

Jay Norris 143 Knight Rd.

Sanford, NC

SPECIAL INSTRUCTIONS:

PLAN SEAL DATE:

SUBDIV: Knight Rd.

JOB CATEGORY: WCall - Will Call

DATE BY BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-06-08 REQ. ENGINEERING BL 04/01/25 REQ. LAYOUTS QUOTE Roof Order END CUT RETURN LAYOUT BL 04/01/25 04/01/25 **GABLE STUDS** CUTTING DJS **PLUMB** 24 IN. OC

TAG:

ROOF T	RUS	SES		ADING FORMATION	TCLL-TCDL-B 20.0,10.0,0			1.15	RO	OF TRUSS SPACING: 24.0 IN. O.C. (TYP.)				
PROFILE	QTY	PIT	СН	TYPE	BASE	-	-	THE OWNER WHEN PERSON NAMED IN	HANG		Vergrand			
PROFILE	PLY	TOP	вот	ID	O/A		BOT	LEFT	RIGHT	REACTIO	NS			
	1 2 Ply	6.00	0.00	HIP GIRDER C4GR	24-09-00 24-09-00					Joint 1 1717.6 lbs. -222.4 lbs.	Joint 5 1717.6 lbs. -222.4 lbs.			
	1 2 Ply	6.00	0.00	HIP GIRDER D1GR	13-11-00 13-11-00	2 X 6	2 X 8			Joint 1 3607.0 lbs. -335.8 lbs.	Joint 4 5797.6 lbs. -417.8 lbs.			
	1 2 Ply	6.00	0.00	HIP GIRDER D2GR	14-09-08 14-09-08	2 X 6	2 X 6			Joint 1 683.4 lbs. -127.0 lbs.	Joint 2 1081.0 lbs. -227.2 lbs.	Joint 5 683.4 lbs. -127.0 lbs.	Joint 10 615.4 lbs. -154.6 lbs.	Joint 14 3072.8 lbs. -405.7 lbs.
	3	6.00	0.00	COMMON E1	10-08-08 10-08-08	2 X 4	2 X 6			Joint 1 428.3 lbs. -96.9 lbs.	Joint 3 428.3 lbs. -96.9 lbs.			
	1	6.00	0.00	GABLE E1GE	10-08-08 10-08-08	2 X 4	2 X 6			Joint 1 285.7 lbs. -92.8 lbs.	Joint 5 285.7 lbs. -93.1 lbs.	Joint 6 163.0 lbs. -53.8 lbs.	Joint 7 52.7 lbs. -41.8 lbs.	Joint 8 74.3 lbs. 4.3 lbs.
	1	13.42	0.00	GABLE QH1	31-10-11 31-10-11	2 X 4	2 X 4			Joint 1 169.2 lbs. -90.8 lbs.	Joint 20 150.0 lbs. -51.0 lbs.	Joint 21 192.2 lbs. -96.4 lbs.	Joint 22 198.3 lbs. -110.9 lbs.	Joint 23 168.7 lbs. -48.6 lbs.
	1	13.42	0.00	GABLE QH2	20-02-05 20-02-05	2 X 4	2 X 4			Joint 1 241.0 lbs. -77.3 lbs.	Joint 13 61.7 lbs. -7.7 lbs.	Joint 14 167.3 lbs. -17.2 lbs.	Joint 15 159.6 lbs. -17.8 lbs.	Joint 16 160.1 lbs. -17.1 lbs.
<u> </u>	2	13.42	0.00	GABLE QH3	17-07-11 17-07-11	2 X 4	2 X 4			Joint 1 187.0 lbs. -84.1 lbs.	Joint 9 165.8 lbs. -48.4 lbs.	Joint 10 254.0 lbs. -129.1 lbs.	Joint 11 173.4 lbs. -92.8 lbs.	Joint 13 203.8 lbs. -97.6 lbs.
<u></u>	1	13.42	0.00	GABLE QH4	11-10-11 11-10-11	2 X 4	2 X 4			Joint 1 123.8 lbs. -56.3 lbs.	Joint 7 107.0 lbs. -33.1 lbs.	Joint 8 192.1 lbs. -99.7 lbs.	Joint 9 201.7 lbs. -101.7 lbs.	Joint 10 125.3 lbs. 30.5 lbs.
A	1	13.42	0.00	GABLE QH5	07-08-03 07-08-03	2 X 4	2 X 4			Joint 1 86.3 lbs. -22.7 lbs.	Joint 5 75.3 lbs. -8.1 lbs.	Joint 6 207.1 lbs. -111.0 lbs.	Joint 7 102.2 lbs. 31.7 lbs.	Joint 8 207.4 lbs. -111.1 lbs.
	1	6.00	0.00	VALLEY V1GE	25-01-09 25-01-09	2 X 4	2 X 4			Joint 1 82.4 lbs. -12.1 lbs.	Joint 13 67.1 lbs. 10.5 lbs.	Joint 14 178.2 lbs. -76.8 lbs.	Joint 15 155.4 lbs. -67.2 lbs.	Joint 16 161.4 lbs. -69.2 lbs.

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

		DITTE	OHOLLO THOL T
REQ. QUOTE DATE	11	ORDER#	J0425-1814
ORDER DATE	04/01/25	QUOTE #	
DELIVERY DATE	11	CUSTOMER ACCT#	0000006420
DATE OF INVOICE	11	CUSTOMER PO#	7
ORDERED BY	Jay Norris	INVOICE #	
COUNTY	Lee	TERMS	TO BE PRE-PAID
SUPERINTENDANT		SALES REP	Bob Lewis
JOBSITE PHONE #		SALES AREA	

Jay Norris 525 Chisholm St. Sanford, NC 27330 (919) 353-1494

LOT # 143 SUBDIV: Knight Rd. JOB NAME: 143 Knight Rd. JOB CATEGORY: WCall - Will Call MODEL:Roof TAG:

DELIVERY INSTRUCTIONS:

Jay Norris 143 Knight Rd. Sanford, NC

SPECIAL INSTRUCTIONS:

PLAN SEAL DATE: BY

												BY	DATE
BUILDING DEPARTMENT	OVERHA	NG INFO	HEEL HEIGHT	00-06-08	REQ. LA	AYOUTS		REQ. E	NGINEERING		QUOTE	BL	04/01/25
Roof Order	END CUT	RETURN									LAYOUT	BL	04/01/25
	PLUMB		GABLE STUDS	24 IN. OC		JOBSITE	1		JOBSITE	1	CUTTING	DJS	04/01/25

ROOF T	RUS	SES		ADING ORMATION	TCLL-TCDL-B 20.0,10.0,			ESS INCR.	RO	OF TRUSS SPACING: 24.0 IN. O.C. (TYP.)				
PROFILE	QTY PLY	PI7	ВОТ	TYPE ID	BASE O/A		BER BOT	OVER	HANG RIGHT	REACTIO	NS			
	1	6.00		VALLEY V2	21-00-01 21-00-01			LEFT	RIGHT	Joint 1 63.1 lbs. -3.9 lbs.	Joint 7 54.3 lbs. 8.3 lbs.	Joint 8 288.5 lbs. -54.6 lbs.	Joint 10 393.6 lbs. -77.7 lbs.	Joint 11 415.6 lbs. 52.2 lbs.
	1	6.00	0.00	VALLEY V3	17-00-01 17-00-01	2 X 4	2 X 4			Joint 1 132.0 lbs. -3.7 lbs.	Joint 5 132.0 lbs. -1.6 lbs.	Joint 6 377.1 lbs. -83.2 lbs.	Joint 8 256.6 lbs. 38.8 lbs.	Joint 9 377.1 lbs. -83.3 lbs.
	1	6.00	0.00	VALLEY V4	13-00-01 13-00-01	2 X 4	2 X 4			Joint 1 44.1 lbs. -2.7 lbs.	Joint 5 40.7 lbs. 4.0 lbs.	Joint 6 297.3 lbs. -69.4 lbs.	Joint 7 285.7 lbs. 23.2 lbs.	Joint 8 297.3 lbs. -69.6 lbs.
	1	6.00	0.00	VALLEY V5	09-00-01 09-00-01	2 X 4	2 X 4			Joint 1 144.8 lbs. -19.1 lbs.	Joint 3 144.8 lbs. -23.5 lbs.	Joint 4 338.7 lbs. 0.5 lbs.		
	1	6.00	0.00	VALLEY V6	05-00-01 05-00-01	2 X 4	2 X 4			Joint 1 78.0 lbs. -12.5 lbs.	Joint 3 78.0 lbs. -14.7 lbs.	Joint 4 149.7 lbs. 6.5 lbs.		
	1	6.00	0.00	VALLEY VA1	15-10-04 15-10-04	2 X 4	2 X 4			Joint 1 139.6 lbs. 42.6 lbs.	Joint 7 184.4 lbs. -26.9 lbs.	Joint 8 517.0 lbs. -71.6 lbs.	Joint 9 392.4 lbs. -65.9 lbs.	Joint 10 349.7 lbs. -69.3 lbs.
4	1	6.00	0.00	VALLEY VA2	13-10-04 13-10-04	2 X 4	2 X 4			Joint 1 194.6 lbs. 58.2 lbs.	Joint 5 200.0 lbs. -28.5 lbs.	Joint 6 404.6 lbs. -63.0 lbs.	Joint 7 471.0 lbs. -92.5 lbs.	
	1	6.00	0.00	VALLEY VA3	11-10-04 11-10-04	2 X 4	2 X 4			Joint 1 128.4 lbs. 43.2 lbs.	Joint 5 191.6 lbs. -26.9 lbs.	Joint 6 438.8 lbs. -71.3 lbs.	Joint 7 337.8 lbs. -67.6 lbs.	
	1	6.00	0.00	VALLEY VA4	09-10-04 09-10-04	2 X 4	2 X 4			Joint 1 118.8 lbs. 35.7 lbs.	Joint 5 26.2 lbs. -15.0 lbs.	Joint 6 222.9 lbs. -21.9 lbs.	Joint 7 376.5 lbs. -82.2 lbs.	
	1	6.00	0.00	VALLEY VA5	07-10-04 07-10-04	2 X 4	2 X 4			Joint 1 147.3 lbs. -7.2 lbs.	Joint 4 119.1 lbs. -19.9 lbs.	Joint 5 303.2 lbs. -14.7 lbs.		
	1	6.00	0.00	VALLEY VB1	06-07-12 06-07-12	2 X 4	2 X 4			Joint 1 124.4 lbs. -4.8 lbs.	Joint 4 87.3 lbs. -14.8 lbs.	Joint 5 259.0 lbs. -16.7 lbs.		

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	11	ORDER#	J0425-1814
ORDER DATE	04/01/25	QUOTE #	
DELIVERY DATE	11	CUSTOMER ACCT#	0000006420
DATE OF INVOICE	11	CUSTOMER PO#	
ORDERED BY	Jay Norris	INVOICE #	S
COUNTY	Lee	TERMS	TO BE PRE-PAID
SUPERINTENDANT		SALES REP	Bob Lewis
JOBSITE PHONE #		SALES AREA	4

Jay Norris 525 Chisholm St. Sanford, NC 27330 (919) 353-1494

JOB NAME: 143 Knight Rd. MODEL: Roof TAG:

LOT # 143 SUBDIV: Knight Rd. JOB CATEGORY: WCall - Will Call

Jay Norris

143 Knight Rd. Sanford, NC

DELIVERY INSTRUCTIONS:

SPECIAL INSTRUCTIONS:

PLAN SEAL DATE:

DATE BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-06-08 REQ. LAYOUTS **REQ. ENGINEERING** QUOTE 04/01/25 04/01/25 END CUT RETURN BL Roof Order LAYOUT CUTTING DJS 04/01/25 PLUMB **GABLE STUDS** 24 IN. OC **JOBSITE** JOBSITE

ROOF 1	RUS	SES		DADING FORMATION	TCLL-TCDL-BCLL-BCDL STRESS INCR. 20.0,10.0,0.0,10.0 1.15				ROOF TRUSS SPACING: 24.0 IN. O.C. (11P.)					
PROFILE	QTY PLY	PIT		TYPE	BASE O/A	LUN	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN	OVERHAN	NG GHT	REACTIONS				
	1	6.00	0.00	VALLEY VB2	04-07-00 04-07-00			LEFT RI	GHI	Joint 1 146.2 lbs. -3.7 lbs.	Joint 4 158.0 lbs. -27.1 lbs.			
	1	6.00	0.00	VALLEY VB3	02-07-00 02-07-00	2 X 4	2 X 4			Joint 1 73.9 lbs. -3.8 lbs.	Joint 4 73.9 lbs. -7.5 lbs.	,		
	2	6.00	0.00	JACK-OPEN W1	06-07-08 06-07-08	2 X 4	2 X 6			Joint 1 376.5 lbs. -38.7 lbs.	Joint 2 1339.6 lbs. -106.4 lbs.	Joint 3 58.1 lbs. -19.9 lbs.	Joint 4 321.3 lbs. -70.7 lbs.	Joint 8 1339.6 lbs. -106.4 lbs.
1	2	6.00	0.00	JACK-OPEN W2	06-04-08 06-04-08	2 X 4	2 X 6			Joint 1 361.6 lbs. -38.0 lbs.	Joint 3 58.1 lbs. -19.9 lbs.	Joint 4 290.9 lbs. -64.1 lbs.		
_	30	6.00	0.00	JACK-OPEN X1	06-07-08 06-07-08	2 X 4	2 X 6			Joint 1 302.9 lbs. 0.7 lbs.	Joint 2 132.0 lbs. -61.9 lbs.	Joint 3 116.7 lbs. 4.8 lbs.		
_	7	6.00	0.00	JACK-OPEN X2	06-04-08 06-04-08	2 X 4	2 X 6			Joint 1 293.1 lbs. 0.8 lbs.	Joint 2 490.4 lbs. -34.9 lbs.	Joint 3 111.5 lbs. 4.0 lbs.	Joint 4 493.3 lbs. -36.8 lbs.	Joint 6 305.0 lbs. -12.6 lbs.
4	5	6.00	0.00	JACK-OPEN X3	03-06-00 03-06-00	2 X 4	2 X 6			Joint 1 184.5 lbs. 1.8 lbs.	Joint 2 52.5 lbs. -26.5 lbs.	Joint 3 48.3 lbs. -4.9 lbs.		
4	2	6.00	0.00	JACK-OPEN Y1	04-07-08 04-07-08	2 X 4	2 X 6			Joint 1 225.8 lbs. 1.3 lbs.	Joint 2 81.3 lbs. -39.2 lbs.	Joint 3 73.8 lbs. -1.4 lbs.		
Æ	4	6.00	0.00	JACK-OPEN Y1A	02-06-07 02-06-07	2 X 4	2 X 6			Joint 1 153.1 lbs. 2.4 lbs.	Joint 2 27.2 lbs. -16.2 lbs.	Joint 3 23.9 lbs. -7.5 lbs.		
4	2	6.00	0.00	JACK-OPEN Y2	04-04-08 04-04-08	2 X 4	2 X 6			Joint 1 216.4 lbs. 1.4 lbs.	Joint 2 74.9 lbs. -36.3 lbs.	Joint 3 68.3 lbs. -2.1 lbs.		
	4	6.00	0.00	JACK-OPEN Y2A	02-03-07 02-03-07	2 X 4	2 X 6			Joint 1 146.7 lbs. 2.6 lbs.	Joint 2 20.1 lbs. -13.7 lbs.	Joint 3 16.7 lbs. -8.1 lbs.		

TAG:



REQ. QUOTE DATE	11	ORDER#	J0425-1814
ORDER DATE	04/01/25	QUOTE #	
DELIVERY DATE	11	CUSTOMER ACCT#	0000006420
DATE OF INVOICE	11	CUSTOMER PO#	
ORDERED BY	Jay Norris	INVOICE #	
COUNTY	Lee	TERMS	TO BE PRE-PAID
SUPERINTENDANT		SALES REP	Bob Lewis
JOBSITE PHONE #		SALES AREA	

Jay Norris 525 Chisholm St. Sanford, NC 27330 (919) 353-1494

Jay Norris

143 Knight Rd. Sanford, NC

JOB NAME: 143 Knight Rd. MODEL: Roof

LOT# 143 SUBDIV: Knight Rd. JOB CATEGORY: WCall - Will Call

DELIVERY INSTRUCTIONS:

SPECIAL INSTRUCTIONS:

PLAN SEAL DATE:

												BY	DATE
BUILDING DEPARTMENT OVERHA		ANG INFO	HEEL HEIGHT	00-06-08 REQ. L		LAYOUTS RI		REQ. E	REQ. ENGINEERING		QUOTE	BL	04/01/25
Roof Order	END CUT	RETURN									LAYOUT	BL	04/01/25
	PLUMB		GABLE STUDS	24 IN. OC	J	OBSITE	1		JOBSITE	1	CUTTING	DJS	04/01/25

ROOF TRUSSES LOADING INFORMATION					TCLL-TCDL-BCLL-BCDL STRESS INCR. 20.0,10.0,0.0,10.0 1.15			ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)						
PROFILE	QTY PLY	TOP	ВОТ	TYPE ID JACK-OPEN Y3	01-04-15 01-04-15	LUN		OVER	OVERHANG EFT RIGHT	REACTIONS				
	4	6.00	0.00				2 X 6			Joint 1 145.9 lbs. -22.6 lbs.	Joint 2 15.3 lbs. -12.4 lbs.	Joint 3 145.9 lbs. -28.2 lbs.	Joint 4 228.1 lbs. 19.8 lbs.	
	2	4.24	0.00	DIAGONAL HIP Z1	06-05-00 06-05-00	2 X 4	2 X 6			Joint 1 310.1 lbs. -29.4 lbs.	Joint 5 201.4 lbs. -54.5 lbs.			
	2	4.24	0.00	DIAGONAL HIP Z2	06-00-12 06-00-12	2 X 4	2 X 6			Joint 1 306.4 lbs: -28.9 lbs.	Joint 5 172.2 lbs. -48.2 lbs.			
	2	4.24	0.00	DIAGONAL HIP Z3	04-09-14 04-09-14	2 X 4	2 X 6			Joint 1 177.2 lbs. -111.1 lbs.	Joint 2 268.0 lbs. -117.7 lbs.	Joint 4 163.7 lbs. -66.2 lbs.	Joint 5 91.6 lbs. -60.1 lbs.	

ITEMS

TY	ITEM TYPE	SIZE	FT-IN-16	PART NUMBER	NOTES	
3	Hangers, USP	HUS 26		SIMPSON (HUS26)		
2	BlueLinX (W)	LVL, Metsa(W) 2.0, 14"	23-00-00	GDH		
1	Hangers, USP	THD26-2		SIMPSON (HHUS26-	2)	