

Reaction Summary of Order

ROOF & FLOOR
TRUSSES & BEAMSReilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0225-1016
ORDER DATE	02/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnet	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 206 Shoreline Drive Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 18 Magnolia Hills		LOT # 18	SUBDIV: Magnolia Hills
		MODEL: Roof		TAG: Hayek w/CP	
SHIP TO	Precision Custom Homes and 359 Persimmon Tree Dr. Cameron, NC	DELIVERY INSTRUCTIONS: 60 miles round trip		JOB CATEGORY: WCall - Will Call	
		SPECIAL INSTRUCTIONS: Like Lot 8 Magnolia Hills		PLAN SEAL DATE: 4/5/25	

BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		/ /
Roof Order	END CUT	RETURN						
	PLUMB		GABLE STUDS	24 IN. OC			LAYOUT	NB
					JOBSITE	1	CUTTING	NB

ROOF TRUSSES

LOADING
INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY PLY	PITCH TOP BOT	TYPE ID	BASE O/A	LUMBER TOP BOT	OVERHANG LEFT RIGHT	REACTIONS	
	1 2 Ply	8.00	0.00	HIP GIRDER A1	36-07-00 36-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 2 2832.8 lbs. -652.8 lbs.	Joint 8 2832.8 lbs. -652.8 lbs.
	1	8.00	0.00	HIP A2	36-07-00 36-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 1 176.3 lbs. -45.5 lbs.	Joint 2 1682.4 lbs. -54.6 lbs.
	1	8.00	0.00	HIP A3	36-07-00 36-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 3 181.0 lbs. -54.7 lbs.	Joint 4 357.9 lbs. -30.0 lbs.
	1	8.00	0.00	HIP A4	36-07-00 36-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 7 1825.6 lbs. -50.3 lbs.	Joint 7 1825.6 lbs. -50.3 lbs.
	1	8.00	0.00	ROOF A4	36-07-00 36-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 2 1715.8 lbs. -63.9 lbs.	Joint 11 1773.1 lbs. -79.3 lbs.
	1	8.00	0.00	ROOF A5	36-07-00 36-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 2 1706.2 lbs. -75.5 lbs.	Joint 10 1674.9 lbs. -89.7 lbs.
	1	8.00	0.00	ROOF A6	36-07-00 36-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 2 1800.7 lbs. -85.4 lbs.	Joint 11 1765.6 lbs. -98.3 lbs.
	1	8.00	0.00	ROOF A7	36-07-00 36-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 2 1817.5 lbs. -90.3 lbs.	Joint 11 1777.5 lbs. -102.3 lbs.
	1	8.00	0.00	ROOF A8	36-07-00 36-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 2 1801.7 lbs. -85.6 lbs.	Joint 13 1778.2 lbs. -99.7 lbs.
	1 2 Ply	8.00	0.00	HIP GIRDER B1	28-07-08 28-07-08	2 X 6 2 X 6 01-02-08	Joint 2 2176.9 lbs. -500.5 lbs.	Joint 7 2100.4 lbs. -482.9 lbs.
	1	8.00	0.00	ROOF B2	34-07-00 34-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 2 1445.0 lbs. -38.6 lbs.	Joint 8 1445.0 lbs. -93.5 lbs.
	1	8.00	0.00	ROOF B3	34-07-00 34-07-00	2 X 6 2 X 6 01-02-08 01-02-08	Joint 2 1680.8 lbs. -51.2 lbs.	Joint 7 1580.5 lbs. -96.2 lbs.

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0225-1016
ORDER DATE	02/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnet	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 206 Shoreline Drive Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 18 Magnolia Hills		LOT # 18	SUBDIV: Magnolia Hills
		MODEL: Roof	TAG: Hayek w/CP	JOB CATEGORY: WCall - Will Call	
SHIP TO	Precision Custom Homes and 359 Persimmon Tree Dr. Cameron, NC	DELIVERY INSTRUCTIONS: 60 miles round trip			
		SPECIAL INSTRUCTIONS: Like Lot 8 Magnolia Hills			
		PLAN SEAL DATE: 4/5/25			

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		/ /
Roof Order	END CUT	RETURN						
	PLUMB							
		GABLE STUDS	24 IN. OC					
				JOBSITE	1			
						JOBSITE	1	
						CUTTING	NB	04/07/25
							NB	04/07/25

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS		
	PLY	TOP	BOT			TOP	BOT	LEFT	RIGHT			
	1	8.00	0.00	ROOF B4	34-07-00 34-07-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 1637.5 lbs. -64.3 lbs.	Joint 8 1583.6 lbs. -105.2 lbs.	
	1	8.00	0.00	ROOF B5	34-07-00 34-07-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 1671.9 lbs. -75.5 lbs.	Joint 9 1601.8 lbs. -112.1 lbs.	
	1	8.00	0.00	ROOF B6	34-07-00 34-07-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 1734.3 lbs. -77.6 lbs.	Joint 8 1752.1 lbs. -113.3 lbs.	
	1	8.00	0.00	ROOF B7	34-07-00 34-07-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 1741.6 lbs. -77.6 lbs.	Joint 13 1742.9 lbs. -113.3 lbs.	
	1	8.00	0.00	ROOF B8	34-07-00 34-07-00	2 X 6	2 X 6	01-02-08		Joint 2 1807.3 lbs. -78.2 lbs.	Joint 11 1664.6 lbs. -59.1 lbs.	
	1	4.00	0.00	GABLE C1SG	10-00-00 10-00-00	2 X 4	2 X 6	01-02-08	01-02-08	Joint 2 470.0 lbs. -270.0 lbs.	Joint 4 470.0 lbs. -270.0 lbs.	
	4	4.00	0.00	COMMON C2	10-00-00 10-00-00	2 X 4	2 X 6	01-02-08	01-02-08	Joint 2 470.0 lbs. -190.1 lbs.	Joint 4 470.0 lbs. -190.1 lbs.	
	7	4.00	0.00	ROOF P1	06-05-00 06-05-00	2 X 4	2 X 6	01-02-08	00-03-08	Joint 2 331.3 lbs. -134.4 lbs.	Joint 4 733.7 lbs. -294.0 lbs.	
	10	4.00	0.00	MONOPITCH P2	04-05-00 04-05-00	2 X 4	2 X 4	01-02-08		Joint 2 255.6 lbs. -108.6 lbs.	Joint 4 149.4 lbs. -65.0 lbs.	
	3	4.00	0.00	MONOPITCH P3	05-09-08 05-09-08	2 X 4	2 X 6	01-02-08	00-03-08	Joint 2 307.3 lbs. -126.6 lbs.	Joint 4 207.7 lbs. -89.5 lbs.	
	14	8.00	0.00	JACK-OPEN XA1	06-00-00 06-00-00	2 X 4	2 X 6	01-02-08		Joint 2 322.4 lbs. 1.4 lbs.	Joint 3 183.7 lbs. -104.7 lbs.	Joint 4 115.8 lbs. 34.8 lbs.

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0225-1016
ORDER DATE	02/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnet	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 206 Shoreline Drive Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 18 Magnolia Hills MODEL: Roof TAG: Hayek w/CP	LOT # 18 SUBDIV: Magnolia Hills JOB CATEGORY: WCall - Will Call
	SHIP TO	Precision Custom Homes and 359 Persimmon Tree Dr. Cameron, NC	DELIVERY INSTRUCTIONS: 60 miles round trip
SPECIAL INSTRUCTIONS: Like Lot 8 Magnolia Hills		PLAN SEAL DATE: 4/5/25	

BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		/ /
Roof Order	END CUT	RETURN				LAYOUT	NB	04/07/25
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	NB
					JOBSITE	1		04/07/25

ROOF TRUSSES

LOADING
INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY PLY	PITCH TOP BOT	TYPE ID	BASE O/A	LUMBER TOP BOT	OVERHANG LEFT RIGHT	REACTIONS
	10	8.00 0.00	JACK-OPEN XB1	05-10-00 05-10-00	2 X 4 2 X 6	01-02-08	Joint 2 316.0 lbs. 0.9 lbs. Joint 3 177.9 lbs. -101.7 lbs. Joint 4 112.5 lbs. 33.8 lbs.
	2	8.00 0.00	JACK-OPEN XB2	02-00-08 02-00-08	2 X 4 2 X 6	01-02-08	Joint 2 184.6 lbs. -16.4 lbs. Joint 3 34.0 lbs. -29.1 lbs. Joint 4 36.7 lbs. 11.0 lbs.
	4	8.00 0.00	JACK-OPEN YA1	01-10-15 01-10-15	2 X 4 2 X 6	01-02-08	Joint 2 173.6 lbs. -15.4 lbs. Joint 3 39.6 lbs. -29.0 lbs. Joint 4 37.4 lbs. 11.2 lbs.
	4	8.00 0.00	JACK-OPEN YA2	03-10-15 03-10-15	2 X 4 2 X 6	01-02-08	Joint 2 244.2 lbs. -6.3 lbs. Joint 3 109.8 lbs. -66.4 lbs. Joint 4 74.1 lbs. 22.2 lbs.
	1	5.66 0.00	HALF HIP YA3	02-08-07 02-08-07	2 X 4 2 X 6	01-08-08	Joint 2 256.0 lbs. -35.3 lbs. Joint 3 29.4 lbs. -26.8 lbs. Joint 4 49.0 lbs. 14.7 lbs.
	4	8.00 0.00	JACK-OPEN YB1	01-08-15 01-08-15	2 X 4 2 X 6	01-02-08	Joint 2 169.4 lbs. -16.7 lbs. Joint 3 31.8 lbs. -25.3 lbs. Joint 4 34.1 lbs. 10.2 lbs.
	4	8.00 0.00	JACK-OPEN YB2	03-08-15 03-08-15	2 X 4 2 X 6	01-02-08	Joint 2 238.3 lbs. -7.0 lbs. Joint 3 103.7 lbs. -63.3 lbs. Joint 4 70.7 lbs. 21.2 lbs.
	4	4.00 0.00	JACK-OPEN YP1	02-03-15 02-03-15	2 X 4 2 X 4	01-02-08	Joint 2 192.0 lbs. -90.5 lbs. Joint 3 37.6 lbs. -22.9 lbs. Joint 4 42.4 lbs. -10.9 lbs.
	2	4.00 0.00	JACK-OPEN YP2	04-03-15 04-03-15	2 X 4 2 X 4	01-02-08	Joint 2 258.5 lbs. -109.5 lbs. Joint 3 111.3 lbs. -50.1 lbs. Joint 4 82.8 lbs. -21.3 lbs.
	2	5.66 0.00	DIAGONAL HIP ZA1	08-04-05 08-04-05	2 X 4 2 X 6	01-08-08	Joint 2 455.9 lbs. -50.0 lbs. Joint 7 352.6 lbs. -109.9 lbs.
	2	5.66 0.00	DIAGONAL HIP ZB1	08-01-08 08-01-08	2 X 4 2 X 6	01-08-08	Joint 2 442.6 lbs. -48.4 lbs. Joint 7 335.6 lbs. -104.1 lbs.

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0225-1016
ORDER DATE	02/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnet	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 206 Shoreline Drive Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 18 Magnolia Hills		LOT # 18	SUBDIV: Magnolia Hills
		MODEL: Roof		TAG: Hayek w/CP	JOB CATEGORY: WCall - Will Call
		DELIVERY INSTRUCTIONS: 60 miles round trip			
SHIP TO	Precision Custom Homes and 359 Persimmon Tree Dr. Cameron, NC	SPECIAL INSTRUCTIONS: Like Lot 8 Magnolia Hills			
		PLAN SEAL DATE: 4/5/25			

BY DATE




BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		/ /
Roof Order	END CUT	RETURN				LAYOUT	NB	04/07/25
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	NB
					JOBSITE	1		04/07/25

ROOF TRUSSES

LOADING
INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY PLY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS		
		TOP	BOT			TOP	BOT	LEFT	RIGHT			
	1	5.66	0.00	JACK-OPEN ZB2	02-09-04 02-09-04	2 X 4	2 X 6	01-08-08		Joint 2 257.8 lbs. -35.1 lbs.	Joint 3 32.4 lbs. -27.9 lbs.	Joint 4 50.3 lbs. 15.1 lbs.
	1	2.83	0.00	DIAGONAL HIP ZP1	06-01-07 06-01-07	2 X 4	2 X 4	01-08-08		Joint 2 358.5 lbs. -159.4 lbs.	Joint 7 219.2 lbs. -84.4 lbs.	
	1	2.83	0.00	DIAGONAL HIP ZP2	08-11-06 08-11-06	2 X 4	2 X 4	01-08-08		Joint 2 487.9 lbs. -212.4 lbs.	Joint 7 395.6 lbs. -174.1 lbs.	

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
7	Hangers, USP	HJC26			SIMPSON (THJU26)
2	BlueLinx (F)	LVL, Metsa(F) 2.0,	06-00-00		HDR3

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0225-1017
ORDER DATE	02/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnet	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 206 Shoreline Drive Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 18 Magnolia Hills		LOT # 18	SUBDIV: Magnolia Hills
	SHIP TO	Precision Custom Homes and 359 Persimmon Tree Dr. Cameron, NC	MODEL: Floor	TAG: Hayek w/CP	JOB CATEGORY: WCall - Will Call
DELIVERY INSTRUCTIONS: 60 miles round trip					
		SPECIAL INSTRUCTIONS: Like Lot 8 Magnolia Hills			
					PLAN SEAL DATE: 4/5/25
					BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	BY	DATE
Floor Order	END CUT	RETURN						/ /
	PLUMB							
	GABLE STUDS	24 IN. OC		JOBSITE	1	JOBSITE	1	
						LAYOUT	NB	04/07/25
						CUTTING	NB	04/07/25

FLOOR TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
40.0,10.0,0.0,5.0	1.00

FLOOR TRUSS SPACING: 24.0 IN. O.C. (TYP.)

FLOOR PROFILE	QTY PLY	DEPTH ID	BASE SPAN	O/A SPAN	END TYPE		INT BEARING		REACTIONS
					LEFT	RIGHT	SIZE	LOCATION	

	1	01-04-00 ET1	28-06-08	28-06-08					
					Joint 25 6.3 lbs.	Joint 26 101.5 lbs.	Joint 27 153.1 lbs.	Joint 28 145.0 lbs.	Joint 29 147.1 lbs.

	1	01-04-00 ET2	19-05-08	19-05-08					
					Joint 18 24.0 lbs.	Joint 19 111.3 lbs.	Joint 20 153.0 lbs.	Joint 21 145.1 lbs.	Joint 22 147.1 lbs.

	4	01-04-00 F01	34-06-00	34-06-00				
					Joint 21 830.3 lbs.	Joint 29 2186.2 lbs.	Joint 37 842.7 lbs.	
					144.3 lbs.	1363.6 lbs.	173.2 lbs.	

	3	01-04-00 F02	28-06-08	28-06-08				
					Joint 18 535.9 lbs.	Joint 23 1831.2 lbs.	Joint 31 854.0 lbs.	
					14.9 lbs.	970.1 lbs.	217.0 lbs.	

	9	01-04-00 F03	22-01-08	22-01-08				
					Joint 16 1196.3 lbs.	Joint 27 1196.3 lbs.		
					569.5 lbs.	625.2 lbs.		

	6	01-04-00 F04	19-05-08	19-05-08				
					Joint 13 1050.2 lbs.	Joint 22 1050.2 lbs.		
					501.2 lbs.	563.3 lbs.		

	2	01-04-00 F05	17-03-00	17-03-00				
					Joint 11 922.5 lbs.	Joint 19 922.5 lbs.		
					451.1 lbs.	508.8 lbs.		

	2	01-04-00 F06	13-04-08	13-04-08				
					Joint 9 721.8 lbs.	Joint 14 709.4 lbs.		
					382.8 lbs.	380.4 lbs.		

	4	01-04-00 F07	13-08-00	13-08-00				
					Joint 9 731.7 lbs.	Joint 15 731.7 lbs.		
					345.2 lbs.	401.9 lbs.		

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0225-1017
ORDER DATE	02/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnet	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 206 Shoreline Drive Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 18 Magnolia Hills		LOT # 18	SUBDIV: Magnolia Hills
		MODEL: Floor	TAG: Hayek w/CP	JOB CATEGORY: WCall - Will Call	
		DELIVERY INSTRUCTIONS: 60 miles round trip			
SHIP TO	Precision Custom Homes and 359 Persimmon Tree Dr. Cameron, NC	SPECIAL INSTRUCTIONS: Like Lot 8 Magnolia Hills			
		PLAN SEAL DATE: 4/5/25			

BUILDING DEPARTMENT Floor Order	OVERHANG INFO		HEEL HEIGHT	00-04-05	REQ. LAYOUTS			REQ. ENGINEERING			QUOTE		/ /
	END CUT	RETURN									LAYOUT	NB	04/07/25
	PLUMB		GABLE STUDS	24 IN. OC			JOBSITE	1			JOBSITE	1	CUTTING NB 04/07/25

FLOOR TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
40.0,10.0,0.0,5.0	1.00

FLOOR TRUSS SPACING: 24.0 IN. O.C. (TYP.)

FLOOR PROFILE	QTY PLY	DEPTH ID	BASE SPAN	O/A SPAN	END TYPE	INT BEARING	REACTIONS	
					LEFT	RIGHT	SIZE	LOCATION

	1	01-04-00 F08	09-11-08	09-11-08					Joint 7 527.7 lbs. 281.6 lbs.	Joint 12 527.7 lbs. 281.6 lbs.
--	---	-----------------	----------	----------	--	--	--	--	-------------------------------------	--------------------------------------

	1	01-04-00 FG1	34-06-00	34-06-00					Joint 23 760.8 lbs. 79.2 lbs.	Joint 31 2929.0 lbs. 2164.6 lbs.	Joint 39 960.7 lbs. 305.0 lbs.
--	---	-----------------	----------	----------	--	--	--	--	-------------------------------------	--	--------------------------------------

	1	01-04-00 FG2	05-03-08	05-03-08					Joint 5 892.9 lbs. 831.4 lbs.	Joint 8 899.1 lbs. 820.7 lbs.
--	---	-----------------	----------	----------	--	--	--	--	-------------------------------------	-------------------------------------

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
4	BlueLinx (F)	LVL, Metsa(F) 2.0,	07-00-00		DB2 & HDR2
2	BlueLinx (F)	LVL, Metsa(F) 2.0,	06-00-00		HDR1
2	BlueLinx (F)	LVL, Metsa(F) 2.0,	22-00-00		GDH
3	BlueLinx (F)	LVL, Metsa(F) 2.0, 24"	24-00-00		FB1
3	Hangers, USP	MSH422			SIMPSON (THA422)