

# North Carolina Onsite Wastewater Contractor Inspector Certification Board Authorized Onsite Wastewater Evaluator Permit Option for Non-Engineered Systems Notice of Intent (NOI) to Construct

<u>x</u> _New ExpansionRepair	RelocationRelocation of Repair Area
Owner or Legal Representative Information: Teri Treffzs  Name: Drees Homes Company  Mailing address: 211 Grandview Drive - Suite 102 City: Ft. Mir  Phone: 919-256-5478  Email: ttre	tchell State: KY Zip: 41017 ffzs@dreeshomes.com
Authorized Onsite Wastewater Evaluator Information:  Name: Alex Adams  Mailing address: 1676 Mitchell Road City: Angier  Phone: 919-414-6761 Email: alexadams@bcsc	Certification #: AOWE# 10021E State: NC Zip: 27501 oil.com
Site Location Information: Site address: Lot #88 (Tobacco Road) Cultivator Ct Angier, No Tax parcel identification number or subdivision lot, block numb County: Harnett	
System Information: Accepted Status Wastewater System Type: Type III (b) Daily Design Flow: 480 gallons/day Saprolite System:YesXNo Subsurface Open Water Supply Type:Private WellX_Public Water Supp	-
Facility Type: X_Residential5_# Bedrooms10 Maximum # ofBusiness	
Requird_Attachments:xPlat_or_Siteplanx Evaluation of Soil and Site Features by Licensed Soil Sc	ientist
Attest: On this the 24th day of April 2025 by signature below I he included with this NOI to Construct is accurate and complete to that I have adhered to the laws and rules governing onsite waster. This NOI shall expire on 24th day of April 2030.	he best of my knowledge. Furthermore, I hereby attest water systems in the state of North Carolina.
Signature of Authorized Onsite Wastewater Evaluator.  Signature of Owner or Legal Representative:  ### Description of Company of Com	2 Adams 4/29/2025   9:19:44 AM ED
Disclosure: The owner may apply for a building permit for the prequired (if any) to the local health department. An onsite waste evaluator shall be transferable to a new owner with the consent of Local Health Department Receipt Acknowledgement:  Signature of Local Health Department Representative:	varoject upon submitting a complete NOI to Construct and the fee water system authorized by an authorized onsite wastewater
1 1 1 1 1 T	

# Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

alexadams@bcsoil.com

. .....

April 24, 2025 Project #1215

"This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-336.2

RE: Tobacco Road -Lot #88, Cultivator Ct. - Angier, NC - 4-bedroom Single Family Residence (PIN# 0693-17-8202)

To whom it may concern:


Adams Soil Consulting (ASC) conducted a preliminary soil evaluation on the above referenced parcel to determine the areas of soils which are suitable for subsurface wastewater disposal systems (conventional & LPP). The soil/site evaluation was performed using hand auger borings during moist soil conditions based on the criteria found in the State Subsurface Rules 15ANCAC 18E. From this evaluation, ASC is providing the attached septic system design for a new single-family home sized for a 480 gallon/day septic system. A separately submitted engineered flow reduction will accompany this permit.

The suitable soils found on the subject property were somewhat variable in the initial and repair areas. The area designated for the initial/primary septic system (see attached septic plan) was found to contain soils with greater than 24 inches in depth before a restrictive horizon was encountered.


The initial and primary septic fields for the new home were sized based on a flow rate of 480 gallons/day and utilizing Accepted Status system for the initial and a PPBPS repair system. Any unauthorized site disturbance, filling, soil removal, or layout changes may result in the permit being revoked.

The septic installer contractor shall install the repair (if needed) system on contour, see attached site plan for the primary system and repair. No underground utilities, water lines, or sprinkler systems shall be placed into the initial or repair septic areas. Installation must meet all state and local county regulations for septic system installation. The trenches must be installed in the same location as the site plan. If flags trench flags are missing at the time of installation, they must be remarked by Adams Soil Consulting staff. Contact Alex Adams at 919-414-6761. A preconstruction conference is required with the septic installer prior to construction activities at least 14 days in advance of construction activities.

# Tobacco Rd Lot 88 5 BR, w/ 480 gpd Harnett County



INITIAL: Lines 1-3 (360') Accepted Status Pressure Manifold REPAIR: Lines 4-6 (235') PPBPS Pressure Manifold



\*House footprint to be field staked by survey and system verified prior to any constructic

\*\*Septic area must not be altered by construction activities.

\*\*\*No cuts of 2' or greater within within 15' of septic area

\*\*\*\* Recommend protective barrier around septic field during construction.

\*If plumbing is not sufficient a pump tank will be required to septic field

Adams
Soil Consulting
919-414-6761

This report does not guarantee the future function of any waste water disposal system installed.

If you have any questions regarding the findings on the attached site plan or in this report, please feel free to contact me anytime.

Sincerely,

Alex Adams

NC Licensed Soil Scientist #1247 AOWE Certification: 10021E





### RESIDENTIAL PRESSURE MANIFOLD DESIGN

Permit # Tobacco RD Lot 88

# of BDR: <u>5</u> Daily Flow: <u>480</u> gal/day L.T.A.R.: <u>0.3500</u> gal/day/sq.ft

Septic Tank: 1200 gals Pump Tank: 1200 gals Sq. Foot: 1080 System Type: Accepted

Number of Taps: 3 Length of Trenches: 360 ft(See Tap Chart for Details)

Depth of Trenches: 18 in Manifold Length: 36 in

Manifold Diameter: 4in sch 80pvc Tap Configuration: 6 in spacing 1 side(s) of manifold

Supply Line: length: 30 ft Diameter: 2 in sch 40pvc

Friction Loss + Fitting Loss: 2.05 ft(supply line length + 70' for fittings in pump tank)


Design Head:  $\underline{2}$  ft Elevation Head:  $\underline{6.00}$  ft

Total Head: 10.05 ft Pump to Deliver: 29.71 gals/min at 10.05 ft head


Dosing Volume:  $\underline{176}$  gals,

Drawdown: 176 gals divided by 30 gals/in = 5.9 inches

Simplex Control Panel required; elapsed time meter and cycle counter required; Floats to be determined by type of pump tank used. A septic tank filter is required.




# Tobacco Rd Lot 88 5 BR, w/ 480 gpd Harnett County



INITIAL: Lines 1-3 (360') Accepted Status Pressure Manifold REPAIR: Lines 4-6 (235') PPBPS

Pressure Manifold



- \*House footprint to be field staked by survey and system verified prior to any constructic
- \*\*Septic area must not be altered by construction activities.
- \*\*\*No cuts of 2' or greater within within 15' of septic area
- \*\*\*\* Recommend protective barrier around septic field during construction.
  - \*If plumbing is not sufficient a pump tank will be required to septic field

Adams
Soil Consulting
919-414-6761

Page \_1\_ of \_1\_ PROPERTY ID #: 0693-17-8202 COUNTY: \_\_\_\_Harnett\_

## SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

(Complete all fields in full)											
C	WNER:	Drees				DATE EVALU	ATED: 4/2/2	5			
A	DDRESS	S:									
P	ROPOSE	ED FACILITY:	Single Far	nily 5 BR	_ PROPOSE	D DESIGN	FLOW (.0400):	480 gpd	PROPERTY SIZI	E: <b>72</b> A	cres
L	OCATIO	N OF SITE: _	Cultivator C	t. Angier NO	27501				PROPERTY REC	ORDED:	Υ
V	VATER S	SUPPLY: 🗵 P	ublic 🗆 Sing	gle Family V	Well Shar	red Well	Spring	er	WATER SUPPLY	SETBACK:_	
E	VALUA'	TION METHO	D: 🗵 Auger	Boring [	Pit 🗆 Cut	TY	PE OF WASTE	WATER:	☑ Domestic ☐ High	Strength $\square$ I	PWW
I	P										

P R O F I			SOIL MO	RPHOLOGY	ОТНЕ	R PROFIL				
L E #	.0502 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	.0503 STRUCTURE/ TEXTURE	.0503 CONSISTENCE/ MINERALOGY	.0504 SOIL WETNESS/ COLOR	.0505 SOIL DEPTH	.0506 SAPRO CLASS	.0507 RESTR HORIZ	.0509 PROFILE CLASS & LTAR*	.0502(d) SLOPE CORRE CTION
1	Linear 5%	0-38 38-42	GR/SL SBK SCL	VFR,SEXP,NS FR, SEXP,SS	N.O	40"	N.O	N.O	P.S .35	3"
		0.40	27.0	VED OF VE NO						
2	Linear 5%	0-40	GR/SL	VFR,SEXP,NS	N.O	40"	N.O	N.O	P.S .6	3"
		0-24	GR/SL	VFR,SEXP,NS						
3	Linear 5%	24-34	SBK SCL	FR, SEXP,SS	7.5yr7/2 @ 34"	34"	N.O	N.O	U/P.S .35	3"
4										

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM	
Available Space (.0508)	S	S	SITE CLASSIFICATION (.0509): U/P.S
System Type(s)	III B	III B	EVALUATED BY: Bobby Weaver/Alex Adams
Site LTAR	.35	.35	OTHER(S) PRESENT:
Maximum Trench Depth	18"	18"	
Comments:			

Revised January 2024 NCDHHS/DPH/EHS/OSWP



## **CERTIFICATE OF LIABILITY INSURANCE**

DATE (MM/DD/YYYY) 1/22/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

th	PORTANT: If the certificate holder is e terms and conditions of the policy, ertificate holder in lieu of such endors	ertai	in pol										
PRODUCER						CONTACT   NAME: Angela Sensenig							
Wade Associates, LLC						PHONE (A/C, No, Ext): (252)631-5269 (A/C, No): (252)649-2443							
250 Pollock St.						E-MAIL ADDRESS: asensenig@wadeict.com							
Nev	Bern NC 28	INSURER(S) AFFORDING COVERAGE INSURER A: Lloyd's of London Al											
INSU							OI LONGO	)II			A1122J		
	x Adams, DBA: Adams Soil Cor	gult	-ina		INSURE								
	6 Mitchell Rd.	Dul			INSURER C : INSURER D :								
Ang	ier NC 27	501			INSURER E : INSURER F :								
CO	/ERAGES CEF	TIFIC	CATE	NUMBER: 25-26				REVISION NU	MBER:				
IN C	IIS IS TO CERTIFY THAT THE POLICIES OF DICATED. NOTWITHSTANDING ANY REQUESTIFICATE MAY BE ISSUED OR MAY PER CLUSIONS AND CONDITIONS OF SUCH F	JIREM TAIN, POLICI	IENT, THE II	TERM OR CONDITION OF AN NSURANCE AFFORDED BY T MITS SHOWN MAY HAVE BE	Y CONT HE POL	RACT OR OTH	HER DOCUME BED HEREIN I	NT WITH RESPEC	CT TO WHI	CH THIS			
LTR	TYPE OF INSURANCE		WVD	POLICY NUMBER		(MM/DD/YYYY)	(MM/DD/YYYY)		LIMIT	s			
	COMMERCIAL GENERAL LIABILITY							EACH OCCURREN		\$			
	CLAIMS-MADE OCCUR							PREMISES (Ea occ		\$			
								MED EXP (Any one	person)	\$			
								PERSONAL & ADV		\$			
	GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGREC		\$			
	POLICY PRO- JECT LOC							PRODUCTS - COM	P/OP AGG	\$			
	OTHER: AUTOMOBILE LIABILITY	<u> </u>						COMBINED SINGLE	ELIMIT	\$			
	ANY AUTO							(Ea accident) BODILY INJURY (F	Per person)	\$			
ALL OWNED SCHEDULED							BODILY INJUR			\$			
	AUTOS AUTOS NON-OWNED AUTOS							PROPERTY DAMAG	· · · · · · · · · · · · · · · · · · ·	\$			
	HIRED AUTOS AUTOS							(Per accident)		\$			
	UMBRELLA LIAB OCCUR							EACH OCCURRENCE \$					
EXCESS LIAB CLAIMS-MADE								AGGREGATE		\$			
	DED RETENTION \$							\$					
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	N/A						PER STATUTE	OTH- ER				
	ANY PROPRIETOR/PARTNER/EXECUTIVE							E.L. EACH ACCIDE	NT	\$			
OFFICER/MEMBER EXCLUDED? (Mandatory in NH)		1						E.L. DISEASE - EA	EMPLOYEE	\$			
If yes, describe under DESCRIPTION OF OPERATIONS below								E.L. DISEASE - POI	LICY LIMIT	\$			
A	Errors & Omissions			PSN0040221161		1/31/2025	1/31/2026	Each Occurrence General Aggregate			\$1,000,000 \$1,000,000		
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)													
CERTIFICATE HOLDER						CANCELLATION							
*FOR INFORMATIONAL PURPOSES ONLY* XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX					SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.								
	xxxxxxxxxxxxxxxxxxxxxxx					AUTHORIZED REPRESENTATIVE							
	XXXXXXXXXXXXXXXXX	N Whitsett/RACHEL											

© 1988-2014 ACORD CORPORATION. All rights reserved.