# Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

alexadams@bcsoil.com

September 24th 2025

RE: Tobacco Rd Lot # 88. 187 Cultivator Ct. Angier NC 27501 (Harnett County) PIN# (0693-17-8202)

### OWNER ACCEPTANCE OF SEPTIC SYSTEM

I certify that <u>Drees Homes is accepting the subsurface wastewater</u> (septic) system installed at 187 Cultivator Ct. (Harnett County) The acceptance includes the AOWE permit as issued and designed by Adams Soil Consulting, PLLC and installed by Full Circle Environmental.

Owner's Representative (print):Bra	idley Weekley	
Owner's Representative – (Signature Date	Bradley Weekley	9/29/2025   1:08:45 PM EDT

# Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

\_\_\_\_\_

September 24th, 2025

This document is submitted in addition to the "Notice of Intent to Construct" submittal package previously supplied to the local health department in pursuant to G.S. 130A-336.1

RE: Tobacco Rd Lot # 88. 187 Cultivator Ct. Angier NC 27501 (Harnett County) PIN# (0693-17-8202)

To whom it may concern:

This letter is to notify the Harnett County Environmental Health Department that the construction of the wastewater system has been completed. The system was installed to acceptable construction standards. The installation was installed in conformance with the original construction documents as shown on the attached NOI. This document may serve as "Authorization to Operate" the installed system. The installed accepted status system utilized EZFLOW product by Infiltrator.

### **Operation and Management Program**

Have the effluent filter in the septic tank cleaned periodically by a professional. Have the solids pumped out of the septic tank every 3-5 years by a professional. Maintain adequate vegetative cover over the drainfield. Keep surface waters away from the tank and drainfield. Do not pour grease or oil down the sink. Contact a professional for periodic maintenance.

Alex Adams

Adams Soils Consulting, PLLC NC Licensed Soil Scientist #1247



## North Carolina Onsite Wastewater Contractor Inspector Certification Board Authorized Onsite Wastewater Evaluator Permit Option for Non-Engineered Systems Notice of Intent (NOI) to Construct

x_New ExpansionRepair RelocationRelocation of Repair Area
Owner or Legal Representative Information: Teri Treffzs  Name: Drees Homes Company  Mailing address: 211 Grandview Drive - Suite 102 City: Ft. Mitchell State: KY Zip: 41017  Phone: 919-256-5478  Email: ttreffzs@dreeshomes.com
Authorized Onsite Wastewater Evaluator Information:  Name: Alex Adams  Certification #: AOWE# 10021E  Mailing address: 1676 Mitchell Road
Site Location Information: Site address: Lot #88 (Tobacco Road) Cultivator Ct Angier, NC 27501  Tax parcel identification number or subdivision lot, block number of property: PIN# 0693-17-8202  County: Harnett
System Information: Accepted Status  Wastewater System Type: Type III (b)  Daily Design Flow: 480 gallons/day  Saprolite System:YesXNo Subsurface Operator Required:YesXNo  Water Supply Type:Private WellX_Public Water Supply SpringOther:
Facility Type: X_Residential5_# Bedrooms10 Maximum # of Occupants Business
Requird_Attachments:xPlat_or_Siteplanx Evaluation of Soil and Site Features by Licensed Soil Scientist
Attest: On this the 24th day of April 2025 by signature below I hereby attest that the information required to be included with this NOI to Construct is accurate and complete to the best of my knowledge. Furthermore, I hereby attest that I have adhered to the laws and rules governing onsite wastewater systems in the state of North Carolina. This NOI shall expire on 24th day of April 2030.  Signature of Authorized Onsite Wastewater Evaluator:
Signature of Owner or Legal Representative:
Disclosure: The owner may apply for a building permit for the project upon submitting a complete NOI to Construct and the fee required (if any) to the local health department. An onsite wastewater system authorized by an authorized onsite wastewater evaluator shall be transferable to a new owner with the consent of the authorized onsite wastewater evaluator.
Local Health Department Receipt Acknowledgement:  Signature of Local Health Department Representative:  Date:

# Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

alexadams@bcsoil.com

April 24, 2025 Project #1215

"This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-336.2

RE: Tobacco Road -Lot #88, Cultivator Ct. - Angier, NC - 4-bedroom Single Family Residence (PIN# 0693-17-8202)

To whom it may concern:


Adams Soil Consulting (ASC) conducted a preliminary soil evaluation on the above referenced parcel to determine the areas of soils which are suitable for subsurface wastewater disposal systems (conventional & LPP). The soil/site evaluation was performed using hand auger borings during moist soil conditions based on the criteria found in the State Subsurface Rules 15ANCAC 18E. From this evaluation, ASC is providing the attached septic system design for a new single-family home sized for a 480 gallon/day septic system. A separately submitted engineered flow reduction will accompany this permit.

The suitable soils found on the subject property were somewhat variable in the initial and repair areas. The area designated for the initial/primary septic system (see attached septic plan) was found to contain soils with greater than 24 inches in depth before a restrictive horizon was encountered.

The initial and primary septic fields for the new home were sized based on a flow rate of 480 gallons/day and utilizing Accepted Status system for the initial and a PPBPS repair system. Any unauthorized site disturbance, filling, soil removal, or layout changes may result in the permit being revoked.


The septic installer contractor shall install the repair (if needed) system on contour, see attached site plan for the primary system and repair. No underground utilities, water lines, or sprinkler systems shall be placed into the initial or repair septic areas. Installation must meet all state and local county regulations for septic system installation. The trenches must be installed in the same location as the site plan. If flags trench flags are missing at the time of installation, they must be remarked by Adams Soil Consulting staff. Contact Alex Adams at 919-414-6761. A preconstruction conference is required with the septic installer prior to construction activities at least 14 days in advance of construction activities.

# Tobacco Rd Lot 88 5 BR, w/ 480 gpd Harnett County



INITIAL: Lines 1-3 (360') Accepted Status Pressure Manifold REPAIR: Lines 4-6 (235') PPBPS

Pressure Manifold



\*House footprint to be field staked by survey and system verified prior to any constructic

\*\*Septic area must not be altered by construction activities.

\*\*\*No cuts of 2' or greater within within 15' of septic area

\*\*\*\* Recommend protective barrier around septic field during construction.

\*If plumbing is not sufficient a pump tank will be required to septic field

Adams Soil Consulting 919-414-6761 This report does not guarantee the future function of any waste water disposal system installed.

If you have any questions regarding the findings on the attached site plan or in this report, please feel free to contact me anytime.

Sincerely,

Alex Adams

NC Licensed Soil Scientist #1247 AOWE Certification: 10021E





### RESIDENTIAL PRESSURE MANIFOLD DESIGN

Permit # Tobacco RD Lot 88

# of BDR: <u>5</u> Daily Flow: <u>480</u> gal/day L.T.A.R.: <u>0.3500</u> gal/day/sq.ft

Septic Tank: 1200 gals Pump Tank: 1200 gals Sq. Foot: 1080 System Type: Accepted

Number of Taps: 3 Length of Trenches: 360 ft(See Tap Chart for Details)

Depth of Trenches: 18 in Manifold Length: 36 in

Manifold Diameter: 4in sch 80pvc Tap Configuration: 6 in spacing 1 side(s) of manifold

Supply Line: length: 30 ft Diameter: 2 in sch 40pvc

Friction Loss + Fitting Loss: 2.05 ft(supply line length + 70' for fittings in pump tank)


Design Head:  $\underline{2}$  ft Elevation Head:  $\underline{6.00}$  ft

Total Head: 10.05 ft Pump to Deliver: 29.71 gals/min at 10.05 ft head


Dosing Volume:  $\underline{176}$  gals,

Drawdown: 176 gals divided by 30 gals/in = 5.9 inches

Simplex Control Panel required; elapsed time meter and cycle counter required; Floats to be determined by type of pump tank used. A septic tank filter is required.




# Tobacco Rd Lot 88 5 BR, w/ 480 gpd Harnett County



INITIAL: Lines 1-3 (360') Accepted Status Pressure Manifold REPAIR: Lines 4-6 (235') PPBPS

Pressure Manifold



\*House footprint to be field staked by survey and system verified prior to any constructic

\*\*Septic area must not be altered by construction activities.

\*\*\*No cuts of 2' or greater within within 15' of septic area

\*\*\*\* Recommend protective barrier around septic field during construction.

\*If plumbing is not sufficient a pump tank will be required to septic field

Adams
Soil Consulting
919-414-6761

Page \_1\_ of \_1\_ PROPERTY ID #: 0693-17-8202 COUNTY: \_\_\_\_Harnett\_

			SOIL/SITE EV	ALUATION for ON- (Complete all f		WATER SY	STEM			
	ER: <u>Drees</u>			(233-4232			DAT	E EVALU	ATED: 4/2/2	25
	ESS: DSED FACILITY	: Single Fan	nily 5 BR PR	OPOSED DESIGN F	FLOW (.0400):	480 apd	PROPI	ERTY SIZ	E: .72 A	cres
PROPOSED FACILITY: Single Family 5 BR PROPOSED DESIGN FLOW (.0400): 480 gpd PROPERTY SIZE: .72 Acres LOCATION OF SITE: Cultivator Ct. Angier NC 27501 PROPERTY RECORDED: Y										
			•	☐ Shared Well ☐						
EVALUATION METHOD: Auger Boring Pit Cut TYPE OF WASTEWATER: Domestic High Strength IPWW										
P R O F I			SOIL MO	RPHOLOGY	ОТНЕІ	R PROFIL	E FACTO	ORS		
L E #	.0502 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	.0503 STRUCTURE/ TEXTURE	.0503 CONSISTENCE/ MINERALOGY	.0504 SOIL WETNESS/ COLOR	.0505 SOIL DEPTH	.0506 SAPRO CLASS	.0507 RESTR HORIZ	.0509 PROFILE CLASS & LTAR*	.0502(d) SLOPE CORRE CTION
		0-38	GR/SL	VFR,SEXP,NS		40"	N.O	N.O		
	Linear 5%	38-42	SBK SCL	FR, SEXP,SS						
1				, ,	N.O				P.S .35	3"
									.00	
-	Linear 5%	0-40	GR/SL	VFR,SEXP,NS		40"	N.O	N.O		
			014,00							
2					N.O				P.S	3"
					10				.6	
			0.5/2/				1			
	Linear	0-24	GR/SL	VFR,SEXP,NS		34"	N.O	N.O	U/P.S .35	3"
		24-34	SBK SCL	FR, SEXP,SS						
3	5%				7.5yr7/2 @ 34"					
					₩ J <del>1</del>					
				1						
-										

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM	
Available Space (.0508)	S	S	SITE CLASSIFICATION (.0509): U/P.S
System Type(s)	III B	III B	EVALUATED BY: Bobby Weaver/Alex Adams
Site LTAR	.35	.35	OTHER(S) PRESENT:
Maximum Trench Depth	18"	18"	
Comments:			

NCDHHS/DPH/EHS/OSWP Revised January 2024



## CERTIFICATE OF LIABILITY INSURANCE


DATE (MM/DD/YYYY) 1/22/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.


th	IPORTANT: If the certificate holder is e terms and conditions of the policy, ertificate holder in lieu of such endors	certai	in pol								
PRO	DUCER		` ,		CONTAC	T Angela	Sensenig				
Wade Associates, LLC					NAME: Alige1a Selfself19 PHONE (A/C, No, Ext): (252)631-5269 (A/C, No): (252)649-2443 (A/C, No): (252)649-2443						
250	Pollock St.				E-MAIL ADDRES	s: asensen:	ig@wadeict	.com			
								DING COVERAGE			NAIC #
New	Bern NC 28	560			INSURE	RA: Lloyd's	of Londo	n			A1122J
INSU	RED				INSURE	RB:					
Ale	x Adams, DBA: Adams Soil Cor	sult	ting		INSURE	R C :					
167	6 Mitchell Rd.				INSURER C:						
					INSURER E :						
		501			INSURER F:						
				NUMBER: 25-26				REVISION NU			_
IN C E	HIS IS TO CERTIFY THAT THE POLICIES O DICATED. NOTWITHSTANDING ANY REQ ERTIFICATE MAY BE ISSUED OR MAY PER (CLUSIONS AND CONDITIONS OF SUCH F	JIREN TAIN, POLIC	MENT, THE I IES. L	TERM OR CONDITION OF AN NSURANCE AFFORDED BY T IMITS SHOWN MAY HAVE BE	NY CONT THE POL	RACT OR OTH ICIES DESCRI UCED BY PAID	HER DOCUMEI BED HEREIN I CLAIMS.	NT WITH RESPE	ECT TO WHI	CH THIS	
INSR LTR	TYPE OF INSURANCE		SUBR WVD	POLICY NUMBER		POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)		LIMIT	s	
	COMMERCIAL GENERAL LIABILITY							EACH OCCURRE		\$	
	CLAIMS-MADE OCCUR							DAMAGE TO REN PREMISES (Ea o	ITED ccurrence)	\$	
								MED EXP (Any or	ne person)	\$	
								PERSONAL & AD	V INJURY	\$	
	GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGRE	EGATE	\$	
	POLICY PRO- JECT LOC							PRODUCTS - COI	MP/OP AGG	\$	
	OTHER:									\$	
	AUTOMOBILE LIABILITY							COMBINED SING (Ea accident)	LE LIMIT	\$	
	ANY AUTO							BODILY INJURY	(Per person)	\$	
	ALL OWNED SCHEDULED AUTOS AUTOS							BODILY INJURY	. ,	\$	
	HIRED AUTOS NON-OWNED AUTOS							PROPERTY DAM/ (Per accident)	AGE	\$	
										\$	
	UMBRELLA LIAB OCCUR							EACH OCCURRENCE \$			
	EXCESS LIAB CLAIMS-MADE							AGGREGATE		\$	
	DED RETENTION \$	-						I DED	Готи	\$	
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y/N							PER STATUTE	OTH- ER		
ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?		N/A						E.L. EACH ACCID		\$	
	(Mandatory in NH) If yes, describe under							E.L. DISEASE - EA		\$	
	DÉSCRIPTION OF OPERATIONS below		-					E.L. DISEASE - PO	OLICY LIMIT	\$	
A	Errors & Omissions			PSN0040221161		1/31/2025	1/31/2026	Each Occurrence			\$1,000,000
								General Aggregate			\$1,000,000
DES	CRIPTION OF OPERATIONS / LOCATIONS / VEHICLE	ES (AC	ORD 10	  11, Additional Remarks Schedule, m	nay be atta	uched if more space	ce is required)				
CEI	RTIFICATE HOLDER				CANC	ELLATION					
*FOR INFORMATIONAL PURPOSES ONLY* XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX					SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.  AUTHORIZED REPRESENTATIVE						
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		N Whitsett/RACHEL								
	·	N Whitsett/RACHEL									

# Tobacco Rd Lot 88 5 BR, w/ 480 gpd Harnett County

# **ASBUILT**



INITIAL: Lines 1-3 (360') Accepted Status Pressure Manifold REPAIR: Lines 4-7 (255') PPBPS Pressure Manifold



\*House footprint to be field staked by survey and system verified prior to any constructic

\*\*Septic area must not be altered by construction activities.

\*\*\*No cuts of 2' or greater within within 15' of septic area

\*\*\*\* Recommend protective barrier around septic field during construction.

\*If plumbing is not sufficient a pump tank will be required to septic field

Adams
Soil Consulting
919—414—6761