

North Carolina Onsite Wastewater Contractor Inspector Certification Board Authorized Onsite Wastewater Evaluator Permit Option for Non-Engineered Systems Notice of Intent (NOI) to Construct

x_New ExpansionRepair RelocationRelocation of Repair	Area
Owner or Legal Representative Information: Teri Treffzs	
Name: Drees Homes Company	
Mailing address: 211 Grandview Drive - Suite 102 City: Ft. Mitchell State: KY Zip: 41017	
Phone: 919-256-5478 Email: ttreffzs@dreeshomes.com	
Authorized Onsite Wastewater Evaluator Information:	
Name: Alex Adams Certification #: AOWE# 10021E	
Mailing address: 1676 Mitchell Road City: Angier State: NC Zip: 27501	
Phone: 919-414-6761 Email: alexadams@bcsoil.com	
Site Location Information:	
Site address: Lot #39 (Tobacco Road) 108 Golden Leaf Farms Road - Angier, NC 27501	
Tax parcel identification number or subdivision lot, block number of property: PIN# 0693-24-2661	
County: Harnett	
System Information: Accepted Status	
Wastewater System Type: Type III (b) Daily Design Flow: 600 gallons/day	
Saprolite System:YesX_No Subsurface Operator Required:YesXNo)
Water Supply Type:Private WellX_Public Water Supply SpringOther:	
Facility Type:	
X_Residential5_# Bedrooms10 Maximum # of Occupants	
Business Type of Business and Basis for Flow:	
Public Assembly Type of Public Assembly and Basis for Flow:	
Requird_Attachments:x_Plat or Siteplan	
x Evaluation of Soil and Site Features by Licensed Soil Scientist	
Attest: On this the 24th day of April 2025 by signature below I hereby attest that the information require included with this NOI to Construct is accurate and complete to the best of my knowledge. Furthermore that I have adhered to the laws and rules governing onsite wastewater systems in the state of North Car This NOI shall expire on 24th day of April 2030.	e, I hereby attest
Signature of Owner or Legal Representative: Signature of Owner or Legal Representative:	
Signature of Owner or Legal Representative: Bradley Weekley	4/29/2025 9:19:44 AM ED
Disclosure: The owner may apply for a building permit for the project upon submitting a complete NO required (if any) to the local health department. An onsite wastewater system authorized by an authorize evaluator shall be transferable to a new owner with the consent of the authorized onsite wastewater evaluators.	zed onsite wastewater
Local Health Department Receipt Acknowledgement: Signature of Local Health Department Representative:	Date:

Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

alexadams@bcsoil.com

April 24, 2025 Project #1215

"This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-336.2

RE: Tobacco Road -Lot #39, 108 Golden Leaf Farms Road. - Angier, NC - 5-bedroom Single Family Residence (PIN# 0693-24-2661)

To whom it may concern:

Adams Soil Consulting (ASC) conducted a preliminary soil evaluation on the above referenced parcel to determine the areas of soils which are suitable for subsurface wastewater disposal systems (conventional & LPP). The soil/site evaluation was performed using hand auger borings during moist soil conditions based on the criteria found in the State Subsurface Rules 15ANCAC 18E. From this evaluation, ASC is providing the attached septic system design for a new single-family home sized for a 600 gallon/day septic system.

The suitable soils found on the subject property were somewhat variable in the initial and repair areas. The area designated for the initial/primary septic system (see attached septic plan) was found to contain soils with greater than 24 inches in depth before a restrictive horizon was encountered.

The initial and primary septic fields for the new home were sized based on a flow rate of 600 gallons/day and utilizing Accepted Status system for the initial and a PPBPS repair system. Any unauthorized site disturbance, filling, soil removal, or layout changes may result in the permit being revoked.

The septic installer contractor shall install the repair (if needed) system on contour, see attached site plan for the primary system and repair. No underground utilities, water lines, or sprinkler systems shall be placed into the initial or repair septic areas. Installation must meet all state and local county regulations for septic system installation. The trenches must be installed in the same location as the site plan. If flags trench flags are missing at the time of installation, they must be remarked by Adams Soil Consulting staff. Contact Alex Adams at 919-414-6761. A preconstruction conference is required with the septic installer prior to construction activities at least 14 days in advance of construction activities.

This report does not guarantee the future function of any waste water disposal system installed.

If you have any questions regarding the findings on the attached site plan or in this report, please feel free to contact me anytime.

Sincerely,

Alex Adams

NC Licensed Soil Scientist #1247 AOWE Certification: 10021E






Adams Soil Consulting, PLLC				_					
Name: Drees Home Company									
Name: Drees Home Company					Adams S				
Address: 108 Golden Leaf Farm Road Subdiv: Tobacco Road Lot#: 39									
# of BDR: 5 Daily Flow: 600 gal/day Repair L.T.A.R.: 0.3500 gal/day/sq.ft Repair L.T.A.R.: 0.3500 gal/day/sq.ft Repair L.T.A.R.: 0.3500 gal/day/sq.ft gal/day/sq.ft Repair L.T.A.R.: 0.3500 gal/day/sq.ft gal/day/sq.ft Stone Depth: Septic Tank: 1200 gals Pump Tank: N/A gals Sq. Foot: 1440 Stone Depth:	Name:	Drees Home Comp	<u>any</u>		P.I.N. #:	<u>0693-24-2661</u>		County	<u>Harnett</u>
# of BDR: 5 Daily Flow: 600 gal/day Initial L.T.A.R.: 0.3500 gal/day/sq.ft Repair L.T.A.R.: 0.3500 gal/day/sq.ft Repair L.T.A.R.: 0.3500 gal/day/sq.ft gal/day/sq.ft gal/day/sq.ft Septic Tank: 1200 gals Pump Tank: N/A gals Sq. Foot: 1440 Stone Depth: Stone Depth: Stone Depth: 1440 S									
Septic Tank: 1200 gals Pump Tank: N/A gals Sq. Foot: 1440 Stone Depth:	Address:	<u>108</u>	<u>Golden Leaf l</u>	Farm Road	ı	Subdiv: Toba	acco Road	Lot#:	<u>39</u>
Septic Tank: 1200 gals Pump Tank: N/A gals Sq. Foot: 1440 Stone Depth:	" - (DDD		D. II. Fl	000		1-141-11	F A D	0.0500	
Septic Tank: 1200 gals Pump Tank: N/A gals Sq. Foot: 1440 Stone Depth:	# of BDR:	<u>5</u>	Daily Flow:	600	gai/day				
Line Lengths	Contin Tonk	1200	and o	Dumn Tonki	NI/A				
Iine	Septic rank.	<u>1200</u>	gais	Pump rank:	<u>IN/A</u>	gais	3q. F00t:	<u>1440</u>	Stone Depth:
Iine									
Iine				1 1	ne Lengt	he			
1				<u> </u>	The Lengt	1113			
1									
1	line	color	rod read	Flevation	length				
2			Tou Touc	Lievation		Initial			
Solution					-				
80		-			-				
6 Blue 80 Initial 90 Repair 80 Repair 8		Green			-	_			
NF So Repair So So So So So So So S	5	Pink			80	Initial			
8 Pink 80 Repair 80 Repair 9 Blue 80 Repair 10 Repair	6	Blue			80	Initial			
9 Blue NF 80 Repair Repair 10 NF 80 Repair Repair Repair Repair Repair Initial Total Trench Length 480 Initial System Type: Accepted Status Initial System Max Trench Depth: 18" Repair Total Trench Length 320 Repair System Type: PPBPS	7	Green			80	Repair			
10 NF	8	Pink			80	Repair			
Repair R	9	Blue			80	Repair			
total feet = 800	10	NF			80	Repair			
Initial Total Trench Length 480 Initial System Type: Accepted Status Initial System Max Trench Depth: 18" Repair Total Trench Length 320 Repair System Type: PPBPS						Repair			
Initial System Max Trench Depth: 18"			total	feet =	800				
Initial System Max Trench Depth: 18"				<u> </u>					
Repair Total Trench Length 320 Repair System Type: PPBPS	Initial Tota	al Trench Length	480	E	-				1
					Initial Syste	m Max Trench De _l ⊤	oth:	18"	
	D in T. A	al Torreste Leoreste	220		D i (<u> </u>	DDDDC		
Repair System wax Trench Deptin.	Repair Fot	ai irench Length	320		_			10"	
					Repair Syste	in wax Trench De	eptn:	10	

Tobacco Road Lot 39 5 BR Harnett County

GOLDEN LEAF FARMS ROAD (50' PUBLIC R/W & UTILITY EASEMENT)



60'

GRAPHIC SCALE

120'

180'

- *House footprint to be field staked by survey and system verified prior to any constructic
- **Septic area must not be altered by construction activities.
- ***No cuts of 2' or greater within within 15' of septic area
- **** Recommend protective barrier around septic field during construction.
 - *If plumbing is not sufficient a pump tank will be required to septic field

Adams
Soil Consulting
919—414—6761

INITIAL:

Lines 1-6 (480') Accepted Status

Gravity Parallel

REPAIR:

Lines 7-10 (320')

PPBPS

Pressure Manifold

Tobacco Road Lot 39 5 BR Harnett County

*Builder to mark pool location prior to septic installation. GOLDEN LEAF FARMS ROAD

(50' PUBLIC R/W & UTILITY EASEMENT)



60'

GRAPHIC SCALE

120'

180'

*House footprint to be field staked by survey and system verified prior to any constructic

LT

Tre

LT

Tre

**Septic area must not be altered by construction activities.

***No cuts of 2' or greater within within 15' of septic area

**** Recommend protective barrier around septic field during construction.

*If plumbing is not sufficient a pump tank will be required to septic field

Adams Soil Consulting 919—414—6761

INITIAL:

Lines 1-6 (480')

Accepted Status

Gravity Parallel

REPAIR:

Lines 7-10 (320')

PPBPS

Pressure Manifold

Page _1_ of _1_ PROPERTY ID #: 0693-24-2661 COUNTY: ____Harnett_

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM (Complete all fields in full)

OWNER: _	Drees		(Complet	e an neius in run)	DATE I	EVALUATED: _	4/2/25
ADDRESS	:						
PROPOSEI	D FACILITY: _S	Single Family 5 BR	PROPOSED DESI	GN FLOW (.0400): <u>60</u>	00 gpd PROPER	ΓΥ SIZE:	.63 Acres
LOCATIO	N OF SITE: <u>108</u>	Golden Leafs Farm	Rd. Angier NC 2750	1	PROPERT	Y RECORDED:	:Y
WATER SU	UPPLY: 🗵 Publ	ic Single Family	Well Shared Well	☐ Spring ☐ Other	WATER S	UPPLY SETBA	CK:
EVALUAT	TION METHOD:	X Auger Boring	☐ Pit ☐ Cut	TYPE OF WASTEWA	ΓER: Domestic	☐ High Strength	□ IPWW

P R O F I			SOIL MO	RPHOLOGY	ОТНЕ	R PROFIL				
L E #	.0502 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	.0503 STRUCTURE/ TEXTURE	.0503 CONSISTENCE/ MINERALOGY	.0504 SOIL WETNESS/ COLOR	.0505 SOIL DEPTH	.0506 SAPRO CLASS	.0507 RESTR HORIZ	.0509 PROFILE CLASS & LTAR*	.0502(d) SLOPE CORRE CTION
		0-30	GR/LS	VFR,SEXP,NS						
	Linear	34-40	SBK SCL	FI, SEXP,SS					P.S .35	
1	10%				N.O	40"	N.O	N.O		4"
									.55	
		0-12	GR/LS	VFR,SEXP,NS						
	Linear 10%	12-34	SBK SCL	FI, SEXP,SS	7.5 YR	34"	N.O	N.O	U/P.S .35	4"
2					7.3 TK					
									.35	
		0-30	GR/LS	VFR,SEXP,NS						
	Linear	30-38	SBK SCL	FI, SEXP,SS	NO	40"	N.O	N.O	D 0	4"
3	10%				N.O				P.S .6	
		0-40	GR/SL	VFR,SEXP,NS					D.C.	
	Linear 10%				N.O	40"	N.O	N.O	P.S .6	4"
4	1070									

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM	
Available Space (.0508)	S	S	SITE CLASSIFICATION (.0509): P.S
System Type(s)	III B	III B	EVALUATED BY: Bobby Weaver/Alex Adams
Site LTAR	.35	.35	OTHER(S) PRESENT:
Maximum Trench Depth	18"	18"	
Comments:			

Revised January 2024 NCDHHS/DPH/EHS/OSWP



CERTIFICATE OF LIABILITY INSURANCE


DATE (MM/DD/YYYY) 1/22/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.


th	IPORTANT: If the certificate holder is e terms and conditions of the policy, ertificate holder in lieu of such endors	certa	in pol							
PRO	DUCER		. ,		CONTAC NAME:	T Angela S	Sensenig			
Wade Associates, LLC			PHONE	(252)	631-5269	!	FAX [A/C, No): (25)	2)649-2443		
250 Pollock St.				(A/C, No), ⊑XL):		com	A/C, NO):		
250 10110011 501					E-MAIL ADDRESS: asensenig@wadeict.com INSURER(S) AFFORDING COVERAGE NA					
New Bern NC 28560							. , ,			NAIC #
INSURED						RA:Lloyd's	or rougo	n		A1122J
	x Adams, DBA: Adams Soil Co	1 4	-ina		INSURE					
	6 Mitchell Rd.	ISUL	LING		INSURE					
10/	o Mitchell Rd.				INSURE	RD:				
	NG 0F	F01			INSURE	RE:				
		501			INSURE	RF:				
	VERAGES CENTIFY THAT THE POLICIES O			NUMBER: 25-26	-N IOOI			REVISION NUMI		DIOD
IN C E	DICATED. NOTWITHSTANDING ANY REQ ERTIFICATE MAY BE ISSUED OR MAY PER CLUSIONS AND CONDITIONS OF SUCH I	UIREN RTAIN, POLIC	MENT, THE II IES. LI	TERM OR CONDITION OF AN NSURANCE AFFORDED BY T IMITS SHOWN MAY HAVE BE	IY CONT HE POL	TRACT OR OTH ICIES DESCRI UCED BY PAID	HER DOCUMEN BED HEREIN I CLAIMS.	NT WITH RESPECT	TO WHICH	THIS
insr Ltr	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER		POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)		LIMITS	
	COMMERCIAL GENERAL LIABILITY							EACH OCCURRENCE		
	CLAIMS-MADE OCCUR							DAMAGE TO RENTED PREMISES (Ea occurr		
								MED EXP (Any one pe	erson) \$	
								PERSONAL & ADV IN	IJURY \$	
	GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGREGAT	ΓE \$	
	POLICY PRO- JECT LOC							PRODUCTS - COMP/C	OP AGG \$	
	OTHER:								\$	
	AUTOMOBILE LIABILITY							COMBINED SINGLE L (Ea accident)	IMIT \$	
	ANY AUTO							BODILY INJURY (Per	person) \$	
	ALL OWNED SCHEDULED AUTOS AUTOS							BODILY INJURY (Per	accident) \$	
	HIRED AUTOS AUTOS							PROPERTY DAMAGE (Per accident)	\$	
	AUTOS							(i ci doddciit)	\$	
	UMBRELLA LIAB OCCUR							EACH OCCURRENCE	\$	
	EXCESS LIAB CLAIMS-MADE							AGGREGATE	\$	
	DED RETENTION \$								\$	
	WORKERS COMPENSATION							PER STATUTE	OTH- ER	
	AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE	71						E.L. EACH ACCIDENT		
	OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	JN/A						E.L. DISEASE - EA EM		
	If yes, describe under DESCRIPTION OF OPERATIONS below							E.L. DISEASE - POLIC		
_							1 /21 /2225			\$1,000,000
A	Errors & Omissions			PSN0040221161		1/31/2025	1/31/2026	Each Occurrence		
								General Aggregate		\$1,000,000
DES	RIPTION OF OPERATIONS / LOCATIONS / VEHICL	ES (AC	ORD 10	I1, Additional Remarks Schedule, m	ay be atta	cched if more space	e is required)			
CF	RTIFICATE HOLDER				CANC	ELLATION				
FOR INFORMATIONAL PURPOSES ONLY XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				LY*	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE				IN	
xxxxxxxxxxxxxxx					N Whitsett/RACHEL					

LINE TABLE							
LINE	BEARING	DISTANCE					
L1	N 06'57'19" E	100.00'					
L2	S 03°35'41" W	7.60'					

PROPOSED IMPERVIOUS SURFACES: TOTAL LOT AREA=27,569 S.F. HOUSE/PORCHES=2,800 S.F. DRIVEWAYS/ETC.=1,190 S.F. TOTAL IMPERVIOUS AREA=3,990 S.F. MAX. IMPERVIOUS AREA=5,500 S.F.



REFERENCES: 1. D.B. 4218, PG. 193 PIN 0693-24-2661.000 PID 040693 0047 17



SETBACKS FRONT YARD-35 SIDE YARD-10 REAR YARD-25' CORNER SIDE-20'

LEGEND

(EOP)—EDGE OF PAVEMENT (LP)—LIGHT POLE (PD)—PROPOSED DRIVEWAY (WM)-WATER METER (AC)-AIR CONDITIONER

- 1. ALL EASEMENTS, RIGHTS OF WAY AND BOUNDARY INFORMATION TAKEN FROM P.B. 2023, PG 563-568 UNLESS OTHERWISE NOTED.
- 2. PROPERTY IS SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. NO TITLE EXAMINATION HAS BEEN DONE BY ROBINSON & PLANTE, P.C. 3. INDIVIDUAL ON SITE SEPTIC SYSTEM FOR ALL LOTS
- 4. WATER TO BE PROVIDED BY HARNETT COUNTY PUBLIC UTILITIES
- 5. NO ENCROACHMENTS INTO THE WETLANDS WILL BE ALLOWED.
- LOTS TO BE INTERNALLY ACCESSED ONLY.


 6. ONLY N.C. DEPARTMENT OF TRANSPORTATION APPROVED STRUCTURES ARE TO BE
- CONSTRUCTED ON PUBLIC RIGHT OF WAY.

 7. ANY PARCELS OR EXCLUDED AREAS ARE TO BE SERVED INTERNALLY
- WITH NO ACCESS ONTO DEPARTMENTAL RIGHT OF WAY. AND ANY DRAINAGE EASEMENTS SHALL BE DEDICATED AS PUBLIC AND SHALL BE
 THE RESPONSIBILITY OF THE PROPERTY OWNERS TO MAINTAIN THE DRAINAGE EASEMENTS
 AND ANY DRAINAGE STRUCTURES THERE IS SO AS TO MAINTAIN THE INTEGRITY OF
 DRAINAGE SYSTEM AND INSURE POSITIVE DRAINAGE
- PROPERTY FRONTAGE SHALL NOT PIPED WITHOUT AN APPROVED ENCROACHMENT
 AGREEMENT FROM NCDOT. THE EASEMENT ALLOWS NCDOT THE RIGHT TO ACCESS THE DRAINAGE EASEMENTS AND PERFORM WORK IT DEEMS NECESSARY OR PRUDENT TO ALLEVIATE ANY ISSUES JEOPARDIZING THE INTEGRITY OF THE ROADWAY.

PRELIMINARY PLAT- NOT FOR RECORDATION, CONVEYANCE, OR SALE

LOT 39 TOBACCO ROAD SUBDIVISION PHASE 1 & 3 108 GOLDEN LEAF FARMS ROAD HARNETT COUNTY ANGIER, NC 27501

563–568



DREES HOMES 60' 120' 180' GRAPHIC SCALE

SURVEY FOR

0

FILE: TBRDLOT39PPR1

I CERTIFY THAT THIS MAP WAS DRAWN
UNDER MY SUPERVISION FROM AN ACTUAL
SURVEY MADE UNDER MY SUPERVISION
DESCRIPTION RECORDED IN REFERENCES AS SHOWN;
THAT THE BOUNDARIES NOT SURVEYED ARE
INDICATED AS DRAWN FROM INFORMATION IN ; THAT THE RATIO OF PRECISION IS 1:10,000; AND THAT THIS MAP MEET THE REQUIREMENTS OF THE STANDARDS OF PRACTICE FOR LAND SURVEYING IN NORTH CAROLINA (21 NCAC 56.16000).

__DAY OF

PROFESSIONAL LAND SURVEYOR L-4433

REFERENCE: PLAT BOOK 2023 PAGE

KAYLEEN ELEV. A SEALED CRAWL SPACE EXTENDED OUTDOOR LIVING GARAGE RIGHT SIDE

ROBINSON & PLANTE PC

LAND SURVEYING C-2687 970 TRINITY ROAD RALEIGH, N.C. 27607 PHONE (919) 859-6030 FAX (919) 859-6032

DATE: 3-21-25

SCALE: 1"=60'