

North Carolina Onsite Wastewater Contractor Inspector Certification Board Authorized Onsite Wastewater Evaluator Permit Option for Non-Engineered Systems Notice of Intent (NOI) to Construct

New Expansion Repair Relocation Relocation of Repair Area
Owner or Legal Representative Information: Name: RiverWILD Homes Mailing address: 114 W Main St City: Clayton State: NC Zip: 27520 Phone: 919-373-6048 Email: kelley@staywild.com
Authorized Onsite Wastewater Evaluator Information: Name: Trent Bostic Certification #:10056E Mailing address: 501 N Salem St, Ste 203 City: Apex State: NC Zip: 27502 Phone: 919-367-6322 Email: tbostic@agriwaste.com
Site Location Information: Site address: 42 Sundrops Trl, Dunn, NC 28334 Tax parcel identification number or subdivision lot, block number of property: 1509-02-7098 Alton Fields, Lot - 14 County: Harnett
System Information: Wastewater System Type: IIIb Daily Design Flow: 480 Saprolite System: Yes X No Subsurface Operator Required: Yes X No Water Supply Type: Private Well X Public Water Supply Spring Other:
Facility Type: X Residential 4 # Bedrooms 8 Maximum # of Occupants Business Type of Business and Basis for Flow: Public Assembly Type of Public Assembly and Basis for Flow:
Required Attachments: X Plat or Site Plan Evaluation of Soil and Site Features by Licensed Soil Scientist
Attest: On this the 6 day of MAY, 2025 by signature below I hereby attest that the information reduces to be included with this NOI to Construct is accurate and complete to the best of my knowledge. Furthermore thereby attest that I have adhered to the laws and rules governing onsite wastewater systems in the state of North Carolina. O Certification Number This NOI shall expire on 6 day of MAY, 2028 Signature of Authorized Onsite Wastewater Evaluator:
Disclosure: The owner may apply for a building permit for the project upon submitting a complete NOI to Construct and the fee required (if any) to the local health department. An onsite wastewater system authorized by an authorized onsite wastewater evaluator shall be transferable to a new owner with the consent of the authorized onsite wastewater evaluator. Local Health Department Receipt Acknowledgement:
Signature of Local Health Department Representative:





Agri-Waste Technology, Inc.
501 N Salem Street, Suite 203, Apex, NC 27502
agriwaste.com | 919.859.0669

Soil Suitability for Domestic Sewage Treatment and Disposal Systems Lot – 14, Sundrops Trl, Dunn, NC 28334 (PIN: 1509-02-7098; Harnett County)

PREPARED FOR: RiverWILD Homes, c/o Kelley Judd

PREPARED BY: Trent Bostic, Senior Soil Scientist

DATE: May 6, 2025

Soil suitability for domestic sewage treatment and disposal systems was evaluated on May 1, 2025, for the property located at the Alton Fields subdivision. Trent Bostic of Agri-Waste Technology, Inc. (AWT) conducted the soil evaluation. This evaluation was done to facilitate permitting for a septic system. This report and attached documents were prepared to meet the requirements for an Authorized On-Site Wastewater Evaluator to meet G.S. 130A-336.2

A drawing of the site plan, septic layout, and boring locations is included in Attachment 1. Profile descriptions for each boring are included in Attachment 2. Additional documentation about the property is included in Attachment 3.

Site Conditions

The total property area is approximately 0.58 acres. The property is a grass field. The drawing in Attachment 1 details the property boundaries, house location, boring locations, and layout of drain field trenches (Completed by AWT).

Soil Suitability for Domestic Sewage Treatment and Disposal Systems

Multiple soil borings/pits were assessed on the property. Soil borings/pits were examined to determine soil suitability for on-site sewage disposal systems in accordance with 15A NCAC 18E: Wastewater Treatment and Dispersal Systems. These borings/pits were advanced with a hand auger and excavator. All soil borings/pits shown are provisionally suitable for a conventional style trench. The proposed LTAR (Long Term Acceptance Rate) by AWT is 0.375 GPD/ft². The soils on this property are group III soils within the distribution and treatment zone as used to define the LTAR. The maximum trench bottom should not exceed 24".

Field Layout & System Design

A septic layout was performed to demonstrate available space (.0508). The layout in Attachment 1 indicates there is available space for a four-bedroom primary and repair system utilizing a 25% reduction product. With an LTAR of 0.375 GPD/ft², 320 linear feet of trench is necessary to support a four-bedroom home initial and 320 linear feet of trench is required for the repair system. The attached drawing proves that 640+ linear feet of trench can be installed with the proposed home location on the property.

Any disturbances or grading done in the usable soils area may change the potential of using the area designated for a drain field and can result in a revoked permit.

We appreciate the opportunity to assist you in this matter. Please contact us with any questions, concerns, or comments.

Sincerely,

Trent Bostic, AOWE

Trest Bootic



Agri-Waste Technology, Inc. 501 N Salem Street, Suite 203, Apex, NC 27502 agriwaste.com | 919.859.0669

SOIL & SITE EVALUATION for ON-SITE WASTEWATER SYSTEMS

Evaluation Date PIN/Parcel Proposed Facility Water Supply

5/1/2025	
1509-02-7098	
SFR	
Municipal	
	_

Site Location Property Size (acres) Bedrooms Design Flow (.0400)

42 Sundrops Trl
0.58
4
480

County Property Recorded Wastewater Strength Evaluation Method

Harnett	
Yes	
Domestic	
Auger	

					1				1			
	_		Soil	Soil Morphology Other Factors								
Profile #	.0502 Landscape Position Slope %	Horizon Depth (in)	.0503 Struct ure Textur e		.0504 Soil Wetness Color	.0505 Soil Depth (in)	.0506 Saprolite	.0507 Restrictive Horizon	.0509 Profile Class LTAR	.0502(d) Slope Corrected Depth		
		Ap 0-9	LS	NS, NP, Vfr	10YR 5/2							
		E 9-15	LS	NS, NP, Vfr	10YR 6/4	36	Suitable	Suitable	0.375	36		
1	2%	Bt	SCL	SS, SP, Fi	10YR 5/6							
			System Type							Conventional		
	2%	Ap 0-9	LS	NS, NP, Vfr	10YR 5/2		Suitable	Suitable	0.375	36		
		E 9-15	LS	NS, NP, Vfr	10YR 6/4	36						
2		Bt	SCL	SS, SP, Fi	10YR 5/6							
		System Type Conventional										
		_			_							
	2%	Ap 0-9	LS	NS, NP, Vfr	10YR 5/2			Suitable	0.375	36		
		E 9-15	LS	NS, NP, Vfr	10YR 6/4	36	Suitable					
3		Bt	SCL	SS, SP, Fi	10YR 5/6							
							System Type		Conver	ntional		
_	1	1		1	1		T	Г	<u> </u>			
		Ap 0-9	LS	NS, NP, Vfr	10YR 5/2							
		E 9-15	LS	NS, NP, Vfr	10YR 6/4	36	Suitable	Suitable	0.375	36		
4	2%	Bt	SCL	SS, SP, Fi	10YR 5/6		-					
							System Type		Conver	ntional		

|--|

Site Classification	Suitable		
Primary LTAR	0.375	Repair LTAR	0.375
Primary Trench Depth	24	Repair Trench Depth	24



SOIL & SITE EVALUATION for ON-SITE WASTEWATER SYSTEMS

LEGEND

Soil Group	Soil Texture	Conventional LTAR	Anaerobic Dip LTAR	Aerobic Drip LTAR (TS-II)		alogy & stence	Structure	
	S (Sand)				Moist	Wet	SG (Single grain)	
I	LS (Loamy Sand)	0.8-1.2	0.4-0.6	0.8-1.5	Lo (Loose)	NS (Non Sticky)	M (Massive)	
II	SL (Sandy Loam)	0.6-0.8	0.3-0.4	0.6-0.8	VFR (Very Friable)	SS (Slightly Sticky)	GR (Granular)	
"	L (Loam)	0.0-0.0	0.3-0.4	0.0-0.0	FR (Friable)	S (Sticky)	SBK (Subangular Blocky)	
	SiL (Silt Loam)				FI (Firm)	VS (Very Sticky)	ABK (Angular Blocky)	
III	SCL (Sandy Clay Loam)	0.3-0.6	0.15-0.3	0.2-0.6	VFI (Very Firm)	NP (Non Plastic)	PR	
	CL (Clay Loam)	0.0 0.0	0.10 0.0	012 010	EFI (Extremely Firm)	SP (Slightly Plastic)	(Prismatic)	
	SiCL (Silty Clay Loam)					P (Plastic)	PL (PL+)	
	SC (Sandy Clay)	SC (Sandy Clay)			0.05-0.2		VP (Very Plastic)	(Platy)
IV	SiC (Silty Clay)	0.1-0.4	0.05-1.5		SEXP (Slight	y Expansive)		
	C (Clay)				EXP (Ex	pansive)		

I,Mickey R.Bennett,PLS do certify that this plat was drawn under my supervision(deed description recorded in Book(see ref) (see ref.),that the ratio of precision as calculated is 1:10000. Witness my original signature, registration number and seal this 10th day of April, 2025 A.D.

Mickey R.Bennett PLS

MICKEY R.BENNETT





SCALE IN FEET 1"= 40'

MINIMUM BUILDING SETBACKS

RA-30

FRONT --- 35'FROM R/W

REAR --- 25'

SIDE --- 10'

CORNER LOT SIDE - 20'

MAXIMUM HEIGHT - 35'

MAXIMUM IMPREVIOUS AREA PER.LOT - 5000 SF

DEED REFERENCE DEED BOOK 4231,PAGE 1889 MAP REFERENCE PLAT BOOK 2025, PAGE 176

DISCLAIMER ALL INFORMATION SHOWN ON THIS MAP WAS TAKEN FROM

RECORDED DEEDS, PLATS AND OTHER PUBLIC INFORMATION. BENNETT SURVEYS HAS NOT PREFORMED ANY SURVEY IN PREPARING THIS PLAT AS OF DATE SHOWN.

> OWNER: GREGORY INC. 62 E MCIVERY STREET ANGIER, NC 27501-5891

PREPARING THIS PLAT PROPOSED PLOT PLAN

S 86°13'49"W

N 86°13'49"E

PROPOSED IMPERVIOUS AREA = 3416 SF +-

14

0.58 AC.

42 SUNDROPS TRAIL, DUNN,NC 28334

NO FIELD SURVEY WAS PREFORMED IN .

20.7

16.2 6.0

PROPOSED HOUSE LOCATION THE CARDINAL

35.0'

12.0


PROPOSED DRIVE

37.0'

FEMA FLOOD HAZARD STATEMENT ALL PROPERTY SHOWN ON THIS PLAT IS LOCATED WITHIN THE FEMA (ZONE X) MINIMAL FLOOD RISK AS SHOWN ON FIRM NUMBER 3720150900J EFFECTIVE DATE 10/3/2006.

SUNDROPS TRAIL

50'PUBLIC R/W



AF 14 - AOWE	
Project Location	42 Sundrops Trl
	Dunn, NC 28334
	Harnett County
	PIN: 1509-02-7098
Project Owner	RiverWILD Homes
	114 W Main St
	Clayton, NC 27520
	919-373-6048
	kelley@staywild.com
Project Consultant	Trent Bostic, AOWE
	(919) 367-6322
	tbostic@agriwaste.com
	Agri-Waste Technology, Inc.
	501 N. Salem Street, Suite 203
	Apex, NC 27502
	(919) 859-0669
	(919) 233-1970 Fax
System Overview	Single Family Residence
	Four (4) Bedroom, 48 gpd
	Gravity Fed, Parallel
	Accepted/Innovative Trench Product



VICINITY MAP

Sheet Index

Sheet 1	Cover Sheet
Sheet 2	Property Layout
Sheet 3	Primary Drainfield
Sheet 6	Detail Sheet



REY. ISSUED DATE DESCRIPTION

SHEET TITLE

DRAWN BY: T. Bostic REVISED BY: ####

RELEASED BY: ####

DRAWING NUMBER

Cover Sheet


CREATED ON: 05/05/2025

REVISED ON:

RELEASED ON:

WW-1








CREATED ON: 05/05/2025

General Drainfield Notes:

- Clear all trees less than 8" in diameter (measured at a height 3' from soil surface) from the drainfield.
- Vegetation that will re-grow from a cut stump shall be stumped or pulled from the ground. Stumps shall not be pushed over.
- 3. Drainfield area shall be cleared of all leaves, pine straw, debris, etc. The accumulated material shall be removed from the drainfield.
- 4. In clayey soils, sides of trenches shall be raked and limed per manufacturer's instructions.
- 5. Supply lines shall be installed with a minimum of 18" cover.
- 6. The trenches shall be backfilled appropriately so that no low areas are present.
- 7. Apply lime over the drainfield area as needed. Seed fine fescue over the drainfield at the rate
- 8. recommended by the seed manufacturer. Hand rake the seed into the soil surface. Straw the seeded area at the rate of 1.5-2 bales per 1000 sq. ft.



Note:



Agri-Waste Technology, Inc 501 N. Salem Street, Suite 20 Apex, North Carolina 27502 919-859-0669 www.agriwaste.com

> RiverWILD Homes AF 14 - AOWE

Project Location: 42 Sundrops Trl Dunn, NC 28334 Harnett County PIN: 1509-02-7098

roject Owner:
RiverWILD Homes
114 W Main St
Clayton, NC 27520
919-373-6048
kelley@staywild.com

NC ONSITE WASTEWATER EVALUATOR SEAL



REY, ISSUED DÂTE DESCRIPTION

sнеет тітье Primary Layout

DRAWN BY: | CREATED ON:

T. Bostic 05/05/2025


REVISED BY: #####


RELEASED BY: #####

RELEASED ON: ######

DRAWING NUMBER

WW-3





Septic Tank SOURCE: Shoaf Precast Septic, Inc.

SECTION VIEW

PLAN VIEW

4" INLET

13"

Distribution Box

⊼ OUTLETS

NOTES

- 1. Installation to follow all NC DHHS and Harnett County applicable rules and regulations.
- 2. AWT to perform construction inspections and final system certification.
- 3. Septic Tank to have approved effluent filter.
- 4. Contractor to abide by all safety regulations during system installation.
- 5. Contractor shall backfill around all access areas such that storm water is shed away from potential entry points.
- 6. Invert elevations of all components to be verified in field by contractor to insure proper operation.
- 7. All system piping to be SCH40 PVC (except where noted).
- 8. All gravity elbows to be long radius or long sweeping type elbows.
- 9. Actual installation and placement of treatment system to be overseen by Contractor.
- 10. Tank hole to be compacted with tamping machine.

with existing landscape. Area shall not be left with uncovered

- 12. All risers to have cast—in—place tank adapters and be single-piece riser. Risers to extend 6" above soil surface and be designed to prevent surface water inflow.
- 13. Backfill around tank(s) shall be gravel or tank hole shall be over-excavated a minimum of 2' in all directions to allow for mechanical tamping of backfill.
- 14. All penetrations to be sealed.
- 15. Contractor to adjust tank placement to meet site constraints.

RiverWILD Homes AF 14 - AOWE Proiect Location: 42 Sundrops Trl Dunn, NC 28334 Harnett County PIN: 1509-02-7098 Project Owner: RiverWILD Homes 114 W Main St Clayton, NC 27520 919-373-6048 kelley@staywild.com NC ONSITE WASTEWATER EVALUATOR SEAL ey. Issued date description SHEET TITLE

501 N. Salem Street, Suite 203

Apex, North Carolina 27502

919-859-0669

www.agriwaste.com

11. Contractor to seed and/or mulch disturbed areas to coincide

Detail Sheet

DRÁŴN BY: CREATED ON: T. Bostic REVISED BY: REVISED ON: RELEASED BY: RELEASED ON:

DRAWING NUMBER

WW-4



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 1/20/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

	gine is the columbate helder in hea cites	2011 011 de 1 00 111 (0).			
PRODUCER Hartsfield & Nash Agency, Inc.		CONTACT NAME: Connie Garkalns			
10405 Ligon Mill Rd., Ste H		PHONE (A/C, No, Ext): 984-235-4273 FAX (A/C, No): 919-55	56-8758		
Wake Forest NC 27587		E-MAIL ADDRESS: connie@hartsfield-nash.com			
		INSURER(S) AFFORDING COVERAGE	NAIC#		
	License#: 1000009111	INSURER A: Selective Insurance Company of	39926		
INSURED	AGRITEC-01	INSURER B: Accident Fund	10166		
Agri-Waste Technology Inc 501 N. Salem St Ste 203 Apex NC 27502		INSURER c : Evanston Insurance Company	35378		
		INSURER D:			
		INSURER E:			
		INSURER F:			
COVERAGES	CERTIFICATE NUMBER: 130/498969/	REVISION NUMBER:			

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

NSR LTR	NSR TYPE OF INSURANCE		SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMIT	s
Α	A X COMMERCIAL GENERAL LIABILITY			S 2253659	1/18/2025	1/18/2026	EACH OCCURRENCE DAMAGE TO RENTED	\$2,000,000
	CLAIMS-MADE X OCCUR						PREMISES (Ea occurrence) MED EXP (Any one person)	\$ 300,000 \$ 10,000
							PERSONAL & ADV INJURY	\$2,000,000
GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGREGATE	\$4,000,000
POLICY X PRO- JECT LOC							PRODUCTS - COMP/OP AGG	\$4,000,000
	OTHER:							\$
A	AUTOMOBILE LIABILITY			S 2253659	1/18/2025	1/18/2026	COMBINED SINGLE LIMIT (Ea accident)	\$1,000,000
X ANY AUTO							BODILY INJURY (Per person)	\$
OWNED AUTOS ONLY SCHEDULED AUTOS AUTOS AUTOS AUTOS							BODILY INJURY (Per accident)	\$
X HIRED AUTOS ONLY X NON-OWNED AUTOS ONLY							PROPERTY DAMAGE (Per accident)	\$
								\$
A	X UMBRELLA LIAB X OCCUR			S 2253659	1/18/2025	1/18/2026	EACH OCCURRENCE	\$2,000,000
	EXCESS LIAB CLAIMS-MADE						AGGREGATE	\$2,000,000
	DED RETENTION\$							\$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY			100003072	1/18/2025	1/18/2026	X PER OTH- STATUTE ER	
	ANYPROPRIETOR/PARTNER/EXECUTIVE T/N	N/A					E.L. EACH ACCIDENT	\$1,000,000
	(Mandatory in NH)	,					E.L. DISEASE - EA EMPLOYEE	\$1,000,000
If yes, describe under DESCRIPTION OF OPERATIONS below							E.L. DISEASE - POLICY LIMIT	\$1,000,000
C Prof & Pollution Liability A Leased & Rented				MKLV3ENV104794 S 2253659	8/22/2024 1/18/2025	8/22/2025 1/18/2026	Each Claim Equipment	5,000,000 25,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER	CANCELLATION
Artisan Custom Homes 21016 Catawba Avenue Cornelius NC 28031 USA	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	COMMI GANGAL
	Connie garaline