

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0325-1583
ORDER DATE	03/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Rico Allende	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Rico Allende	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 835-8059	SALES AREA	Marshall Naylor

SOLD TO	Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503	JOB NAME: Lot 106 Ducks Landing	LOT # 106	SUBDIV: Ducks Landing
		MODEL: 32000	TAG: CC-2680 F	JOB CATEGORY: _
SHIP TO	Caviness & Cates 372 Hookbill Ln. Lillington, NC	DELIVERY INSTRUCTIONS:		
		SPECIAL INSTRUCTIONS:		
		PLAN SEAL DATE: 3/3/23		

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-03	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		/ /
Roof Order	END CUT	RETURN				LAYOUT	WM	05/29/25
		GABLE STUDS	24 IN. OC			CUTTING	WM	05/29/25
				JOBSITE	1			
						JOBSITE	1	

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY PLY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	6	3.00	0.00	ROOF A1	54-00-00 54-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 11 293.4 lbs. -65.8 lbs.	Joint 13 2992.5 lbs. -254.6 lbs.	Joint 20 2024.3 lbs. -328.8 lbs.		
	1	3.00	0.00	GABLE A1GE	54-00-00 54-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 257.5 lbs. -97.0 lbs.	Joint 29 168.8 lbs. 1.1 lbs.	Joint 31 268.3 lbs. -155.6 lbs.	Joint 32 121.3 lbs. -63.1 lbs.	Joint 33 167.5 lbs. -85.8 lbs.
	1	6.00	0.00	GABLE B1	39-00-00 39-00-00	2 X 4	2 X 6	00-10-08	00-10-08	Joint 1 51.9 lbs. -10.4 lbs.	Joint 2 151.0 lbs. -32.0 lbs.	Joint 8 156.0 lbs. -71.0 lbs.	Joint 9 170.6 lbs. -79.0 lbs.	Joint 24 123.2 lbs. -5.6 lbs.
	8	6.00	0.00	COMMON B2	39-00-00 39-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 2068.8 lbs. -110.0 lbs.	Joint 8 2069.5 lbs. -110.0 lbs.			
	6	6.00	0.00	COMMON B3	38-09-00 38-09-00	2 X 6	2 X 6	00-10-08		Joint 2 1958.8 lbs. -209.5 lbs.	Joint 8 1918.5 lbs. -193.4 lbs.			
	1	6.00	0.00	GABLE B4	38-09-00 38-09-00	2 X 4	2 X 6	00-10-08		Joint 2 183.1 lbs. -23.6 lbs.	Joint 22 129.7 lbs. 22.6 lbs.	Joint 23 265.0 lbs. -166.8 lbs.	Joint 24 120.2 lbs. -62.5 lbs.	Joint 25 169.8 lbs. -91.9 lbs.
	1	10.00	0.00	GABLE C1	22-00-00 22-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 267.2 lbs. -98.1 lbs.	Joint 14 222.0 lbs. -32.2 lbs.	Joint 16 287.0 lbs. -258.7 lbs.	Joint 17 161.3 lbs. -103.7 lbs.	Joint 18 198.0 lbs. -153.4 lbs.
	1	10.00	0.00	HIP C2	22-00-00 22-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 1219.2 lbs. -104.6 lbs.	Joint 10 1219.2 lbs. -104.6 lbs.			
	5	10.00	0.00	HIP C3	22-00-00 22-00-00	2 X 6	2 X 6	00-10-08		Joint 2 1219.7 lbs. -104.7 lbs.	Joint 10 1175.8 lbs. -91.7 lbs.			
	1 2 Ply	10.00	0.00	COMMON C4	28-10-00 22-00-00	2 X 8	2 X 8	00-10-08		Joint 1 6054.5 lbs. -278.4 lbs.	Joint 2 1374.6 lbs. -156.4 lbs.	Joint 3 5007.9 lbs. -224.3 lbs.	Joint 4 1301.2 lbs. -136.1 lbs.	
	3	3.00	0.00	MONOPITCH D1	11-00-00 11-00-00	2 X 6	2 X 6	00-10-08		Joint 2 389.3 lbs. -190.8 lbs.	Joint 6 522.8 lbs. -203.7 lbs.			

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0325-1583
ORDER DATE	03/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Rico Allende	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Rico Allende	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 835-8059	SALES AREA	Marshall Naylor

SOLD TO	Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503	JOB NAME: Lot 106 Ducks Landing	LOT # 106	SUBDIV: Ducks Landing
		MODEL: 32000	TAG: CC-2680 F	JOB CATEGORY: _
SHIP TO	Caviness & Cates 372 Hookbill Ln. Lillington, NC	DELIVERY INSTRUCTIONS:		
		SPECIAL INSTRUCTIONS:		
		PLAN SEAL DATE: 3/3/23		









BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-03	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		/ /
Roof Order	END CUT	RETURN				LAYOUT	WM	05/29/25
	NO		GABLE STUDS	24 IN. OC		CUTTING	WM	05/29/25

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
	PLY	TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	10.00	0.00	GABLE E1	13-00-00 13-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 1 44.1 lbs. -5.9 lbs.	Joint 2 182.8 lbs. -46.2 lbs.	Joint 7 35.9 lbs. 6.1 lbs.	Joint 8 261.4 lbs. -53.5 lbs.	Joint 10 351.1 lbs. -77.8 lbs.
	1 2 Ply	10.00	0.00	HIP TRUSS E2	13-00-00 13-00-00	2 X 6	2 X 12			Joint 1 5636.2 lbs. -609.7 lbs.	Joint 3 6646.4 lbs. -716.8 lbs.			
	1	3.00	0.00	COMMON H1	11-00-00 11-00-00	2 X 4	2 X 4	00-10-08	00-10-08	Joint 2 558.3 lbs. -71.4 lbs.	Joint 6 489.6 lbs. -328.1 lbs.	Joint 8 1124.7 lbs. -107.2 lbs.		
	2	3.00	0.00	COMMON H2	11-00-00 11-00-00	2 X 4	2 X 4	00-10-08	00-10-08	Joint 2 490.0 lbs. -238.0 lbs.	Joint 4 490.0 lbs. -238.0 lbs.			
	1	10.00	0.00	VALLEY VE1	11-03-09 11-03-09	2 X 4	2 X 4			Joint 1 93.4 lbs. -78.1 lbs.	Joint 5 73.9 lbs. -56.4 lbs.	Joint 6 339.9 lbs. -157.5 lbs.	Joint 7 240.8 lbs. 32.4 lbs.	Joint 8 340.2 lbs. -157.7 lbs.
	1	10.00	0.00	VALLEY VE2	08-10-12 08-10-12	2 X 4	2 X 4			Joint 1 187.1 lbs. -40.1 lbs.	Joint 3 187.1 lbs. -48.3 lbs.	Joint 4 272.9 lbs. 10.2 lbs.		
	1	10.00	0.00	VALLEY VE3	06-05-15 06-05-15	2 X 4	2 X 4			Joint 1 131.6 lbs. -28.2 lbs.	Joint 3 131.6 lbs. -34.0 lbs.	Joint 4 192.0 lbs. 7.2 lbs.		
	1	10.00	0.00	VALLEY VE4	04-01-02 04-01-02	2 X 4	2 X 4			Joint 1 76.1 lbs. -16.3 lbs.	Joint 3 71.3 lbs. -34.6 lbs.	Joint 4 87.7 lbs. 11.8 lbs.		

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
4	Hangers, USP	HTW20			SIMPSON (HTS20)
6	Hangers, USP	HUS 26			SIMPSON (HUS26)
2	BlueLinX (Whsl)	LVL, Metsa(Wh) 2.0,	13-00-00		Rear Porch LVL