

## Reaction Summary of Order

ROOF & FLOOR  
TRUSSES & BEAMSReilly Road Industrial Park P.O. Box 40408  
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0325-1587
ORDER DATE	03/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Mike Sans	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Mike Sans	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 237-7798	SALES AREA	Marshall Naylor

SOLD TO	<b>Caviness &amp; Cates Building &amp; 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503</b>	<b>JOB NAME:</b> Lot 119 Ducks Landing	<b>LOT #</b> 119	<b>SUBDIV:</b> Ducks Landing
	<b>Caviness &amp; Cates 32 Black Duck Ln. Lillington, NC</b>	<b>MODEL:</b> 32000	<b>TAG:</b> CC-2695 / C / RP / WA (NP)	<b>JOB CATEGORY:</b> _
SHIP TO		<b>DELIVERY INSTRUCTIONS:</b>		
		<b>SPECIAL INSTRUCTIONS:</b>		
<b>PLAN SEAL DATE:</b> 5/3/24				

BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>		/ /
Roof Order	<b>END CUT</b>	<b>RETURN</b>				<b>LAYOUT</b>	mn	05/27/25
	NO		<b>GABLE STUDS</b>	24 IN. OC		<b>CUTTING</b>	WM	05/28/25

## ROOF TRUSSES

LOADING  
INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY PLY	PITCH TOP BOT	TYPE ID	BASE O/A	LUMBER TOP BOT	OVERHANG LEFT RIGHT	REACTIONS
	1	10.00 0.00	ROOF A1	34-09-05 32-08-08	2 X 6 2 X 6	00-10-08	Joint 1 98.1 lbs. -227.1 lbs. Joint 18 118.9 lbs. -33.0 lbs. Joint 20 165.7 lbs. -34.2 lbs. Joint 21 160.0 lbs. -33.1 lbs. Joint 22 150.6 lbs. -29.6 lbs.
	8	10.00 0.00	ROOF A2	34-09-05 32-08-08	2 X 6 2 X 6	00-10-08	Joint 7 1520.2 lbs. -105.3 lbs. Joint 13 1585.7 lbs. -55.2 lbs.
	2	10.00 0.00	ROOF A3	34-09-05 32-08-08	2 X 6 2 X 6		Joint 7 1485.4 lbs. -93.6 lbs. Joint 12 1586.7 lbs. -57.8 lbs.
	8	10.00 0.00	ROOF A4	34-09-05 26-04-08	2 X 6 2 X 6		Joint 5 1209.2 lbs. -26.7 lbs. Joint 9 1474.8 lbs. 55.9 lbs.
	1	10.00 0.00	ROOF A5	34-09-05 26-04-08	2 X 6 2 X 6		Joint 14 227.4 lbs. 7.1 lbs. Joint 15 177.7 lbs. -122.8 lbs. Joint 16 157.2 lbs. -71.4 lbs. Joint 17 151.2 lbs. -55.8 lbs. Joint 18 158.6 lbs. -74.9 lbs.
	1	12.00 0.00	ATTIC B1	22-00-00 22-00-00	2 X 6 2 X 10		Joint 2 1460.0 lbs. 2.3 lbs. Joint 10 1460.0 lbs. 2.3 lbs.
	3	12.00 0.00	ATTIC B2	22-00-00 22-00-00	2 X 6 2 X 10		Joint 2 1466.3 lbs. 122.4 lbs. Joint 9 1425.0 lbs. 129.3 lbs.
	1	12.00 0.00	ATTIC B3	22-00-00 22-00-00	2 X 6 2 X 10		Joint 2 1479.9 lbs. 122.9 lbs. Joint 10 1333.6 lbs. 132.2 lbs.
	1	12.00 0.00	COMMON C1	16-03-08 16-03-08	2 X 6 2 X 6	00-10-08 00-10-08	Joint 10 285.1 lbs. -6.4 lbs. Joint 12 196.0 lbs. -221.2 lbs. Joint 13 297.1 lbs. -349.0 lbs. Joint 14 313.4 lbs. 43.3 lbs. Joint 17 541.1 lbs. -35.9 lbs.
	1 2 Ply	12.00 0.00	COMMON C2	16-03-08 16-03-08	2 X 6 2 X 8		Joint 1 4848.6 lbs. -164.1 lbs. Joint 5 5838.2 lbs. -191.3 lbs.
	1	12.00 0.00	COMMON D1	11-07-08 11-07-08	2 X 4 2 X 4	00-10-08 00-10-08	Joint 2 1541.9 lbs. -23.7 lbs. Joint 7 1563.4 lbs. -25.6 lbs. Joint 10 186.7 lbs. -112.9 lbs. Joint 11 1602.1 lbs. 192.3 lbs. Joint 12 194.8 lbs. -124.4 lbs.

## Reaction Summary of Order

ROOF & FLOOR  
TRUSSES & BEAMSReilly Road Industrial Park P.O. Box 40408  
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0325-1587
ORDER DATE	03/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Mike Sans	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Mike Sans	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 237-7798	SALES AREA	Marshall Naylor

SOLD TO	<b>Caviness &amp; Cates Building &amp; 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503</b>	<b>JOB NAME:</b> Lot 119 Ducks Landing	<b>LOT #</b> 119	<b>SUBDIV:</b> Ducks Landing
	<b>Caviness &amp; Cates 32 Black Duck Ln. Lillington, NC</b>	<b>MODEL:</b> 32000	<b>TAG:</b> CC-2695 / C / RP / WA (NP)	<b>JOB CATEGORY:</b> _
SHIP TO		<b>DELIVERY INSTRUCTIONS:</b>		
		<b>SPECIAL INSTRUCTIONS:</b>		
<b>PLAN SEAL DATE:</b> 5/3/24				

BY DATE


<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>		/ /
Roof Order	<b>END CUT</b>	<b>RETURN</b>				<b>LAYOUT</b>	mn	05/27/25
	NO		<b>GABLE STUDS</b>	24 IN. OC	JOBSITE 1	JOBSITE 1	<b>CUTTING</b>	WM 05/28/25

## ROOF TRUSSES

LOADING  
INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
	PLY	TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1 2 Ply	0.00	0.00	FLAT GIRDER H1	17-03-08 17-03-08	2 X 6	2 X 10			Joint 6 9772.6 lbs. 695.1 lbs.	Joint 8 931.3 lbs. -40.9 lbs.	Joint 10 9210.6 lbs. 635.7 lbs.		
	1	10.00	6.00	JACK-OPEN M1	19-07-08 19-07-08	2 X 6	2 X 6	00-10-08		Joint 2 666.4 lbs. -243.6 lbs.	Joint 16 179.7 lbs. -52.2 lbs.	Joint 17 175.8 lbs. -65.6 lbs.	Joint 19 178.2 lbs. -62.3 lbs.	Joint 20 176.7 lbs. -62.3 lbs.
	8	10.00	6.00	JACK-CLOSED M2	19-07-08 19-07-08	2 X 6	2 X 6	00-10-08		Joint 2 830.2 lbs. 133.3 lbs.	Joint 12 831.9 lbs. -309.6 lbs.			
	3	10.00	0.00	MONOPITCH M3	13-03-08 13-03-08	2 X 6	2 X 6	00-10-08		Joint 2 705.7 lbs. 95.1 lbs.	Joint 7 847.1 lbs. -218.2 lbs.			
	5	10.00	0.00	MONOPITCH M4	13-03-08 13-03-08	2 X 6	2 X 8	00-10-08		Joint 2 661.1 lbs. 103.2 lbs.	Joint 8 848.9 lbs. -233.4 lbs.	Joint 10 288.4 lbs. -63.1 lbs.		
	1	10.00	0.00	MONOPITCH M4A	13-03-08 13-03-08	2 X 6	2 X 8	00-10-08		Joint 2 753.6 lbs. 113.6 lbs.	Joint 8 954.3 lbs. -262.4 lbs.			
	1	10.00	0.00	MONOPITCH M5	13-03-08 13-03-08	2 X 6	2 X 6	00-10-08		Joint 2 794.7 lbs. 106.8 lbs.	Joint 7 952.9 lbs. -245.5 lbs.			
	1	10.00	0.00	MONOPITCH M6	13-03-08 13-03-08	2 X 6	2 X 6	00-10-08		Joint 2 572.4 lbs. -165.4 lbs.	Joint 11 39.3 lbs. -37.8 lbs.	Joint 12 44.0 lbs. -21.0 lbs.	Joint 13 179.6 lbs. -104.3 lbs.	Joint 14 189.0 lbs. -117.2 lbs.
	2	4.00	0.00	MONOPITCH M7	07-00-00 07-00-00	2 X 4	2 X 6	00-10-08		Joint 2 334.2 lbs. -129.3 lbs.	Joint 4 262.2 lbs. -114.2 lbs.			
	5	4.00	0.00	GABLE M8	06-00-00 06-00-00	2 X 4	2 X 4	00-10-08		Joint 2 295.1 lbs. -115.0 lbs.	Joint 4 221.3 lbs. -97.6 lbs.			
	1	4.00	0.00	ROOF M9	06-00-00 06-00-00	2 X 4	2 X 4	00-10-08		Joint 2 295.1 lbs. -165.6 lbs.	Joint 4 773.8 lbs. -227.0 lbs.			

## Reaction Summary of Order

ROOF & FLOOR  
TRUSSES & BEAMSReilly Road Industrial Park P.O. Box 40408  
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0325-1587
ORDER DATE	03/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Mike Sans	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Mike Sans	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 237-7798	SALES AREA	Marshall Naylor

SOLD TO	<b>Caviness &amp; Cates Building &amp; 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503</b>	<b>JOB NAME:</b> Lot 119 Ducks Landing	<b>LOT #</b> 119	<b>SUBDIV:</b> Ducks Landing
	<b>Caviness &amp; Cates 32 Black Duck Ln. Lillington, NC</b>	<b>MODEL:</b> 32000	<b>TAG:</b> CC-2695 / C / RP / WA (NP)	<b>JOB CATEGORY:</b> _
SHIP TO		<b>DELIVERY INSTRUCTIONS:</b>		
		<b>SPECIAL INSTRUCTIONS:</b>		
<b>PLAN SEAL DATE:</b> 5/3/24				

BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-04-05	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>		/ /
Roof Order	<b>END CUT</b>	<b>RETURN</b>				<b>LAYOUT</b>	mn	05/27/25
	NO		<b>GABLE STUDS</b>	24 IN. OC	JOBSITE 1	JOBSITE 1	<b>CUTTING</b>	WM 05/28/25

## ROOF TRUSSES

LOADING  
INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY PLY	PITCH TOP BOT	TYPE ID	BASE O/A	LUMBER TOP BOT	OVERHANG LEFT RIGHT	REACTIONS
	1	4.00 0.00	GABLE P1	12-00-00 12-00-00	2 X 4 2 X 4	00-10-08 00-10-08	Joint 2 529.6 lbs. -292.3 lbs. Joint 4 529.6 lbs. -292.3 lbs.
	4	4.00 0.00	COMMON P2	12-00-00 12-00-00	2 X 4 2 X 4	00-10-08 00-10-08	Joint 2 529.6 lbs. -205.1 lbs. Joint 4 529.6 lbs. -205.1 lbs.
	1	12.00 0.00	VALLEY VC-1	15-04-08 15-04-08	2 X 4 2 X 4		Joint 1 182.9 lbs. -28.4 lbs. Joint 5 148.2 lbs. -2.1 lbs. Joint 6 402.4 lbs. -185.4 lbs. Joint 7 212.4 lbs. 63.9 lbs. Joint 8 399.2 lbs. -184.4 lbs.
	1	12.00 0.00	VALLEY VC-2	13-04-08 13-04-08	2 X 4 2 X 4		Joint 1 146.8 lbs. -36.1 lbs. Joint 5 111.2 lbs. -19.5 lbs. Joint 6 360.5 lbs. -168.4 lbs. Joint 7 221.8 lbs. 60.4 lbs. Joint 8 347.2 lbs. -162.8 lbs.
	1	12.00 0.00	VALLEY VC-3	11-04-08 11-04-08	2 X 4 2 X 4		Joint 1 109.7 lbs. -65.3 lbs. Joint 2 548.3 lbs. -37.7 lbs. Joint 4 548.3 lbs. -37.7 lbs. Joint 5 107.5 lbs. -78.6 lbs. Joint 6 362.4 lbs. -172.4 lbs.
	1	12.00 0.00	VALLEY VC-4	09-04-08 09-04-08	2 X 4 2 X 4		Joint 1 198.6 lbs. -26.1 lbs. Joint 3 198.6 lbs. -26.1 lbs. Joint 4 303.4 lbs. 12.2 lbs.
	1	12.00 0.00	VALLEY VC-5	07-04-08 07-04-08	2 X 4 2 X 4		Joint 1 164.6 lbs. -29.3 lbs. Joint 3 164.6 lbs. -29.3 lbs. Joint 4 211.4 lbs. 27.9 lbs.
	1	12.00 0.00	VALLEY VC-6	05-04-08 05-04-08	2 X 4 2 X 4		Joint 1 115.8 lbs. -20.6 lbs. Joint 3 115.8 lbs. -20.6 lbs. Joint 4 148.8 lbs. 19.6 lbs.
	1	12.00 0.00	VALLEY VC-7	03-04-08 03-04-08	2 X 4 2 X 4		Joint 1 110.2 lbs. -3.6 lbs. Joint 3 110.2 lbs. -3.6 lbs.
	1	4.00 0.00	VALLEY VP-1	08-05-09 08-05-09	2 X 4 2 X 4		Joint 1 129.8 lbs. -21.5 lbs. Joint 3 129.8 lbs. -22.9 lbs. Joint 4 276.6 lbs. 0.9 lbs.
	1	6.00 0.00	COMMON WA-1	16-00-00 16-00-00	2 X 6 2 X 6	00-10-08 00-10-08	Joint 2 127.3 lbs. -22.2 lbs. Joint 10 127.3 lbs. -11.5 lbs. Joint 12 167.3 lbs. -79.1 lbs. Joint 13 158.1 lbs. -71.7 lbs. Joint 14 166.6 lbs. -64.3 lbs.

Reaction Summary of Order




ROOF & FLOOR  
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408  
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0325-1587
ORDER DATE	03/20/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Mike Sans	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Mike Sans	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 237-7798	SALES AREA	Marshall Naylor

SOLD TO	Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503	JOB NAME: Lot 119 Ducks Landing		LOT # 119	SUBDIV: Ducks Landing
		MODEL: 32000		TAG: CC-2695 / C / RP / WA (NP) JOB CATEGORY: _	
SHIP TO	Caviness & Cates 32 Black Duck Ln. Lillington, NC	DELIVERY INSTRUCTIONS:			
		SPECIAL INSTRUCTIONS:			
PLAN SEAL DATE: 5/3/24					

BUILDING DEPARTMENT Roof Order	OVERHANG INFO		HEEL HEIGHT	00-04-05	REQ. LAYOUTS				REQ. ENGINEERING				QUOTE		/ /
	END CUT	RETURN											LAYOUT	mn	05/27/25
		NO	GABLE STUDS	24 IN. OC			JOBSITE	1			JOBSITE	1	CUTTING	WM	05/28/25

ROOF TRUSSES		LOADING INFORMATION		TCLL-TCDL-BCLL-BCDL 20.0,10.0,0.0,10.0		STRESS INCR. 1.15		ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)			
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS	
	PLY	TOP	BOT			TOP	BOT	LEFT	RIGHT		
	2	6.00	0.00	COMMON WA-2	16-00-00 16-00-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 680.1 lbs. -49.4 lbs.	Joint 4 680.1 lbs. -49.4 lbs.

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
4	Hangers, USP	HTW20			SIMPSON (HTS20)
24	Hangers, USP	HUS 26			SIMPSON (HUS26)
2	BlueLinx (Whsl)	LVL, Metsa(Wh) 2.0,	09-00-00		WA-DB1