

Owner: ATG Applicant:

Address: 1282 Pendleton

Proposed Facility: SFD

Location of Site:

Water Supply:

Evaluation Method: ☐ Auger Boring

Type of Wastewater:

Date Evaluated:

Design Flow (.1949): 480 GPD

Property Recorded:

☒ Public ☐ Individual ☐ Well Pit☒ Sewage☐ Industrial Process

Property Size:

☐ Spring☐ Other

| Description             | Initial System    | Repair System     | Other Factors (.1946):<br>Site Classification (.1948):<br>Evaluated By: <i>S M RETH</i><br>Others Present: |
|-------------------------|-------------------|-------------------|--|
| Available Space (.1945) | <i>[initials]</i> | <i>[initials]</i> |  |
| System Type(s)          | <i>[initials]</i> | <i>[initials]</i> |  |
| Site LTAR               | <i>.8</i>         | <i>.8</i>         |  |

50% reduction In 1910 + Repair

COMMENTS: \_\_\_\_\_

| LANDSCAPE POSITIONS | GROUP | TEXTURES            | .1955 LTAR | CONSISTENCE MOIST  | WET                |
|---------------------|-------|---------------------|------------|--------------------|--------------------|
| R-RIDGE             | I     | S-SAND              | 1.2 - 0.8  | VFR-VERY FRIABLE   | NS-NON-STICKY      |
| S-SHOULDER SLOPE    |       | LS-LOAMY SAND       |            | FR-FRIABLE         | SS-SLIGHTLY STICKY |
| L-LINEAR SLOPE      |       |                     |            | FI-FIRM            | S-STICKY           |
| FS-FOOT SLOPE       | II    | SL-SANDY LOAM       | 0.8 - 0.6  | VFI-VERY FIRM      | VS-VERY STICKY     |
| N-NOSE SLOPE        |       | L-LOAM              |            | EFI-EXTREMELY FIRM | NP-NON-PLASTIC     |
| H-HEAD SLOPE        |       |                     |            |                    | SP-SLIGHTLY STICKY |
| CC-CONCLAVE SLOPE   | III   | SI-SILT             | 0.6 - 0.3  |                    | P-PLASTIC          |
| CV-CONVEX SLOPE     |       | SIL-SILT LOAM       |            |                    | VP-VERY PLASTIC    |
| T-TERRACE           |       | CL-CLAY LOAM        |            |                    |                    |
| FP-FLOOD PLAN       |       | SCL-SANDY CLAY LOAM |            |                    |                    |
|                     | IV    | SIC-SILTY CLAY      | 0.4 - 0.1  |                    |                    |
|                     |       | C-CLAY              |            |                    |                    |
|                     |       | SC-SANDY CLAY       |            |                    |                    |

STRUCTURE

SG-SINGLE GRAIN  
M-MASSIVE  
CR-CRUMB  
GR-GRANULAR  
SBK-SUBANGULAR BLOCKY  
ABK-ANGULAR BLOCKY  
PL-PLATY  
PR-PRISMATIC

MINERALOGY

SLIGHTLY EXPANSIVE  
EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

