

Owner/Legal Representative Signature: ___

HARNETT COUNTY ENVIROMENTAL HEALTH

IMPROVEMENT	CDP#:
Owner: DRB Group North Carolina, LLC	System Relocation Change of Use Applicant: DRB Group North Carolina, LLC
Property Location: 129 CELTIC LN LILLINGTON, NC 27546	PIN/Lot Identifier: 0680-37-2881.000
DI ALCE DOLLE	101
Subdivision: BLAKE POND Facility Type: SFD 50' x 50' Number of bedrooms: 3	Number of Occupants: 6 Other:
Design Daily Flow: 360 GPD LTAR (Initial): .3	and/ft2 LTAR (Renair): .3 and/ft2
	(Initial)
Pump Required: Yes No May be required Usable	
Wastewater System Type 25% Reduction System	(Repair)
Pump Required: Yes No May be required Usable	Depth to Limiting Condition (Repair): 32"
Effluent Standard: DSE HSE Other: Type of Wat	
Permit conditions: No Foundation or Gutter Drains to be Directed Towards Septic System. No Cutting or Grading of Soil in Septic or Septic Rep[air Area.	
The issuance of this permit in no way guarantees the issuance of other permits. The permit hold requirements. This permit is subject to revocation if the site plan, plat, or the intended use chan This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions	<u>riges.</u> The Improvement Permit shall not be affected by a change in ownership of the site. of this permit.
	Date: 07/11/2025
Authorized Agent's Signature: Mr 2018415	Expiration Date: 07/11/2030
Owner: DRB Group North Carolina, LLC	System Relocation Change of Use Applicant: DRB Group North Carolina, LLC
Property Location: 129 CELTIC LN LILLINGTON, NC 27546	PIN/Lot Identifier: 0680-37-2881.000
Subdivision: BLAKE POND	Lot #: 124 Block: Section:
Facility Type: SFD 50' x 50' Number of bedrooms: 3	Number of Occupants: 6 Other:
Design Daily Flow: 360 GPD LTAR: .3 gpd/ft²	
Effluent Standard: DSE HSE Other: Type of Wat	er Supply: Private well Municipal Supply Other:
Installation Requirements/Conditions	
Wastewater System Type: 25% Reduction System	Pump Required: Yes No May be required
Septic Tank Size: 1,000 gallons Total Trench Length: 300' fee	et Trench Spacing: 9' feet on center
Pump Tank Size: gallons Maximum Trench Depth: 18" - 20	
Trench Width: 36" inches Distribution Method: Serial	D-Box or Parallel Pressure Manifold Other: 3 - 100' Lines
Artificial Drainage Required: Yes No III If yes, please specify details:	
Management Entity Required: Yes No Minimum O&M Requireme	ents:
Permit conditions: No Foundation or Gutter Drains to be Directed Towards Septic System. No Cutting or Grading of Soil in Septic or Septic Rep[air Area.	
The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be Construction Authorization is subject to revocation if the site plan, plat, or the intended use char the site. This Construction Authorization is subject to compliance with the provisions of 15A NC	<u>unges.</u> The Construction Authorization shall not be affected by a change in ownership of CAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit.
Authorized Agent's Printed Name: Ren Levocz	Date: 07/11/25
Authorized Agent's Signature: Ran 2 15HS	Expiration Date: 07/11/2030

*See attached site sketch

Date: _____

SITE SKETCH

0680-37-2881.000

Permit Number SFD2506-0043

DRB Grou	in North	Carolina	11	C
----------	----------	----------	----	---

BLAKE POND Lot 124

Applicant's Name Ren Levocz Subdivision/Section/Lot Number 07/11/2025

Authorized State Agent

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

