

North Carolina Onsite Wastewater Contractor Inspector Certification Board Authorized Onsite Wastewater Evaluator Permit Option for Non-Engineered Systems Notice of Intent (NOI) to Construct

x_New ExpansionRepair RelocationRelocation of Repair Area
Owner or Legal Representative Information: Teri Treffzs Name: Drees Homes Company Mailing address: 211 Grandview Drive - Suite 102 City: Ft. Mitchell State: KY Zip: 41017 Phone: 919-256-5478 Email: ttreffzs@dreeshomes.com
Authorized Onsite Wastewater Evaluator Information: Name: Alex Adams Certification #: AOWE# 10021E Mailing address: 1676 Mitchell Road City: Angier State: NC Zip: 27501 Phone: 919-414-6761 Email: alexadams@bcsoil.com
Site Location Information: Lot #69 Tobacco Road Subdiviison Site address: Grading Stick Ct - Angier, NC 27501 Tax parcel identification number or subdivision lot, block number of property: PIN# 0693-25-2896 County: Harnett
System Information: Accepted Status Wastewater System Type: Type III (b) Daily Design Flow: 480 gallons/day Saprolite System:YesXNo Subsurface Operator Required:YesXNo Water Supply Type:Private WellX_Public Water SupplySpringOther:
Facility Type:
Requird_Attachments:xPlat_or_Siteplanx Evaluation of Soil and Site Features by Licensed Soil Scientist
Attest: On this the 20th day of June 2025 by signature below I hereby attest that the information required to be included with this NOI to Construct is accurate and complete to the best of my knowledge. Furthermore, I hereby attest that I have adhered to the laws and rules governing onsite wastewater systems in the state of North Carolina. This NOI shall expire on 20th day of June 2030.
Signature of Authorized Onsite Wastewater Evaluatorcusignature Valuator Signature of Owner or Legal Representative: Bralley Weekley
Disclosure: The owner may apply for a building permit for the project upon submitting a complete NOI to Construct and the fee required (if any) to the local health department. An onsite wastewater system authorized by an authorized onsite wastewater evaluator shall be transferable to a new owner with the consent of the authorized onsite wastewater evaluator. Local Health Department Receipt Acknowledgement: Signature of Local Health Department Representative:

Adams Soil Consulting, PLLC 1676 Mitchell Road Angier, NC 27501 919-414-6761

alexadams@bcsoil.com

June 20, 2025 Project #1215

"This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-336.2

RE: Tobacco Road -Lot #69, Grading Stick Ct. - Angier, NC - 4-bedroom Single Family Residence (PIN# 0693-25-2896)

To whom it may concern:

Adams Soil Consulting (ASC) conducted a preliminary soil evaluation on the above referenced parcel to determine the areas of soils which are suitable for subsurface wastewater disposal systems (conventional & LPP). The soil/site evaluation was performed using hand auger borings during moist soil conditions based on the criteria found in the State Subsurface Rules 15ANCAC 18E. From this evaluation, ASC is providing the attached septic system design for a new single-family home sized for a 480 gallon/day septic system.

The suitable soils found on the subject property were somewhat variable in the initial and repair areas. The area designated for the initial/primary septic system (see attached septic plan) was found to contain soils with greater than 24 inches in depth before a restrictive horizon was encountered.

The initial and primary septic fields for the new home were sized based on a flow rate of 480 gallons/day and utilizing Accepted Status system for the initial and a PPBPS repair system. Any unauthorized site disturbance, filling, soil removal, or layout changes may result in the permit being revoked.

The septic installer contractor shall install the repair (if needed) system on contour, see attached site plan for the primary system and repair. No underground utilities, water lines, or sprinkler systems shall be placed into the initial or repair septic areas. Installation must meet all state and local county regulations for septic system installation. The trenches must be installed in the same location as the site plan. If flags trench flags are missing at the time of installation, they must be remarked by Adams Soil Consulting staff. Contact Alex Adams at 919-414-6761. A preconstruction conference is required with the septic installer prior to construction activities at least 14 days in advance of construction activities.

This report does not guarantee the future function of any waste water disposal system installed.

If you have any questions regarding the findings on the attached site plan or in this report, please feel free to contact me anytime.

Sincerely,

Alex Adams

NC Licensed Soil Scientist #1247 AOWE Certification: 10021E






CURVE TABLE										
CURVE	DELTA	RADIUS	ARC	CHORD	TANGENT	CHORD BRG				
C1	87°18'18"	25.00'	38.09'	34.51'	23.85'	S 03°28'21" [
PROPOSED IMPERVIOUS SURFACES:										

LINE TABLE


BEARING DISTANCE LINE S 47°07'30" L1 119.26

TOTAL LOT AREA=40,110 S.F. HOUSE/PORCHES=3,953 S.F. DRIVEWAYS/ETC.=1,534 S.F.
TOTAL IMPERVIOUS AREA=5,487 S.F. MAX. IMPERVIOUS AREA=5,500 S.F.

IMPERVIOUS IS VERY TIGHT. CONTACT SURVEYOR BEFORE ANY FLATWORK IS DONE.



REFERENCES: 1. D.B. 4216, PG. 2256 PIN 0693-25-2896.000 PID 040693 0030 85



SETBACKS FRONT YARD-35 SIDE YARD-10' REAR YARD-25' CORNER SIDE-20'

LEGEND

(EOP)-EDGE OF PAVEMENT (LP)-LIGHT POLE (PD)-PROPOSED DRIVEWAY (WM)-WATER METER (AC)-AIR CONDITIONER

- 1. ALL EASEMENTS, RIGHTS OF WAY AND BOUNDARY INFORMATION TAKEN FROM P.B. 2025, PG 25-28 UNLESS OTHERWISE NOTED.
- 2. PROPERTY IS SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. NO TITLE EXAMINATION HAS BEEN DONE BY ROBINSON & PLANTE, P.C.
 3. INDIVIDUAL ON SITE SEPTIC SYSTEM FOR ALL LOTS
- 4. WATER TO BE PROVIDED BY HARNETT COUNTY PUBLIC UTILITIES
- 5. NO ENCROACHMENTS INTO THE WETLANDS WILL BE ALLOWED.
- LOTS TO BE INTERNALLY ACCESSED ONLY.

 6. ONLY N.C. DEPARTMENT OF TRANSPORTATION APPROVED STRUCTURES ARE TO BE
- CONSTRUCTED ON PUBLIC RIGHT OF WAY.

 7. ANY PARCELS OR EXCLUDED AREAS ARE TO BE SERVED INTERNALLY WITH NO ACCESS ONTO DEPARTMENTAL RIGHT OF WAY.
- WITH NO ACCESS ONTO DEPARTMENTAL RIGHT OF WAT.

 8. ALL DRAINAGE EASEMENTS SHALL BE DEDICATED AS PUBLIC AND SHALL BE
 THE RESPONSIBILITY OF THE PROPERTY OWNERS TO MAINTAIN THE DRAINAGE EASEMENTS
 AND ANY DRAINAGE STRUCTURES THERE IS SO AS TO MAINTAIN THE INTEGRITY OF
 DRAINAGE SYSTEM AND INSURE POSITIVE DRAINAGE

LOT 36

15' UTILITY

EASEMENT

PROPERTY FRONTAGE SHALL NOT PIPED WITHOUT AN APPROVED ENCROACHMENT AGREEMENT FROM NCDOT. THE EASEMENT ALLOWS NCDOT THE RIGHT TO ACCESS THE DRAINAGE EASEMENTS AND PERFORM WORK IT DEEMS NECESSARY OR PRUDENT TO ALLEVIATE ANY ISSUES JEOPARDIZING THE INTEGRITY OF THE ROADWAY.

PRELIMINARY PLAT- NOT FOR RECORDATION, CONVEYANCE, OR SALE

LOT 69 TOBACCO ROAD SUBDIVISION PHASE 2 GRADING STICK COURT HARNETT COUNTY ANGIER, NC 27501

REFERENCE: PLAT BOOK 2025 PAGE *25–28* INSET -0.67 1.66 ~0.33 PROPOSED HOUSE 17'x11' SCREENED IN OUTDOOR LIVING PROPOSED AC

DREES HOMES



SURVEY FOR

FILE: TBRDLOT69PP

I CERTIFY THAT THIS MAP WAS DRAWN
UNDER MY SUPERVISION FROM AN ACTUAL
SURVEY MADE UNDER MY SUPERVISION
DESCRIPTION RECORDED IN REFERENCES AS SHOWN;
THAT THE BOUNDARIES NOT SURVEYED ARE
INDICATED AS DRAWN FROM INFORMATION
IN THAT THE BATIO IN ; THAT THE RATIO OF PRECISION IS 1:10,000; AND THAT

THIS MAP MEET THE REQUIREMENTS OF THE STANDARDS OF PRACTICE FOR LAND SURVEYING IN NORTH CAROLINA (21 NCAC 56.16000). __DAY OF

PROFESSIONAL LAND SURVEYOR L-4433

PARKETTE ELEV. D SEALED CRAWL SPACE SCREENED IN OUTDOOR LIVING 3 CAR GARAGE GARAGE RIGHT SIDE


ROBINSON & PLANTE PC

LAND SURVEYING C-2687 970 TRINITY ROAD RALEIGH, N.C. 27607 PHONE (919) 859-6030 FAX (919) 859-6032


DATE: 6-12-25

SCALE: 1"=60'

Tobacco Road Lot 69 4 BR Harnett County



INITIAL:14" trench bottoms
Lines 1-6 (440')
Accepted Status
Pressure Manifold
REPAIR:
Lines 7-10 (535') Low
Profile Chamber
Pressure Manifold



**Septic area must not be altered by construction activities.

***No cuts of 2' or greater within within 15' of septic area

**** Recommend protective barrier around septic field during construction.

*If plumbing is not sufficient a pump tank will be required to septic field

> Adams Soil Consulting 919—414—6761

RESIDENTIAL PRESSURE MANIFOLD DESIGN

Permit # <u>Duncan Creek Lot 44</u>

of BDR: 4 Daily Flow: 480 gal/day L.T.A.R.: 0.3000 gal/day/sq.ft

Septic Tank: 1000 gals Pump Tank: 1000 gals Sq. Foot: 1320 System Type: Accepted

Number of Taps: 6 Length of Trenches: 440 ft(See Tap Chart for Details)

Depth of Trenches: <u>14</u> in Manifold Length: <u>54</u> in

Manifold Diameter: 4in sch 80pvc Tap Configuration: 6 in spacing 1 side(s) of manifold

Supply Line: length: 125 ft Diameter: 2 in sch 40pvc

Friction Loss + Fitting Loss: 9.95 ft(supply line length + 70' for fittings in pump tank)


Design Head: $\underline{2}$ ft Elevation Head: $\underline{6.00}$ ft

Total Head: $\underline{17.95}$ ft Pump to Deliver: $\underline{48.64}$ gals/min at $\underline{17.95}$ ft head

Dosing Volume: <u>215</u> gals,

Drawdown: 215 gals divided by $\underline{20}$ gals/in = $\underline{10.7}$ inches

Simplex Control Panel required; elapsed time meter and cycle counter required; Floats to be determined by type of pump tank used. A septic tank filter is required.



Page <u>1</u> of <u>2</u> PROPERTY ID #: 0693-25-2896 COUNTY: Harnett

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM (Complete all fields in full)


	D		(Complete	e an neids in ruit)		D . DD DI I I DDD	6/40/2025
OWNER: _	Drees Homes					DATE EVALUATED:	0/19/2025
ADDRESS:							
PROPOSEI	FACILITY: Sir	ngle Family 4 BR P	ROPOSED DESIG	GN FLOW (.0400):	480 gpd	PROPERTY SIZE:	.92 Acres
LOCATION	NOF SITE: Grad	ing Stick Ct., Angier NC	27501	· · · · · · · · · · · · · · · · · · ·		PROPERTY RECORDE	D: Y
WATER SU	JPPLY: 🗵 Public	☐ Single Family Well	☐ Shared Well	☐ Spring ☐ Othe	er	WATER SUPPLY SETB	ACK:
FVALUAT	ION METHOD:	X Auger Boring Pit	□ Cut	TYPE OF WASTEY	WATER. X	Domestic High Streng	th DIPWW

EVALUATION METHOD: Auger Boring Pit Cut TYPE OF WASTEWATER: Domestic High Strength IPWW										
P R O F I			SOIL MO	RPHOLOGY	OTHER PROFILE FACTORS					
L E #	.0502 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	.0503 STRUCTURE/ TEXTURE	.0503 CONSISTENCE/ MINERALOGY	.0504 SOIL WETNESS/ COLOR	.0505 SOIL DEPTH	.0506 SAPRO CLASS	.0507 RESTR HORIZ	.0509 PROFILE CLASS & LTAR*	.0502(d) SLOPE CORRE CTION
		0-10	GR/LS	VFR,SEXP,NS						
	Linear	10-32	SBK SCL	FI,SEXP,S		32"				
1	2%				N.O		N.O	N.O	U/P.S .3	1"
	Linear 2%	0-10	GR/LS	VFR,SEXP,NS		30"	N.O	N.O	U/P.S .3	
		10-30	SBK SCL	FI,SEXP,S						1"
2					N.O					
		0-10	GR/LS	VFR,SEXP,NS						
	Linear 2%	10-27	SBK SCL	FI,SEXP,S	NO	27"	N.O	N.O	U/P.S .3	1"
3					N.O					
	Linear 2%	0-8	GR/LS	VFR,SEXP,NS		21"		N.O	U/P.S .3	
١,		8-21	SBK SCL	FI,SEXP,S	N.O		N.O			1"
4	2 /0									


DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM	
Available Space (.0508)	S	S	SITE CLASSIFICATION (.0509): U/P.S
System Type(s)	III B	III B	EVALUATED BY: Bobby Weaver/Alex Adams
Site LTAR	.3	.3	OTHER(S) PRESENT:
Maximum Trench Depth	14"	8"	
Comments:			

NCDHHS/DPH/EHS/OSWP Revised January 2024

Tobacco Road Lot 69 4 BR Harnett County



INITIAL: Lines 1-6 (440') Accepted Status Pressure Manifold REPAIR: Lines 7-10 (535') Low Profile Chamber Pressure Manifold



Adams Soil Consulting 919—414—6761

construction activities.

***No cuts of 2' or greater within within 15' of septic area

**** Recommend protective barrier around septic field during construction.

*If plumbing is not sufficient a

pump tank will be required to



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 1/22/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

th	IPORTANT: If the certificate holder is e terms and conditions of the policy, ertificate holder in lieu of such endors	certai	in pol									
PRO	DUCER		` ,		CONTAC	T Angela	Sensenig					
Wade Associates, LLC						NAME: Algeta Seliselity PHONE (A/C, No, Ext): (252)631-5269 FAX (A/C, No): (252)649-2443 (A/C, No): (252)649-2443						
250 Pollock St.					E-MAIL ADDRESS: asensenig@wadeict.com							
						INSURER(S) AFFORDING COVERAGE NAIC #						
New	Bern NC 28	INSURER A: Lloyd's of London						A1122J				
INSU	RED				INSURE	RB:						
Ale	x Adams, DBA: Adams Soil Cor	sult	ting		INSURE	R C :						
167	6 Mitchell Rd.				INSURER D:							
					INSURER E:							
		501			INSURE	RF:						
				NUMBER: 25-26				REVISION N			_	
IN C E	HIS IS TO CERTIFY THAT THE POLICIES OF DICATED. NOTWITHSTANDING ANY REQUESTIFICATE MAY BE ISSUED OR MAY PER CLUSIONS AND CONDITIONS OF SUCH F	UIREN TAIN, POLIC	MENT, THE I IES. L	TERM OR CONDITION OF AN NSURANCE AFFORDED BY T IMITS SHOWN MAY HAVE BE	NY CONT THE POL	RACT OR OTH ICIES DESCRI UCED BY PAID	HER DOCUMEI BED HEREIN I CLAIMS.	NT WITH RESPE	ECT TO WHI	CH THIS		
INSR LTR	TYPE OF INSURANCE		SUBR WVD	POLICY NUMBER		POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)		LIMIT	s		
	COMMERCIAL GENERAL LIABILITY							EACH OCCURRE		\$		
	CLAIMS-MADE OCCUR							DAMAGE TO REN PREMISES (Ea o	ITED ccurrence)	\$		
								MED EXP (Any or	ne person)	\$		
								PERSONAL & AD	V INJURY	\$		
	GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGRE	EGATE	\$		
	POLICY PRO- JECT LOC							PRODUCTS - CO	MP/OP AGG	\$		
	OTHER:									\$		
	AUTOMOBILE LIABILITY							COMBINED SING (Ea accident)	LE LIMIT	\$		
	ANY AUTO							BODILY INJURY (Per person) \$				
	ALL OWNED SCHEDULED AUTOS AUTOS							BODILY INJURY	. ,	\$		
	HIRED AUTOS NON-OWNED AUTOS							PROPERTY DAM/ (Per accident)	AGE	\$		
		_								\$		
	UMBRELLA LIAB OCCUR							EACH OCCURRE	NCE	\$		
	EXCESS LIAB CLAIMS-MADE	4						AGGREGATE		\$		
	DED RETENTION \$	_						I DED	Готи	\$		
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y/N							PER STATUTE	OTH- ER			
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?	N/A						E.L. EACH ACCIE		\$		
	(Mandatory in NH) If yes, describe under	1						E.L. DISEASE - E		\$		
	DÉSCRIPTION OF OPERATIONS below	+	-					E.L. DISEASE - PO	OLICY LIMIT	\$		
A	Errors & Omissions			PSN0040221161		1/31/2025	1/31/2026	Each Occurrence			\$1,000,000	
								General Aggregate			\$1,000,000	
DESC	CRIPTION OF OPERATIONS / LOCATIONS / VEHICLE	ES (AC	ORD 10	l M, Additional Remarks Schedule, m	nay be atta	ched if more space	ce is required)					
CEI	RTIFICATE HOLDER				CANC	ELLATION						
FOR INFORMATIONAL PURPOSES ONLY XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXX					SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE						D BEFORE	
	XXXXXXXXXXXXXXXXXX	2121A	M		N Whitsett/RACHEL					_		
	i	N Whitsett/RACHEL										