

Reaction Summary of Order

ROOF & FLOOR
TRUSSES & BEAMSReilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0425-2358
ORDER DATE	04/30/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006802
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Josh Kinney	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Josh Kinney	SALES REP	Lenny Norris
JOBSITE PHONE #	(740) 391-6131	SALES AREA	Curtis Quick

SOLD TO	Weaver Homes Co. Inc. 350 Wagoner Drive Fayetteville, NC 28303 (919) 606-4696	JOB NAME: Graves Residence		LOT #	SUBDIV:	
	SHIP TO Weaver Homes, Inc. Lillington, NC	MODEL: Roof TAG: Custom		JOB CATEGORY: WCall - Will Call		
DELIVERY INSTRUCTIONS:						
		SPECIAL INSTRUCTIONS:				
		PLAN SEAL DATE:				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ	05/05/25
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	CQ
					JOBSITE	1		05/05/25

ROOF TRUSSES

LOADING
INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY PLY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	3	8.00	0.00	PIGGYBACK A1	39-09-08 39-09-08	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 1930.0 lbs. -71.8 lbs. Joint 10 1930.0 lbs. -71.8 lbs.
	2	8.00	0.00	GABLE A1GE	39-09-08 39-09-08	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 197.9 lbs. -90.0 lbs. Joint 5 19.8 lbs. -5.0 lbs. Joint 6 303.4 lbs. -45.4 lbs. Joint 24 162.6 lbs. -18.7 lbs. Joint 26 167.5 lbs. -83.5 lbs.
	8	8.00	0.00	PIGGYBACK A2	39-09-08 39-09-08	2 X 6	2 X 6	01-02-08		Joint 2 1930.5 lbs. -71.9 lbs. Joint 10 1869.0 lbs. -56.5 lbs.
	4	8.00	0.00	PIGGYBACK A3	40-00-08 40-00-08	2 X 6	2 X 6	01-02-08		Joint 2 1938.8 lbs. -71.8 lbs. Joint 10 1878.2 lbs. -57.9 lbs.
	4	12.00	0.00	GIRDER B1	23-10-00 23-09-00	2 X	2 X 8	01-03-00	01-03-00	Joint 13 1585.1 lbs. 173.2 lbs. Joint 17 1585.1 lbs. 173.2 lbs.
	1	12.00	0.00	GABLE B1GE	23-10-00 23-09-00	2 X	2 X 8	01-03-00	01-03-00	Joint 13 1579.3 lbs. 40.7 lbs. Joint 17 1579.3 lbs. 40.7 lbs.
	2 2 Ply	12.00	0.00	GIRDER B2	23-10-00 23-09-00	2 X	2 X 8	01-03-00	01-03-00	Joint 13 6995.1 lbs. 456.6 lbs. Joint 17 7093.4 lbs. 456.6 lbs.
	5	3.00	0.00	ROOF C1	23-10-00 23-10-00	2 X 4	2 X 6	01-02-08	01-02-08	Joint 2 1025.8 lbs. -107.1 lbs. Joint 9 1025.8 lbs. -107.1 lbs.
	2	3.00	0.00	GABLE C1GE	23-10-00 23-10-00	2 X 4	2 X 6	01-02-08	01-02-08	Joint 2 1025.8 lbs. -265.2 lbs. Joint 9 1025.8 lbs. -265.2 lbs.
	4	4.00	3.00	SCISSORS D1	12-08-00 12-07-00	2 X 4	2 X 4	01-03-00		Joint 7 500.7 lbs. -46.7 lbs. Joint 9 573.9 lbs. -92.6 lbs.
	1	4.00	3.00	GABLE D1GE	12-08-00 12-07-00	2 X 4	2 X 4	01-03-00		Joint 7 500.7 lbs. -124.7 lbs. Joint 9 573.9 lbs. -188.4 lbs.

Reaction Summary of Order

ROOF & FLOOR
TRUSSES & BEAMSReilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0425-2358
ORDER DATE	04/30/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006802
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Josh Kinney	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Josh Kinney	SALES REP	Lenny Norris
JOBSITE PHONE #	(740) 391-6131	SALES AREA	Curtis Quick

SOLD TO	Weaver Homes Co. Inc. 350 Wagoner Drive Fayetteville, NC 28303 (919) 606-4696	JOB NAME: Graves Residence MODEL: Roof TAG: Custom	LOT # SUBDIV: JOB CATEGORY: WCall - Will Call
	SHIP TO	Weaver Homes, Inc. Lillington, NC	DELIVERY INSTRUCTIONS:

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ	05/05/25
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	CQ
					JOBSITE	1		05/05/25

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL 20.0,10.0,0.0,10.0	STRESS INCR. 1.15	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
--------------	---------------------	---	----------------------	--

PROFILE	QTY PLY	PITCH TOP BOT	TYPE ID	BASE O/A	LUMBER TOP BOT	OVERHANG LEFT RIGHT	REACTIONS				
	1	16.00 0.00	GABLE E1GE	09-00-00 09-00-00	2 X 4 2 X 4	01-02-08 01-02-08	Joint 6 304.3 lbs. -95.5 lbs.	Joint 7 100.2 lbs. 30.1 lbs.	Joint 8 145.7 lbs. -70.2 lbs.	Joint 9 100.2 lbs. 30.1 lbs.	Joint 10 304.3 lbs. -95.5 lbs.
	1 2 Ply	16.00 0.00	COMMON E2GDR	09-00-00 09-00-00	2 X 6 2 X 8		Joint 1 4072.9 lbs. -170.2 lbs.	Joint 5 3969.9 lbs. -166.3 lbs.			
	10	3.00 0.00	MONOPITCH M1	08-00-00 08-00-00	2 X 4 2 X 6	01-02-08	Joint 2 389.0 lbs. -156.5 lbs.	Joint 4 305.2 lbs. -127.1 lbs.			
	2	3.00 0.00	GABLE M1GE	08-00-00 08-00-00	2 X 4 2 X 6	01-02-08	Joint 2 389.0 lbs. -139.2 lbs.	Joint 4 305.2 lbs. -101.0 lbs.			
	5	3.00 0.00	MONOPITCH M2	05-06-00 05-06-00	2 X 4 2 X 6	01-02-08	Joint 2 291.6 lbs. -122.0 lbs.	Joint 4 202.5 lbs. -84.5 lbs.			
	8	3.00 0.00	MONOPITCH P1	11-00-00 11-00-00	2 X 4 2 X 6	01-02-08	Joint 2 507.4 lbs. -200.5 lbs.	Joint 5 426.8 lbs. -175.8 lbs.			
	1	3.00 0.00	GABLE P1GE	11-00-00 11-00-00	2 X 4 2 X 6	01-02-08	Joint 2 507.4 lbs. -170.0 lbs.	Joint 5 426.8 lbs. -138.2 lbs.			
	15	8.00 0.00	GABLE PB1	10-05-06 10-05-06	2 X 4 2 X 4		Joint 2 55.6 lbs. -43.6 lbs.	Joint 6 40.7 lbs. -25.7 lbs.	Joint 8 313.3 lbs. -95.5 lbs.	Joint 9 262.0 lbs. 34.7 lbs.	Joint 10 314.4 lbs. -96.3 lbs.
	2	8.00 0.00	GABLE PB1GE	10-05-06 10-05-06	2 X 4 2 X 4		Joint 2 88.1 lbs. -26.5 lbs.	Joint 8 79.8 lbs. -4.1 lbs.	Joint 10 149.3 lbs. -76.1 lbs.	Joint 11 191.2 lbs. -95.3 lbs.	Joint 12 131.6 lbs. 27.3 lbs.
	4	12.00 0.00	PIGGYBACK PB2	02-10-02 02-10-02	2 X 4 2 X 4		Joint 2 135.1 lbs. -8.5 lbs.	Joint 4 135.1 lbs. -8.5 lbs.			
	1	12.00 0.00	PIGGYBACK PB2GE	02-10-02 02-10-02	2 X 4 2 X 4		Joint 2 92.8 lbs. -31.3 lbs.	Joint 4 92.8 lbs. -36.9 lbs.	Joint 6 87.4 lbs. 6.9 lbs.		

Reaction Summary of Order

ROOF & FLOOR
TRUSSES & BEAMSReilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0425-2358
ORDER DATE	04/30/25	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006802
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Josh Kinney	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Josh Kinney	SALES REP	Lenny Norris
JOBSITE PHONE #	(740) 391-6131	SALES AREA	Curtis Quick

SOLD TO	Weaver Homes Co. Inc. 350 Wagoner Drive Fayetteville, NC 28303 (919) 606-4696	JOB NAME: Graves Residence MODEL: Roof TAG: Custom	LOT # SUBDIV: JOB CATEGORY: WCall - Will Call
	SHIP TO Weaver Homes, Inc. Lillington, NC	DELIVERY INSTRUCTIONS:	
		SPECIAL INSTRUCTIONS:	
			PLAN SEAL DATE:









BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE		/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ	05/05/25
	PLUMB					CUTTING	CQ	05/05/25
		GABLE STUDS	24 IN. OC					
				JOBSITE	1	JOBSITE	1	

ROOF TRUSSES

LOADING
INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
	PLY	TOP	BOT			TOP	BOT	LEFT	RIGHT					
	2 2 Ply	12.00	0.00	PIGGYBACK PB3	02-10-02 02-10-02	2 X 4	2 X 4			Joint 2 135.1 lbs. -8.5 lbs.	Joint 4 135.1 lbs. -8.5 lbs.			
	2	16.00	0.00	GABLE VA1	06-02-10 06-02-10	2 X 4	2 X 4			Joint 1 149.4 lbs. -87.2 lbs.	Joint 5 139.9 lbs. -72.0 lbs.	Joint 6 216.9 lbs. -216.7 lbs.	Joint 7 103.3 lbs. 27.7 lbs.	Joint 8 217.3 lbs. -217.0 lbs.
	2	16.00	0.00	VALLEY VA2	04-02-10 04-02-10	2 X 4	2 X 4			Joint 1 96.9 lbs. -21.8 lbs.	Joint 3 96.2 lbs. -18.2 lbs.	Joint 4 110.9 lbs. 18.3 lbs.		
	2	16.00	0.00	VALLEY VA3	02-02-10 02-02-10	2 X 4	2 X 4			Joint 1 67.4 lbs. -4.2 lbs.	Joint 3 67.4 lbs. -4.2 lbs.			
	1	16.00	0.00	VALLEY VE1	08-08-10 08-08-10	2 X 4	2 X 4			Joint 1 215.2 lbs. -48.3 lbs.	Joint 3 213.7 lbs. -40.4 lbs.	Joint 4 246.3 lbs. 40.6 lbs.		
	1	16.00	0.00	VALLEY VE2	06-08-10 06-08-10	2 X 4	2 X 4			Joint 1 162.6 lbs. -36.5 lbs.	Joint 3 161.5 lbs. -30.6 lbs.	Joint 4 186.1 lbs. 30.7 lbs.		
	1	16.00	0.00	VALLEY VE3	04-08-10 04-08-10	2 X 4	2 X 4			Joint 1 110.0 lbs. -24.7 lbs.	Joint 3 109.2 lbs. -20.7 lbs.	Joint 4 125.9 lbs. 20.7 lbs.		
	1	16.00	0.00	VALLEY VE4	02-08-10 02-08-10	2 X 4	2 X 4			Joint 1 87.4 lbs. -5.4 lbs.	Joint 3 87.4 lbs. -5.4 lbs.			

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
4	Hangers, USP	HUS 26			SIMPSON (HUS26)