

Owner: AUG Applicant:
Address: 119 Jaylin Oaks
Proposed Facility:
Location of Site:
Water Supply: ☒ Pu
Evaluation Method: ☒ Auger Bori
Type of Wastewater: ☒ S

Date Evaluated: _____
 Design Flow (.1949): 360 GPD Property Size: _____
 Property Recorded: _____
☐ Individual ☐ Well ☐ Spring ☐ Other
☐ Pit ☐ Cut
☐ Industrial Process ☐ Mixed

Description	Initial System	Repair System	Other Factors (.1946):
Available Space (.1945)	✓	✓	Site Classification (.1948):
System Type(s)	✓	✓	Evaluated By: <i>MD RETH</i>
Site LTAR	✓	✓	Others Present:

COMMENTS: _____

LANDSCAPE POSITIONS

R-RIDGE
S-SHOULDER SLOPE
L-LINEAR SLOPE
FS-FOOT SLOPE
N-NOSE SLOPE
H-HEAD SLOPE
CC-CONCLAVE SLOPE
CV-CONVEX SLOPE
T-TERRACE
FP-FLOOD PLAN

GROUP

I

TEXTURES

S-SAND
LS-LOAMY SAND

.1955 LTAR

1.2 - 0.8

CONSISTENCE MOIST

VFR-VERY FRIABLE
FR-FRIABLE
FI-FIRM
VFI-VERY FIRM
EFI-EXTREMELY FIRM

WET

NS-NON-STICKY
SS-SLIGHTLY STICKY
S-STICKY
VS-VERY STICKY
NP-NON-PLASTIC
SP-SLIGHTLY STICKY
P-PLASTIC
VP-VERY PLASTIC

II

SL-SANDY LOAM
L-LOAM

0.8 - 0.6

III

SI-SILT
SIL-SILT LOAM
CL-CLAY LOAM
SCL-SANDY CLAY LOAM

0.6 - 0.3

IV

SIC-SILTY CLAY
C-CLAY
SC-SANDY CLAY

0.4 - 0.1

STRUCTURE

SG-SINGLE GRAIN
M-MASSIVE
CR-CRUMB
GR-GRANULAR
SBK-SUBANGULAR BLOCKY
ABK-ANGULAR BLOCKY
PL-PLATY
PR-PRISMATIC

MINERALOGY

SLIGHTLY EXPANSIVE

EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

