SFD 2509, 0029

County: Harnett			
IMPROVEMENT PERMIT FOR G.S. 130A-335(a2)/SL2022-11			
PIN/Lot Identifier: Lot 87			
Issued To: Ballentine Associates			
Property Location: Olive Branch Rd. Fuquay Varina, NC 27526			
Subdivision: Birchwood Trails Lot #: 87 Block: Section:			
LSS Report Provided: Yes ☑ No □			
If yes, name and license number of LSS: Jeff Vaughan (1227)			
New ☑ Repair □ Expansion □ System Relocation □			
Proposed Structure: SFR (4-bedroom)			
Proposed Wastewater System Type: Accepted (Initial) Accepted (Repair			
Fill System: 🗆 Yes 🔻 No If yes, specify: 🗆 New 🗀 Existing (when adding more than 6 inches of fill to system area please provide a fill plan)			
Proposed Design Daily Flow: 480 GPD Proposed LTAR (Initial): 0.4 Proposed LTAR (Repair): 0.4			
Design Wastewater Strength: ☑ domestic ☐ high strength ☐ industrial process			
Number of bedrooms: 4 Number of Occupants: 8 Other:			
Pump Required: ☐ Yes ☐ No ☐ May be required based upon final location and elevations of facilities			
Artificial Drainage Required: 🗆 Yes 🗵 No If yes, please specify details:			
Type of Water Supply: ☐ Private well ☐ Public well ☑ Municipal Supply ☐ Spring ☐ Other:			
Drainfield location meets requirements of Rule .1945: Yes ☑ No □			
Drainfield location meets requirements of Rule .1950: Yes ☑ No □			
Permit valid for: 🗹 Five years [site plan submitted pursuant to GS 130A-334(13a)] 🗆 No expiration [plat submitted pursuant to GS 130A-334(7a)]			
Permit conditions:			
Loff Voughan			
Licensed Soil Scientist Print Name: Jeff Vaughan			
Licensed Soil Scientist Signature:			
The LSS evaluation is being submitted pursuant to and meets the requirements of G.S. 130A-335(a2).			
See attached site sketch			

	This Section for Local Initial submittal received:	9 16.25 Date		
5.S. 130A-335(a4) states the followi submitted pursuant to subsection (a department shall issue the improven	3) of the section within 10			
n accordance with G.S. 130A-335(a	3) the improvement permi	t application is:		
☐ Incomplete (If box is checked, in	formation in this section	is required.)		
The following items are missing:				
Copies of this were sent to the LSS a		Date		
State Authorized Agent:			Da	ate:
☐ Denied (See attached report.)				
Copies of this were sent to the LSS a				
State Authorized Agent:		Date	Da	ate:
Complete				
State Authorized Agent: May	DE HS		Date of Issu	Jance: 9-22-25
This Improvement Permit is issued attached here. The issuance of this permit holder is responsible for che revocation if the site plan, plat, or the constant or misleading. The Improsubject to compliance with the propermit. The location and identificates	permit by the Health Dep ecking with appropriate go he intended use changes, ovement Permit shall not visions of the Laws and Ro	partment in no wa overning bodies in or if information be affected by a ules for Sewage Tr	y guarantees the is meeting their requ submitted in the ap change in ownershi eatment and Dispo	suance of other permits. The direments. This site is subject to oplication was falsified, p of the site. This permit is sal and to conditions of this
The Department, the Department's any liabilities, duties, and responsibevaluations, submittals, or actions	oilities imposed by statute	or in common la	w from any claim ar	ising out of or attributed to
mprovement Permit Expiration Da	te: 9-22-30			

See attached site sketch

County: Harnett

2509-0029

ALUATO MILITARIA

County: Harnett
CONSTRUCTION AUTHORIZATION FOR G.S. 130A-335(a2)/SL2022-11
PIN/Lot Identifier: LOt 1
Issued To: Ballentine Associates
Property Location: Olive Branch Rd. Fuquay Varina, NC 27526
AOWE/PE Plans/Evaluations Provided: Yes ☑ No ☐ If yes, name and license number of AOWE/PE: Jeff Vaughan, 10003E
Facility Type: SFR (4-bedroom)
☑ New ☐ Expansion ☐ Repair System Relocation ☐
Basement? ☐ Yes ☐ No Basement Fixtures? ☐ Yes ☐ No
Type of Wastewater System** Accepted (Initial) Accepted (Repair)
Design Daily Flow: 480 GPD Wastewater Strength: ☑ domestic ☐ high strength ☐ industrial process
Session Law 2014-120 Section 53, Engineering Design Utilizing Low-flow Fixtures and Low-flow Technologies? ☐ Yes ☑ No
Installation Requirements/Conditions
Septic Tank Size: 1200 gallons Total Trench/Bed Length: 300 feet Trench/Bed Spacing: 9 feet on center
Drainfield square footage: 900 Trench/Bed Width: 36 inches LTAR: 0.4 gpd/ft²
Soil Cover: inches Slope Adjusted Maximum Trench/Bed Depth: 22 inches
Aggregate Depth:inches above pipeinches below pipeinches total
Pump Tank Size (if applicable): gallons Requires more than 1 pump? ☐ Yes ☐ No
Pump Requirements: ft. TDH vs GPM Grease Trap Size (if applicable): gallons
Distribution Method: ☐ Serial ☑ D-Box or Parallel ☐ Pressure Manifold(s) ☐ LPP ☐ Other:
Artificial Drainage Required: Yes No If yes, please specify details:
Legal Agreements (If the answer is "Yes" to any type of legal agreements, please attach a copy of the agreement.)
Multi-party Agreement Required [.1937(h)]: Yes □ No ☑
Easement, Right-of-Way, or Encroachment Agreement Required [.1938(j)]: ☐ Yes ☑ No
Declaration of Restrictive Covenants: ☐ Yes ☑ No
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Print Name:
Owner/Legal Representative Signature: Date:
Pre-Construction Conference Required: Yes □ No ☑
Conditions:
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by reference
into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.
AOWE/PE Print Name: Jeff Vaughan
AOWE/PE Signature: Date: 05/19/2023 Certification
This AOME (DE submitted is pursuant to and mosts the requirements of G.S. 130A 235(23) and (S.D. Number

This AOWE/PE submittal is pursuant to and meets the requirements of G.S. 130A-335(a2) and (a)

See attached site sketch

This Section for Local Health Department Use Only Initial submittal received: 9-16-25 by 21 Date Date Initials Permit Number: 2509: (2079)
G.S. 130A-335(a6) states the following: 'If a local health department fails to act on an application for a construction authorization submitted pursuant to subsection (a5) of the section within 10 business days of receipt of a complete application, the local health department shall issue the construction authorization.'
In accordance with G.S. 130A-335(a5) the construction authorization application is:
☐ Incomplete (If box is checked, information in this section is required.)
The following items are missing:
Copies of this were sent to the AOWE/PE and the Owner on
Date
State Authorized Agent: Date:
□ Denied (See attached report.)
Copies of this were sent to the AOWE/PE and the Owner on
Date State Authorized Agent:
State Authorized Agent: Date:
Complete
State Authorized Agent: In REH Date of Issuance: 9-27-25
This Construction Authorization is issued pursuant to G.S. 130A-335(a2), (a5), and (a6) using the signed and sealed plans or evaluations attached here. This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes, or if information submitted in the application was falsified, inaccurate or misleading. The Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. The location and identification of all property lines, easements, water lines, and other appropriate utilities shall be the responsibility of the owner. Final landscaping shall be constructed to divert water and establish vegetative cover.
The Department, the Department's authorized agents, and the local health departments shall be discharged and released from any liabilities, duties, and responsibilities imposed by statute or in common law from any claim arising out of or attributed to plans, evaluations, preconstruction conference findings, submittals, or actions from a person licensed pursuant to Chapter 89C of the General Statutes as a licensed engineer or a person certified pursuant to Article 5 of Chapter 90A of the General Statutes as an Authorized On-Site Wastewater Evaluator in GS 130A-335(a2), (a5), and (a7). The Department, the Department's authorized agents, and the local health departments shall be responsible and bear liability for their actions and evaluations and other obligations under State law or rule, including the issuance of the operations permit pursuant to GS 130A-337. Construction Authorization Expiration Date:
See attached site sketch

County: _____