

HARNETT COUNTY ENVIROMENTAL HEALTH

MORTH CAROLINA	File/Permit #: SFD2510-0008	
IMPROVEMENT P	ERMIT (IP) CDP #:	
	System Relocation Change of Use Applicant: FAMILY BUILDING COMPANY II LLC	
	PIN/Lot Identifier: 0613-96-1173.000	
	Lot #: LOT#17 BLK 4 Block: Section:	
Facility Type: SFD 45' x 27' Number of bedrooms: 3 Number of Decrease	nber of Occupants: 6 Other:	
Design Daily Flow: 360 GPD LTAR (Initial): .3 gpd/ft ² LTAR (Repair): .3 gpd/ft ²		
Wastewater System Type: 25% Reduction System (Initial)		
Pump Required: ■ Yes No May be required Usable Depth to Limiting Condition (Initial): 36"		
Wastewater System Type Repair Exempt (Partial Listed on Site Sketch) (Repair)		
Pump Required: Tes No May be required Usable Depth to Limiting Condition (Repair): 36"		
Effluent Standard: DSE HSE Other: Type of Water S	upply: Private well Municipal Supply Other:	
Permit conditions: No Foundation or Gutter Drains to be Directed Towards Septic System. No Cutting or Grading of soil in Septic or Septic Repair Area.		
The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.		
Authorized Agent's Printed Name: Ren Levocz	Date: 10/27/2025	
Authorized Agent's Signature: MN DEHS	Expiration Date: 10/27/2030	
Owner: FAMILY BUILDING COMPANY II LLC	System Relocation Change of Use Applicant: FAMILY BUILDING COMPANY II LLC PIN/Lot Identifier: 0613-96-1173.000	
Subdivision: CAPTAINS LANDING Facility Type: SFD 45' x 27' Number of bedrooms: 3 Number of bedrooms Number	nber of Occupants: 6 Other:	
Design Daily Flow: 360 GPD LTAR: .3 gpd/ft ²		
Effluent Standard: DSE HSE Other: Type of Water Supply: Private well Municipal Supply Other:		
Installation Requirements/Conditions		
Wastewater System Type: 25% Reduction System Septic Tank Size: 1,000 gallons Total Trench Length: 300' feet Pump Tank Size: 1,000 gallons Maximum Trench Depth: 18"-24" Max in	Pump Required: Yes No May be required Trench Spacing: 9' feet on center nches Soil Cover: 6" inches	
Trench Width: 36" inches Distribution Method: Serial	D-Box or Parallel Pressure Manifold Other: $\frac{5-60' \text{ Lines}}{}$	
Artificial Drainage Required: Yes No III If yes, please specify details:		
Management Entity Required: Yes No Minimum O&M Requirements:		
Permit conditions: No Foundation or Gutter Drains to be Directed Towards Septic System. No Cutting or Grading of soil in Septic or Septic Repair Area.		
The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in accordance with the attached site sketch. <u>This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes.</u> The Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit.		
Authorized Agent's Printed Name: Ren Levocz	Date: 10/27/25	
Authorized Agent's Signature: Mr. REHS		
Owner/Legal Representative Signature:	Date:	

SITE SKETCH

PIN 0613-96-1173.000

Permit Number SFD2510-0008

FAMILY BUILDING COMPANY II LLC	CAPTAINS LANDING LOT#17 BLK 4
Applicant's Name	Subdivision/Section/Lot Number
Ren Levocz	10/27/2025
Authorized State Agent	Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

