



PROPOSED IMPERVIOUS SURFACES: TOTAL LOT AREA=14,314 S.F. HOUSE/PORCHES=1,794 S.F. DRIVEWAYS/ETC.=554 S.F.
TOTAL IMPERVIOUS AREA=2,348 S.F.
MAXIMUM IMPERVIOUS AREA=3,800 S.F.





REFERENCES: 1. D.B. 4264, PG. 2262 PIN 0662-10-2881.000 PID 11066201 0027 55 RESTRICTIVE COVENANTS: 2. D.B. 4072, PG. 220



SETBACKS

FRONT-25 SIDE-10 REAR-20' CORNER SIDE-20'

LEGEND

(BC)-BACK OF CURB (PD)-PROPOSED DRIVEWAY (WM)-WATER METER (CO)—CLEANOUT (AC)—AIR CONDITIONER

- 1. ALL EASEMENTS, RIGHTS OF WAY AND BOUNDARY INFORMATION TAKEN FROM P.B. 2024, PG 572-573 UNLESS OTHERWISE NOTED.
 2. PROPERTY IS SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. NO TITLE EXAMINATION HAS BEEN DONE BY ROBINSON & PLANTE, P.C.
- 3. THE PROJECT IS WITHIN THE WS IV WATERSHED. THE MAXIMUM IMPERVIOUS AREA PER LOT IS 3,800 SF.

PRELIMINARY PLAT- NOT FOR RECORDATION, CONVEYANCE, OR SALE

LOT 9 THE FARM AT NEILLS CREEK PHASE III 50 PEACH GROVE WAY HARNETT COUNTY LILLINGTON, N.C. 27546

PADS PROPOSED HOUSE

SURVEY FOR CHESAPEAKE HOMES



REFERENCE: PLAT BOOK 2024 PAGE 572-573

I CERTIFY THAT THIS MAP WAS DRAWN
UNDER MY SUPERVISION FROM AN ACTUAL
SURVEY MADE UNDER MY SUPERVISION
DESCRIPTION RECORDED IN REFERENCES AS SHOWN;
THAT THE BOUNDARIES NOT SURVEYED ARE
INDICATED AS DRAWN FROM INFORMATION
IN THAT THE RATIO IN_____; THAT THE RATIO OF PRECISION IS 1:10,000; AND THAT

THIS MAP MEET THE REQUIREMENTS OF THE STANDARDS OF PRACTICE FOR LAND SURVEYING IN NORTH CAROLINA (21 NCAC 56.16000).

THIS ____ DAY OF _______, 202

PROFESSIONAL LAND SURVEYOR L-4433

6260L ELEV B MONO SLAB COVERED PORCH GARAGE RIGHT FRONT

ROBINSON & PLANTE PC

LAND SURVEYING C-2687 970 TRINITY ROAD RALEIGH NC, 27607 PHONE (919) 859-6030 FAX (919) 859-6032

DATE: 10-1-25

SCALE: 1"=40'

FILE: FNCLOT9PP