

SOUTHEASTERN SOIL & ENVIRONMENTAL ASSOC., INC.

PROPOSED SUBSURFACE WASTE DISPOSAL SYSTEM DETAIL SHEET

SUBDIVISION: BALLARO DR RECOMB

LOT 29

INITIAL SYSTEM: Accepted 25% Reduction

REPAIR: Accepted 25% Reduction

DISTRIBUTION: Pump to Serial

DISTRIBUTION Pump to Serial

BENCHMARK: 100.0

LOCATION CORNER IRON JOG LEFT

NO. BEDROOMS: 4

LTAR i) 0.8 R) 0.6

SEPTIC TANK SIZE 1000 Gallons

PUMP TANK SIZE 1000 Gallons

	<u>LINE</u>	<u>FLAG COLOR</u>	<u>ELEVATION</u>	<u>LENGTH</u>
Initial	1	Y	101.00	75
	2	B	100.20	75
				150
Repair	3	L	99.40	50 (90)
	4	R	98.40	50 (85)
	5	Y	97.60	50 (85)
	6	B	96.90	50 (80)
				200 (340)

BY Cameron Raynor

DATE 10/23/2025

TYPICAL PROFILE

THERE SHALL BE NO GRADING,

CUTTING, LOGGING OR OTHER SOIL


DISTURBANCE IN SEPTIC AREA

HEALTH DEPARTMENT USE ONLY.


DESIGNS DO NOT GURANTEE FUNCTIONALITY

Initial
0-40 LS VFR GR
40+ SL FR GR FR/GR
CR2>42"

Repair
0-32 LS VFR GR
32+ SL FR GR FR/GR
CR2> 38"



PRELIMINARY SEPTIC DESIGN
WELCO CONTRACTORS INC
STAFF: B.C. RAYNOR
FIELD DATE 10/20/2025
MAP DATE: 10/23/2025



PIN 0506-41-7944.000
0506-41-8745.000
0506-41-8542.000
0506-41-5585.000
0506-41-4792.000
BALLARO DRIVE
ANDERSON CREEK TOWNSHIP
HARNETT COUNTY
NORTH CAROLINA