



Builders First Source 23 Red Cedar Way Apex, NC 27523 Phone: (919) 363-4956 Fax: (919) 387-8565 https://www.bldr.com

General Notes:

- Per ANSI/TPI 1-2002 all " Truss to Wall" connections are the responsibility of the Building Designer, not the Truss Manufacturer.

- Dimensions are Feet-Inches- Sixteenths.
 Trusses are to be 24" o.c. unless noted otherwise
- Trusses are not designed to support brick U.N.O. Do not cut or modify trusses without first contacting Builders FirstSource.
 Immediately contact Builders FirstSource if

trusses are damaged.

- Connection Notes:

 All hangers are to be Simpson or equivalent U.N.O.

 Use Manufacturer's specifications for all hanger connections U.N.O.

 - Use 10d x 1 1/2" Nails in hanger connections to single
- ply roof girder trusses.

Floor notes:
- Shift truss as required to avoid plumbing traps.
- Installation Contractor and/or Field Supervisor are to verify all dimensions, trap locations, and options prior to installation

Dimension Notes:


HANGER LIST

1 HTU26 MII

L/O DATE: 11/10/2025

- Drawing not to scale. Do not scale dimensions

 \triangle \triangleleft ∇ \triangleright LEFT END OF TRUSS AS SHOWN ON TRUSS DETAIL DRAWINGS ARE INDICATED BY TRIANGLE ICONS.



ALL TIE DOWNS H2.5A UNLESS NOTED

ATTIC ROOM

VOLUME CEILING

STICK FRAMING

<u>SPECIAL</u> <u>ITEMS</u> <u>LIST</u>

				MISC MATERIAL		
	MATTAMY HOMES					
	VOYAGEUR			ELEV:	FARMHOUSE	
BLOOM						
	WAKE	WAKE		LOT:	19	
	• [OPTION 1] • [OPTION 2] • [OPTION 3]			APPWRIGHT #		
				4941422		
				CODE:	IRC 2021	
				<u>WIND:</u>		
				M.P.H.	120 MPH	
	DESIGNED BY:	Α	S	<u>HATCH</u> <u>LEGEND</u>		
				4 4 4	A	

Summation of limited excerpts of the Code, ANSI/TPI 1-2014, and BCSI, and associated commentary, are provided within the truss submittal package in the Builders First-Source Component Truss Responsibility and Liability Disclosure. These critical excerpts include, among other elements critical excerpts include, among other elements critical excerpts include, among other elements critical excerpts include. ments, critical safety information as well as specific Scope of-Work assignments (and limitations of the same) for the Owner, Contractor, Building Designer, Truss Designer, and Truss Manufacturer.It is essential that ALL parties to the design and use of the trusses review and become familiar with the information provided in the Builders FirstSource Component Truss Responsibility and Liability Disclosure, a well as the referenced sources, prior to performing work or the associated project.