STARBUCKS #59763 HWY 24 & BRINKLEY HILL 2778 NC-24 CAMERON, NC 28326




19-46185

# HILTONDISPLAYS

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# **SITE PLAN**

- **A** 18" CHANNEL LETTERS
- **B** 48" SIREN
- **(**) 36" SIREN
- **1** 48" DRIVE THRU CABINET-RH
- **(E)** 36" DT DIRECTIONAL
- **136" TY/EO DIRECTIONAL**
- **(f)** MOP SIGN / 4' EXTENSION KIT
- **(H)** PARKING SIGNS
- CLEARANCE BAR
- PRE-MENU BOARD
- **(K)** DOS ON CANOPY / DCB
- **I** 5 PANEL MENU BOARD
- MONUMENT
- N PARKING SIGNS / 10 MIN



# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

**DESIGNER** 

**Chad Wike** 

DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW 3-18-22 CW 3-31-22 CW

# SCALE


As Noted

# FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

#### **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
CI C/DM	I ANDI ODD.
SLS/FIVI.	LANDLUKD.
	EST: SLS/PM:



# **ELEVATION** A 18" CHANNEL LETTERS **B** 48" SIREN **(**) 36" SIREN **1** 48" DRIVE THRU CABINET-RH **36" DT DIRECTIONAL 136" TY/EO DIRECTIONAL (**) MOP SIGN / 4' EXTENSION KIT **PARKING SIGNS CLEARANCE BAR** PRE-MENU BOARD **DOS ON CANOPY / DCB 5 PANEL MENU BOARD** 84'-2" **MONUMENT** 14 S 14099 2 3 4 6' - 4 1/4" 13 S 18497 2 3 4 SX13162 4 13 N PARKING SIGNS / 10 MIN A STARBUCKS (10) **10** BOT/ OF CANOPY G 5 11)-18 EQ 1 SOUTH ELEVATION

Scale: 1/8" = 1'-0"

# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

**DESIGNER** 

**Chad Wike** 

DWG. DATE

9-23-21

ВОТ

# **REV. DATE / REVISION**

1-19-22 CW
3-18-22 CW
3-31-22 CW

# **SCALE**

As Noted

#### FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB


# **DESIGN SPECIFICATIONS ACCEPTED BY:**

SLS/PM: LANDLORD:	EST:	CLIENT:
	SLS/PM:	LANDLORD:





- **A** 18" CHANNEL LETTERS
- **B** 48" SIREN
- **(** 36" SIREN
- **1** 48" DRIVE THRU CABINET-RH
- **(E)** 36" DT DIRECTIONAL
- **1** 36" TY/EO DIRECTIONAL
- **G** MOP SIGN / 4' EXTENSION KIT
- **(H)** PARKING SIGNS
- CLEARANCE BAR
- PRE-MENU BOARD
- **(K)** DOS ON CANOPY / DCB
- **1** 5 PANEL MENU BOARD
- **M** MONUMENT
- N PARKING SIGNS / 10 MIN



WEST ELEVATION
Scale: 1/8" = 1'-0"

# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

#### **DESIGNER**

Chad Wike

# DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW	
3-18-22 CW	
3-31-22 CW	

#### **SCALE**


As Noted

#### FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

#### **DESIGN SPECIFICATIONS ACCEPTED BY:**


EST:	CLIENT:
SLS/PM:	LANDLORD:



- A 18" CHANNEL LETTERS
- **B** 48" SIREN
- **36" SIREN**
- **1** 48" DRIVE THRU CABINET-RH
- **36" DT DIRECTIONAL**
- **1** 36" TY/EO DIRECTIONAL
- MOP SIGN / 4' EXTENSION KIT

Scale: 1/8" = 1'-0"

- **PARKING SIGNS**
- **CLEARANCE BAR**
- PRE-MENU BOARD
- **DOS ON CANOPY / DCB**
- **1** 5 PANEL MENU BOARD
- **MONUMENT**



# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

#### **DESIGNER**

**Chad Wike** 

# DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW	
3-18-22 CW	
3-31-22 CW	

# **SCALE**

As Noted


#### FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB


#### **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
SI S/PM·	LANDLORD:
OLO/1 IVI.	Entideord.





- A 18" CHANNEL LETTERS
- **B** 48" SIREN
- **(** 36" SIREN
- **1** 48" DRIVE THRU CABINET-RH
- **(E)** 36" DT DIRECTIONAL
- **1** 36" TY/EO DIRECTIONAL
- MOP SIGN / 4' EXTENSION KIT
- **PARKING SIGNS**
- **CLEARANCE BAR**
- PRE-MENU BOARD
- **DOS ON CANOPY / DCB**
- **1** 5 PANEL MENU BOARD
- **MONUMENT**
- N PARKING SIGNS / 10 MIN



# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

## LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

#### **DESIGNER**

**Chad Wike** 

# DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW	
3-18-22 CW	
3-31-22 CW	

# **SCALE**


As Noted


# FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB


#### **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
SLS/PM:	LANDLORD:





- **A** 18" CHANNEL LETTERS
- B 48" SIREN
- **(** 36" SIREN
- **1** 48" DRIVE THRU CABINET-RH
- **(E)** 36" DT DIRECTIONAL
- **1** 36" TY/EO DIRECTIONAL
- **G** MOP SIGN / 4' EXTENSION KIT
- **(H)** PARKING SIGNS
- CLEARANCE BAR
- PRE-MENU BOARD
- **(K)** DOS ON CANOPY / DCB
- **1** 5 PANEL MENU BOARD
- MONUMENT
- N PARKING SIGNS / 10 MIN



# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

#### **DESIGNER**

**Chad Wike** 

# DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW 3-18-22 CW 3-31-22 CW

#### **SCALE**


As Noted

# FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

#### **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
SLS/PM:	LANDLORD:




# **18" CHANNEL LETTERS - REMOTE**

#### SBC-S18497-SB-W-SL








Front View


Scale: 3/8" = 1' (11x17 Paper)

22.94 SF


#### **SPECIFICATIONS**

- A Internally illuminated channel letters to be fabricated from .040 returns aluminum with pre-painted White interiors and pre-finished Black returns. Letter backs to be aluminum stapled to sidewalls and sealed.
- B Faces to be 3/16" White acrylic with 1" Black trimcap
- C Letters illuminated w/ Sloan Prism Enlighten White 6500k LED's w/ remote power supply.
- D Letters to be installed flush to wall.





MOUNTING AND LETTER DETAIL(TYP)
SCALE: NTS



# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

#### **DESIGNER**

Chad Wike

#### DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW	
3-18-22 CW	
3-31-22 CW	

#### **SCALE**


As Noted

#### FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

#### **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
SLS/PM:	LANDLORD:




# **48" ILLUMINATED SIREN**

Qty 2

SBC-S13163-SL










#### **SPECIFICATIONS:**

- A Single faced internally illuminated wall mount logo disk. Cabinet to be 3" deep, fabricated aluminum returns and back. Paint cabinet black. Faces to be 3/16" white Plex with 1" black trimcap
- **(B)** Graphics of logo to be 1st surface 3M Translucent Scotchcal vinyl- Holly Green #3630-76. Siren to show thru White.
- (c) Internally illuminated logo disk with Sloan Prism Enlighten 6500K white LED's

П		
П		

3" (76mm)



INCOMING POWER

3" deep channel letters

LED Illumination

.063" aluminum letter backs

Acrylic face with vinyl applied

1" black trim cap -

LED Driver

Thru bolts
Disconnect switch



125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

#### QID 19-46185

**JOB NAME** 

Starbucks 59763

LOCATION

2778 NC-24 CAMERON, NC 28326

**CUSTOMER CONTACT** 

SALESMAN / PM

Stasia Rohn

**DESIGNER** 

Chad Wike

DWG. DATE

9-23-21

**REV. DATE / REVISION** 

1-19-22 CW	
3-18-22 CW	
3-31-22 CW	

**SCALE** 


As Noted


FILE


2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

# **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
SLS/PM:	LANDLORD:









# **36" NON ILLUMINATED SIREN**

Qty 1

SBC-19-46185-3








3 Disk Section View Typ.


#### **SPECIFICATIONS:**


- A Single faced Non illuminated wall mount logo disk. Cabinet to be 3" deep, fabricated aluminum returns and back. Paint cabinet black. Faces to be 3/16" white Plex with 1" black trimcap
- B Graphics of logo to be 1st surface 3M Translucent Scotchcal vinyl- Holly Green #3630-76. Siren to show thru White.



PMS/PAINT	VINYL	
PMS 3425 C	3M 3630-76	
RAL 7021M	3M 3630-22	
PMS WHITE	3M 3630-20/ 7725-10 TRANSLUCENT OPAQUE	
PMS 369 C	NA	
REFL. WHITE	3M 680-10	
	PMS 3425 C RAL 7021M PMS WHITE PMS 369 C	

	wall mount EVOLVED			
Size	Sq.Ft.	Sq.M.		
36"	7.07	0.66		





Enlarged Detail

# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

#### **DESIGNER**

Chad Wike

#### DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW	
3-18-22 CW	
3-31-22 CW	

#### **SCALE**


As Noted

# FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

# **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
SLS/PM:	LANDLORD:




# 48" DT WALL SIGN-RH


Qty 2

SBC-S14099-SL





Left Side View Front Elevation View Right Side View



Service Position View
NOT TO SCALE

Section View at Installation Detail

	COLOR LEGEND			
$\geq$	PMS/PAINT	VINYL		
	PMS 3425 C	3M 3630-76		
	RAL 7021M	3M 3630-22		
	PMS WHITE	3M 3630-20/ 7725-10 TRANSLUCENT OPAQUE		
	PMS 369 C	NA		
	REFL. WHITE	3M 680-10		

# **Sign Specifications:**

#### Cabinet:

- Fabricated .090" [2mm] aluminum housing painted black to match RAL 7021M with 3M #180-10 white vinyl end cap as shown.
- Directional copy and chevrons backed up with .125" white polycarb. All polycarb face elements to be attached to aluminum face panel with weld studs.
- Welded aluminum construction with no visible fasteners. Fasteners retaining the hinged face will be located on the bottom such that they are not visible. All fasteners used in the assembly of internal components shall be coated to prevent corrosion.
- Internal structure of cabinet shall be per approved shop drawings.
- Graphic elements are internally illuminated using Sloan Prism Enlighten LEDs. LED's to be mounted on back panel with self-contained power supply. All electrical components are removable for service.

#### Regulatory

- Sign must meet all regulations in the National Electric Code as well as any local or state electrical codes.
- As per NEC 600.6, sign is equipped with a service disconnect switch.
- Sign must be listed as an Electric Sign per Underwriters
   Laboratories UL48 and/or CSA and bear the appropriate UL, CUL or CSA relevant certification marks.

   Primary power by electrical contractor per NEC.

Size	Sq. Ft.1	Sq. Ft. <sup>2</sup>	Volts	Amps
21"	4.52	6.96	120/277	0.85

<sup>1:</sup> Figured as illuminated center part

# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

#### QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

#### **DESIGNER**

Chad Wike

DWG. DATE

9-23-21

# REV. DATE / REVISION

1-19-22 CW 3-18-22 CW 3-31-22 CW

#### SCALE


As Noted

# FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

#### DESIGN SPECIFICATIONS ACCEPTED BY:

EST:	CLIENT:
SLS/PM:	LANDLORD:



<sup>2:</sup> Figured as complete signage

#### 36" ILLUMINATED DIRECTIONAL <DT / DT> SBC-AD3624-DT-SL Qty 3 halo-lit logo is first surface vinyl film A to match PMS 3425 on3/8" clear polycarb for push-thru 2'-0 1/4" Painted black to match **|-**4 3/4"**-**+| - 9 1/4" RAL 7021 .090" [2mm] routed aluminum White vinyl chevron face panel painted black to match RAL 7021 typ: located under Weatherproof cabinet disconnect switch open Copy and chevrons backed with sealing boot up with 1/8" White polycarb 2" x 3" aluminum tube painted to match RAL 7021M - match sample .063" [2mm] aluminum base cover painted black to match RAL 7021 Scale: 1" = 1' (11x17 Paper) 7 1/8" —— 13 13/16" — Store Side View **Rear Elevation View** Street Side View **Front Elevation View**

#### Sign Specifications:

Fabricated .090" Aluminum cabinet painted black to match RAL 7021 with white end cap as shown. Directional copy and chevrons backed up with 1/8" white polycarbonate. Siren logo is 6" dia., 3/8" clear polycarbonate routed push thru aluminum face. Logo decorated with 1st surface applied vinyl film to match PMS 3425. All polycarbonate face elements to be attached to interior face panels with welded studs. All interior portions of sign cabinet painted white. Graphic elements illuminated with Sloan Prism Enlighten LEDs. LEDs mounted on internal baffle with self contained LED power supply. All components accessible through face of cabinet.

#### Support:

Support structure to be welded aluminum tube and plate construction painted black to match RAL 7021 Plate to be constructed to be retro-fittable to existing sign foundations. All foundations new and used to be analyzed for suitability and must meet all local city or state code regulations.



6" dia. halo lit logo has 3M 3630-76 Holly Green and 3630-20 White translucent vinyl film applied first surface to 3/8" Clear polycarbonate push thru with 3M 3735-60 White diffuser applied to second surface.

# COLOR LEGEND PMS/PAINT VINYL PMS 3425 C 3M 3630-76 RAL 7021M 3M 3630-22 PMS WHITE 3M 3630-2077225-10

NA

3M 680-10

PMS 369 C

REFL. WHITE

Size	Sq. Ft. <sup>1</sup>	Sq. Ft. <sup>2</sup>	Volts	Amps
36"	1.98	6.06	120	0.85

# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

#### QID 19-46185

**JOB NAME** 

Starbucks 59763

LOCATION

2778 NC-24 CAMERON, NC 28326

**CUSTOMER CONTACT** 

SALESMAN / PM

Stasia Rohn

**DESIGNER** 

**Chad Wike** 

DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW 3-18-22 CW 3-31-22 CW

**SCALE** 

As Noted


FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

#### **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST: CLIENT:

SLS/PM: LANDLORD:



#### 36" ILLUMINATED DIRECTIONAL TY / EO SBC-AD3619-SL Qty.1 **6** 5 3/16" - 1'**-**7 1/2"— .090" [2mm] routed aluminum face panel painted black Painted black to match to match RAL 7021 RAL 7021 EXIT ONLY **THANK** YOU Copy backed up with Weatherproof 1/8" White polycarb with sealing boot 2" x 3" aluminum tube painted to match RAL 7021M - match sample .063" [2mm] aluminum base cover painted black to match RAL 7021 7 1/8" Scale: 1" = 1' (11x17 Paper) **←** 13 13/16" **→** Street Side View Front Elevation View Store Side View **Rear Elevation View**

#### **Sign Specifications:**

Fabricated .090" Aluminum cabinet painted black to match RAL 7021 as shown. Directional copy and graphic backed up with 1/8" white polycarbonate.

All polycarbonate face elements to be attached to interior face panels with welded studs. All interior portions of sign cabinet painted white. Graphic elements illuminated with Sloan Prism Enlighten LEDs. LEDs mounted on internal baffle with self contained LED power supply. All components accessible through face of cabinet.

#### Support:

Support structure to be welded aluminum tube and plate construction painted black to match RAL 7021 Plate to be constructed to be retro-fittable to existing sign foundations. All foundations new and used to be analyzed for suitability and must meet all local city or state code regulations.

	COLOR LEGEND			
><	PMS/PAINT	VINYL		
PMS 3425 C		3M 3630-76		
	RAL 7021M	3M 3630-22		
	PMS WHITE	3M 3630-20/ 7725-10 TRANSLUCENT OPAQUE		
	PMS 369 C	NA		
REFL. WHITE		3M 680-10		

Size	Sq. Ft. <sup>1</sup>	Sq. Ft. <sup>2</sup>	Volts	Amps
36"	1.59	4.88	120	0.85

# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

#### QID 19-46185

**JOB NAME** 

Starbucks 59763

LOCATION

2778 NC-24 CAMERON, NC 28326

**CUSTOMER CONTACT** 

SALESMAN / PM

Stasia Rohn

**DESIGNER** 

**Chad Wike** 

DWG. DATE

9-23-21

**REV. DATE / REVISION** 

1-19-22 CW 3-18-22 CW 3-31-22 CW

**SCALE** 

As Noted

FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

# **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST: CLIENT: SLS/PM: LANDLORD:






# ILLUMINATED BLADE MOP SIGN SBC-MOPU-21163-IL-H-2

Qty. 1





Scale: 3" = 1' (11x17 paper)



# REAR VIEW

MOUNTING HOLES FOR I/4"
HARDWARE HIDDEN BY
ESCUTCHEON COVER

ALUMINUM END CAPS
WITH (2) #4 SCREWS
TOP & BOTTOM

**BOTTOM VIEW** 

# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

#### QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

**DESIGNER** 

Chad Wike

DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW 3-18-22 CW 3-31-22 CW

#### **SCALE**


As Noted

#### FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

#### DESIGN SPECIFICATIONS ACCEPTED BY:

EST:	CLIENT:
SLS/PM:	LANDLORD:





# 4' ADJUSTABLE MOUNTING KIT


SBC-MOPU-EXT-KIT-4

Qty. 1

G







# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

LOCATION

2778 NC-24 CAMERON, NC 28326

**CUSTOMER CONTACT** 

SALESMAN / PM

Stasia Rohn

**DESIGNER** 

**Chad Wike** 

DWG. DATE

9-23-21

**REV. DATE / REVISION** 

1-19-22 CW 3-18-22 CW 3-31-22 CW

**SCALE** 


As Noted

FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

#### **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
SLS/PM:	LANDLORD:




# 18" x 12" PARKING SIGN

# SBC-PK-1812-UC-54-BP

Qty. 2







#### **SPECIFICATIONS**

- A. .090" ALUMINUM PARKING SIGN TO BE PAINTED PMS 560c
- B. FACE TO HAVE APPLIED DIGITALLY PRINTED VINYL GRAPHICS ON WHITE REFLECTIVE VINYL w/5/16" WHITE REFLECTIVE BORDER.
- C. SIGN PANEL TO BE FASTENED TO U-CHANNEL POST W/ 5/16"x2" BOLTS (QTY. 2)
- D. SIGN POST TO BE U-CHANNEL (6' TALL, 2 1/4" WIDE)
- E. MOUNTED WITH PLATE MOUNTING BRACKET









PMS 560C

Reflective White (3M #280-10)

PMS 3425C

SCALE: 1" = 1'-0"





2 Typical Elevation

# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

**DESIGNER** 

**Chad Wike** 

DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW	
3-18-22 CW	
3-31-22 CW	
•	

#### **SCALE**


As Noted

#### FILE


2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

# **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
CI C/DM.	LANDLORD:
SLS/PIVI:	LANDLUKD:







# **PRE-MENU BOARD - INSTALL ONLY** SBC-#


Qty. 1







2' - 5 1/8"



# FRONT ELEVATION

STEEL MOUNTING **BASE WELDED TO POST** 

NON-STRUCTURAL **BASE COVER** 

**HOT DIPPED GALVANIZED** LEVELING NUTS (4) REQUIRED

NATURAL GRADE OR **ENGINEERED FILL** 

6" MIN.


# CONDUIT

(4) 1/2" DIA. X 9" LONG **GALVANIZED ANCHOR BOLTS**; 3 1/4" PROJECTION **ABOVE FOOTING** 

(3) #3 TIES WITHIN FIRST 5" THEN #3 TIES AT 12" O.C.

(6) #5 VERTICAL BAR SPACED EVENLY AROUND PERIMETER

# SIDE ELEVATION



# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

#### QID 19-46185

**JOB NAME** 

Starbucks 59763

LOCATION

2778 NC-24 CAMERON, NC 28326

**CUSTOMER CONTACT** 

SALESMAN / PM

Stasia Rohn

**DESIGNER** 

Chad Wike

DWG. DATE

9-23-21

**REV. DATE / REVISION** 

1-19-22 CW 3-18-22 CW 3-31-22 CW

**SCALE** 


As Noted

FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

# **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST: CLIENT: SLS/PM: LANDLORD:






# SBC-# FRONT ELEVATION SIDE ELEVATION 6' - 7 7/8" **CANOPY ABOVE** DOS AND SPEAKER STEEL BASE PLATE WELDED TO STEEL 1/2" (150 : 5/8" DIA.) HOT DIPPED GALVANIZED LEVELING NUTS (12) NON-STRUCTURAL BASE COVER NATURAL GRADE OR ENGINEERED 6" MIN. (150:9" MIN.) (12) 1/2" DIA. (150:5/8" DIA.) GALVANIZED ANCHOR RODS WITH 6" MIN. EMBEDMENT; 3" PROJECTION ABOVE FOOTING CLR. (TYP. AT EACH PLATE) 3" CLR. (5) #5 LONG LENGTH, (10) #5 SHORT LENGTH TOP AND BOTTOM 6' - 0" 2' - 0"

# DT DIGITAL ORDER SCREEN CANOPY GROUND FOOTING


**CANOPY - INSTALL ONLY** 

Qty. 1





# DT DIGITAL ORDER SCREEN POST GROUND FOOTING





# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

#### QID 19-46185

**JOB NAME** 

Starbucks 59763

LOCATION

2778 NC-24 CAMERON, NC 28326

**CUSTOMER CONTACT** 

SALESMAN / PM

Stasia Rohn

**DESIGNER** 

Chad Wike

DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW	
3-18-22 CW	
3-31-22 CW	

**SCALE** 

As Noted

FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

#### **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
SLS/PM:	LANDLORD:







# MENU BOARD - INSTALL ONLY SBC-#

Qty. 1









DIA.





# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

LOCATION

2778 NC-24 CAMERON, NC 28326

**CUSTOMER CONTACT** 

SALESMAN / PM

Stasia Rohn

**DESIGNER** 

Chad Wike

DWG. DATE

9-23-21

# **REV. DATE / REVISION**

1-19-22 CW 3-18-22 CW 3-31-22 CW

SCALE

As Noted

FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB


# DESIGN SPECIFICATIONS ACCEPTED BY:

EST: CLIENT:

SLS/PM: LANDLORD:







# Scale: 1/2" = 1' (11x17 paper)

COLOR LEGEND		
PMS/PAINT		VINYL
	PMS 3425 C	3M 3630-76
	RAL 7021M	3M 3630-22
	PMS WHITE	3M 3630-20/ 7725-10 TRANSLUCENT OPAQUE
	PMS 369 C	NA
	REFL. WHITE	3M 680-10

# **Drive Thru Cabinet:**

- Fabricated .090" aluminum housing painted black to match
- · Areas using black paint to match RAL 7021M shall have a max
- 20% gloss level.
- 3/16" white solar grade polycarbonate matching R&H #7328 with first surface applied 3M 3630-76 Holly Green vinyl film.

• .063" aluminum filler painted black to match RAL 7021M.

**Sign Specifications:** 

Disk Cabinet:

1" black Jewelite.

- · Interior aluminum surfaces of sign cabinet to be painted white with Lacryl Starbrite.
- · All fasteners used in the assembly of internal components shall be coated to prevent corrosion.
- Graphic elements are internally illuminated using Sloan Prism Enlighten LED All electrical components to be removable for service.
- RAL 7021M with 3M #180-10 white vinyl end cap as shown.
- Areas using black paint to match RAL 7021M shall have a max 20% gloss level.
- Directional copy backed up with .125" white solar grade
- polycarbonate matching R&H #7328 attached to aluminum face panel with welded studs. • Interior aluminum surfaces of sign cabinet to be painted white with Lacryl Starbrite.
- Welded aluminum construction. All fasteners used in the assembly of internal components shall be coated to prevent corrosion.
- Graphic elements are internally illuminated using Sloan Prism Enlighten LED's to be mounted on an internal baffle with self-contained power supply All electrical components to be removable for service.

- Supporting structure will be all welded aluminum tube, pipe, channel and plate construction painted black to match RAL 7021M
- .090" routed aluminum base cover with reveal painted black to match RAL 7021M.

Support structure and foundation type are subject to change upon review by licensed engineer if wind speeds based on geographic location of structure are greater than 115mph. Alternate wind speeds and soil conditions will result in alternate foundation type, structural tubing and/or pipe size used to support it.

# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

#### QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

**CUSTOMER CONTACT** 

#### SALESMAN / PM

Stasia Rohn

**DESIGNER** 

**Chad Wike** 

DWG. DATE

9-23-21

# **REV. DATE / REVISION**

1-19-22 CW	
3-18-22 CW	
3-31-22 CW	

#### **SCALE**


As Noted

#### FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

# **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
SLS/PM:	LANDLORD:



# **PARKING SIGN** SBC-PK-1812-UC-54-BP Qty. 4 1'-0" Corner radius = 1/2" 2 1/4" 1-6 10 Minute **Parking for Mobile Order** Customers SCALE: 3" = 1'-0" **SPECIFICATIONS** Reflective White (3M #280-10) A. .090" ALUMINUM PARKING SIGN TO BE PAINTED TO MATCH RAL 7021 BLACK B. FACE TO HAVE FIRST SURFACE 3M 280-10 REFLECTIVE WHITE VINYL GRAPHICS C. SIGN PANEL TO BE FASTENED TO U-CHANNEL POST W/ 5/16"x2" BOLTS (QTY. 2) Black (3M # 3630-22) D. SIGN POST TO BE U-CHANNEL (6' TALL, 2 1/4" WIDE) E. MOUNTED WITH PLATE MOUNTING BRACKET **COLOR LEGEND** PMS/PAINT VINYL PMS 3425 C 3M 3630-76 **RAL 7021M** 3M 3630-22 REFL. WHITE 3M 280-10



Typical Elevation SCALE: 1" = 1'-0"

U-Channel Post Surface Mount Base w/ 10" Square (1/4" plate) and four 1/2" mounting holes welded to 10" tall 2lb/ft U-Channel Post Stub w/ 7/16" holes at every 1". Used to permanently and securely install U-Channel Post to concrete. Requires four concrete anchor bolts.

# **HILTONDISPLAYS**

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

# QID 19-46185

**JOB NAME** 

Starbucks 59763

#### LOCATION

2778 NC-24 CAMERON, NC 28326

#### **CUSTOMER CONTACT**

#### SALESMAN / PM

Stasia Rohn

**DESIGNER** 

**Chad Wike** 

DWG. DATE

9-23-21

#### **REV. DATE / REVISION**

1-19-22 CW	
3-18-22 CW	
3-31-22 CW	

#### **SCALE**

As Noted

#### FILE

2021/Starbucks/Locations/ Cameron NC/19-46185/ SB Cameron NC 19-46185 BB

# **DESIGN SPECIFICATIONS ACCEPTED BY:**

EST:	CLIENT:
SLS/PM:	LANDLORD:



