

developer / owner:

Insight @ Kipling Village LLC
16255 Sussex Highway
Bridgeville, DE 19933
Contact : Kevin Prenderville
p: (908) 812-3310
kprenderville@insightlandcompany.com

KIPLING VILLAGE

Sign Plan



Know what's below.
Call before you dig.

landscape architect:

TMTLA Associates
5011 Southpark Drive, Suite 200
Durham, North Carolina 27713
Contact : Andy Porter
p: (919) 484-8880
andy@tmtla.com

Harnett Central Road
Fuquay-Varina, North Carolina 27526

SHEET INDEX


PROPERTY ADDRESS: HARNETT CENTRAL RD
FUQUAY-VARINA NC 27526
PID: 080652 0017
PIN: 0652-47-0150.000
EX. ZONING: RA - 20R
ZONING JURISDICTION: HARNETT COUNTY
RIVER BASIN: CAPE FEAR

SUBMITTAL DATES


FIRST SUBMITTAL — 03/18/2024
SECOND SUBMITTAL — 09/18/2024

SHEET INDEX

S-0 — COVER SHEET
S-1 — SIGN LOCATION PLAN
S-2 — SIGN LANDSCAPE PLAN
S-3 — SIGN DETAILS
S-4 — SIGN DETAILS
S-5 — SIGN DETAILS
S-6 — SIGN DETAILS




VICINITY MAP
SCALE: NTS



LANDSCAPE ARCHITECTURE & LAND PLANNING

5011 SOUTHPARK DRIVE, STE.200-DURHAM, NC 27713
p: (919) 484-8880 e: info@tmtla.com



Kipling Village


COVER SHEET

Harnett Central Road
Fuquay-Varina, North Carolina

developer / owner:
Insight @ Kipling Village LLC
16255 Sussex Highway
Bridgeville, DE 19933

09/18/2024


S-0




MONUMENT NOTES:

1. ALL REINFORCED MASONRY WORK SHALL COMPLY WITH BUILDING CODE REQUIREMENTS AND SPECIFICATIONS FOR MASONRY STRUCTURES (TMS 402-13/ACI 530-13/ASCE 5-13 & TMS 602-13/ACI 530.1-13/ASCE 6-13A OR LATEST EDITION).
2. ALL CONCRETE WORK SHALL COMPLY WITH THE SPECIFICATIONS FOR STRUCTURAL CONCRETE FOR BUILDINGS, ACI-301 AND THE BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE, ACI-318 (EDITIONS IN FORCE).
3. ALL WORK AND MATERIALS SHALL COMPLY WITH APPLICABLE STATE, LOCAL, NATIONAL CODES (INCLUDING OSHA) AND COMPLIANT WITH THE LATEST EDITION OF THE NATIONAL ELECTRICAL CODE.
4. BASE MAP INFORMATION PROVIDED BY THE OWNER, LOCATIONS ARE APPROXIMATE AND SHALL BE FIELD VERIFIED.
5. OBTAIN ALL REQUIRED PERMITS BEFORE STARTING CONSTRUCTION.
6. CALL UTILITY LOCATOR SERVICE PRIOR TO ANY CONSTRUCTION ON THIS SITE. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE DURING CONSTRUCTION.
7. CONTRACTOR SHALL BE RESPONSIBLE TO DETERMINE THE LOCATION OF BOTH PUBLIC AND PRIVATE UNDERGROUND UTILITIES.
8. DO NOT CHANGE THE DESIGN WITHOUT APPROVAL FROM THE LANDSCAPE ARCHITECT OR THE OWNER.
9. MASONRY GROUT SHALL REACH A MINIMUM COMPRESSIVE STRENGTH OF 3,000 PSI AT 28 DAYS.
10. TYPE OF MORTAR SHALL BE 'S' AND MORTAR SHALL REACH A MINIMUM COMPRESSIVE STRENGTH OF 1,800 PSI AT 28 DAYS.
11. YIELD STRENGTH OF REINFORCEMENT STEEL, $F_y=60\text{ksi}$.
12. CMU ARRANGEMENT TO ACHIEVE DIMENSIONS IS THE RESPONSIBILITY OF THE CONTRACTOR.
13. FOUNDATION SOIL BEARING CAPACITY SHALL BE A MINIMUM 2000 PSF BEARING CAPACITY AND SHALL BE VERIFIED BY A QUALIFIED GEOTECHNICAL ENGINEER.
14. IF THERE ARE ANY CHANGES IN THE ENTRANCE MONUMENT WALL AND COLUMN, SOIL PROPERTIES, DESIGN DIMENSIONS, OR IF THE DESIGNS ARE INACCURATE, CONTACT TMTLA ASSOCIATES IMMEDIATELY FOR REVIEW OF THE DESIGN CHANGES.
15. SEE SECTION DETAILS FOR REINFORCEMENT SCHEDULE AND ADDITIONAL DIMENSIONS.
16. ALL WOOD SURFACES SHALL BE FINISHED WITH TWO COATS OF BEHR PREMIUM #ST-102 SLATE SEMI-TRANSPARENT WATERPROOFING EXTERIOR WOOD STAIN AND SEALER OR EQUIVALENT. CONTRACTOR TO COORDINATE FINAL COLOR SELECTION WITH OWNER PRIOR TO ORDERING MATERIALS.
17. ALL HARDWARE SHALL HAVE A BLACK FINISH.
18. SOIL BACKFILL SHOULD NOT BE PLACED AGAINST THE ENTRY MONUMENT COLUMN.
19. EXCAVATION FOR FOOTING WILL HAVE ALL LOOSE MATERIAL REMOVED. CONCRETE TO BE POURED TO EXTENTS OF THE EXCAVATION.
20. SIGN SHALL NOT ENCR OACH OR OVERHANG INTO THE RIGHT-OF-WAY OR SIGHT TRIANGLE.
21. CONTRACTOR TO COORDINATE STONE VENEER SELECTION W/ OWNER PRIOR TO ORDERING MATERIALS.
22. FINAL DESIGN/CONSTRUCTION OF SIGN PANEL SHALL BE VERIFIED BY THE OWNER PRIOR TO ORDERING MATERIALS.
23. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CONFIRM SITE DIMENSION AND LAYOUT PRIOR TO CONSTRUCTION.
24. CONTRACTOR IS RESPONSIBLE FOR DETERMINING AND REQUESTING MUNICIPAL INSPECTIONS AS REQUIRED FOR SIGN-OFF AND FINAL MUNICIPAL APPROVAL.
25. CONTRACTOR TO COORDINATE SIGN FOOTING ELEVATION WITH OWNER PRIOR TO POURING FOOTINGS. FINISHED GRADE AT THE BASE OF THE SIGN COLUMN SHALL BE 6" ABOVE THE FINISHED BACK OF CURB OR EDGE OF PAVEMENT ELEVATION.
26. CONCRETE SHALL REACH A MINIMUM COMPRESSIVE STRENGTH OF 3000 PSI AT 28 DAYS.



1 SIGN LOCATION PLAN
S-1 SCALE: 1"=30'



CONTRACTOR TO COORDINATE INSTALLATION OF NEW ELECTRICAL METER ON THE BACKSIDE OF THE ENTRY MONUMENT WALL AND NEW ELECTRICAL CONNECTIONS TO LIGHT FIXTURES.



1 SIGN LANDSCAPE PLAN
S-2 SCALE: 1"=10'



- GENERAL PLANTING NOTES**
1. VERIFICATION OF TOTAL QUANTITIES AS SHOWN ON THE PLANT LIST SHALL BE THE RESPONSIBILITY OF THE PLANTING CONTRACTOR, AND THE TOTAL QUANTITIES SHALL BE REQUIRED ON THE PLANTING PLAN.
 2. ALL TREES, SHRUBS, AND BEDDING PLANTS SHALL CONFORM TO THE ACCEPTED STANDARDS ESTABLISHED BY THE AMERICAN ASSOCIATION OF NURSERYMEN.
 3. ALL SAUCERS SHALL BE SOAKED WITH WATER AND MULCHED IMMEDIATELY FOLLOWING PLANTING.
 4. SET TOP OF ROOT BALL 6"-8" ABOVE GRADE, PREPARE ENTIRE BED, NOT INDIVIDUALLY.
 5. THE SIZE OF ALL ROOT BALLS SHALL CONFORM TO AAN STANDARDS.
 6. FERTILIZE ALL PLANTS WITH AGRIFORM FERTILIZER TABLETS OR EQUAL TO BE APPLIED AT MANUFACTURERS RECOMMENDED RATE.
 7. GUYING, IF NECESSARY, SHALL BE REMOVED AFTER ONE GROWING SEASON.
 8. ALL ROOT BALLS REMOVED FROM CONTAINERS SHALL BE SCARIFIED PRIOR TO BACKFILLING.
 9. ALL TREES HAVE BEEN LOCATED WITH RESPECT TO PROPOSED OR EXISTING FACILITIES OR STRUCTURES.
 10. OWNERS SHALL MAINTAIN ALL PLANT BEDS AND PLANT MATERIAL IN GOOD HEALTH, AND ANY DEAD, UNHEALTHY OR MISSING PLANTS SHALL BE REPLACED WITH LOCALLY ADAPTED VEGETATION WHICH CONFORMS TO THE INITIAL PLANTING STANDARDS OF THE LANDSCAPE ORDINANCE.
 11. REPORT ANY DISCREPANCIES TO THE PROJECT LANDSCAPE ARCHITECT.
 12. SUBSTITUTIONS OR ALTERATIONS SHALL NOT BE MADE WITHOUT PRIOR WRITTEN NOTIFICATION OF THE PROJECT LANDSCAPE ARCHITECT.
 13. ALL PLANT MATERIAL SHALL BE OF SPECIMEN QUALITY.


PLANT LIST

2 PLANTING DETAILS
S-2 NTS

PLANT LIST - KIPLING VILLAGE

KEY	QTY.	BOTANICAL NAME	COMMON NAME	CALIPER	MIN. HT.	ROOT	COMMENTS
LI	1	Lagerstroemia indica 'Natchez'	Natchez Crape Myrtle	-	10' Min.	B&B	Full match, Multi-stem
MG	2	Magnolia grandiflora 'Little Gem'	Little Gem Magnolia	-	8'	Cont.	Full match, Single Leader
LC	6	Loropetalum chinensis V.R. 'Ruby'	Ruby Loropetalum	-	24"	5 gal cont.	Full match
MS	6	Miscanthus sinensis 'Adagio'	Dwarf Adagio Maiden Grass	-	-	5 gal cont.	Full match
IC	15	Ilex crenata 'Helleri'	Helleri Japanese Holly	-	18"	5 gal cont.	Full match
LM	33	Liriope muscari 'Big Blue'	Big Blue Lily Turf	-	-	1 gal cont.	Full match
SC	26 SF	Seasonal Color Annuals	-	-	-	PLUG	Full match

Note: All plant material must meet or exceed the minimum Caliper, Height, and Root, specified at the time of installation.



Kipling Village
SIGN LANDSCAPE PLAN
Harnett Central Road
Fuquay-Varina, North Carolina


developer / owner:
Insight @ Kipling Village LLC
16255 Sussex Highway
Bridgeville, DE 19933

09/18/2024

S-2

DESIGN ASSUMPTIONS:
 1. ULTIMATE WIND SPEED: 120 MPH
 2. SOIL FRICTION ANGLE: 30 DEGREES
 3. COEFFICIENT OF FRICTION: 0.50
 4. SOIL DENSITY: 110 PCF

**REFERENCE MONUMENT
 NOTES ON SHEET S-1**





1 SIGN ELEVATION
 S-3 SCALE: 1/4"=1'

2 SIGN SIDE ELEVATION
 S-3 SCALE: 1/4"=1'




3 SIGN COPY AREA DETAIL
 S-3 SCALE: 1/4"=1'





1 SIGN SECTION B
S-4 SCALE: 1/4"=1'

2 SIGN SECTION D
S-4 SCALE: 1/4"=1'



DESIGN ASSUMPTIONS:
 1. ULTIMATE WIND SPEED: 120 MPH
 2. SOIL FRICTION ANGLE: 30 DEGREES
 3. COEFFICIENT OF FRICTION: 0.50
 4. SOIL DENSITY: 110 PCF

UES
 UES PROFESSIONAL SOLUTIONS, 29, INC.


3070 HAMMOND BUSINESS PLACE
 SUITE 171
 RALEIGH, NC 27603
 OFFICE: 919.380.9991
 FAX: 919.380.9993
 WWW.SUMMIT-COMPANIES.COM
 NC CORP LICENSE # F-1454
 Project No.: A24118.00116.00 R

STRUCTURAL MEMBERS ONLY
 ENGINEERING SEAL APPLIES ONLY TO STRUCTURAL COMPONENTS ON THIS DOCUMENT. SEAL DOES NOT INCLUDE CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, PROCEDURES OR SAFETY PRECAUTIONS. ANY DEVIATIONS OR DISCREPANCIES ON PLANS ARE TO BE BROUGHT TO THE IMMEDIATE ATTENTION OF SUMMIT ENGINEERING, LABORATORY & TESTING, INC. FAILURE TO DO SO WILL VOID SUMMIT LIABILITY.
 STRUCTURAL ANALYSIS BASED ON 2018 NCRC.



REFERENCE MONUMENT
 NOTES ON SHEET S-1

TMTLA ASSOCIATES
 LANDSCAPE ARCHITECTURE & LAND PLANNING
 5011 SOUTHPARK DRIVE, STE.200-DURHAM, NC 27713
 p: (919) 484-8880 e: info@tmtla.com




Kipling Village
 SIGN DETAILS
 Harnett Central Road
 Fuquay-Varina, North Carolina

developer / owner:
 Insight @ Kipling Village LLC
 16255 Sussex Highway
 Bridgeville, DE 19933


09/18/2024

S-4

DESIGN ASSUMPTIONS:
 1. ULTIMATE WIND SPEED: 120 MPH
 2. SOIL FRICTION ANGLE: 30 DEGREES
 3. COEFFICIENT OF FRICTION: 0.50
 4. SOIL DENSITY: 110 PCF




1 SIGN SECTION A
 S-5 SCALE: 1/4"=1'



2 WOODEN TRELLIS LAYOUT
 S-5 SCALE: 1/4"=1'


UES
 UES PROFESSIONAL SOLUTIONS, 29, INC.
 3070 HAMMOND BUSINESS PLACE
 SUITE 171
 RALEIGH, NC 27603
 OFFICE: 919.380.9991
 FAX: 919.380.9993
 WWW.SUMMIT-COMPANIES.COM
 NC CORP LICENSE # F-1454
 Project No.: A24118.00116.00 R

STRUCTURAL MEMBERS ONLY
 ENGINEERING SEAL APPLIES ONLY TO STRUCTURAL COMPONENTS ON THIS DOCUMENT, SEAL DOES NOT INCLUDE CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, PROCEDURES OR SAFETY PRECAUTIONS. ANY DEVIATIONS OR DISCREPANCIES ON PLANS ARE TO BE BROUGHT TO THE IMMEDIATE ATTENTION OF SUMMIT ENGINEERING, LABORATORY & TESTING, INC. FAILURE TO DO SO WILL VOID SUMMIT LIABILITY.
 STRUCTURAL ANALYSIS BASED ON 2018 NCRC.



REFERENCE MONUMENT
 NOTES ON SHEET S-1

TMTLA ASSOCIATES
 LANDSCAPE ARCHITECTURE & LAND PLANNING
 5011 SOUTHPARK DRIVE, STE.200-DURHAM, NC 27713
 p: (919) 484-8880 e: info@tmtla.com




Kipling Village
 SIGN DETAILS
 Harnett Central Road
 Fuquay-Varina, North Carolina


developer / owner:
 Insight @ Kipling Village LLC
 16255 Sussex Highway
 Bridgeville, DE 19933

09/18/2024


S-5



1 SIGN SECTION C
S-6 SCALE: 1/4"=1'



2 SIGN SECTION E
S-6 SCALE: 1/4"=1'



3 COLUMN SECTION F
S-6 SCALE: 1/4"=1'


3070 HAMMOND BUSINESS PLACE
SUITE 171
RALEIGH, NC 27603
OFFICE: 919.380.9991
FAX: 919.380.9993
WWW.SUMMIT-COMPANIES.COM
NC CORP LICENSE # F-1454
Project No.: A24118.00116.00 R

STRUCTURAL MEMBERS ONLY

ENGINEERING SEAL APPLIES ONLY TO STRUCTURAL COMPONENTS ON THIS DOCUMENT. SEAL DOES NOT INCLUDE CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, PROCEDURES OR SAFETY PRECAUTIONS. ANY DEVIATIONS OR DISCREPANCIES ON PLANS ARE TO BE BROUGHT TO THE IMMEDIATE ATTENTION OF SUMMIT ENGINEERING, LABORATORY & TESTING, INC. FAILURE TO DO SO WILL VOID SUMMIT LIABILITY.



STRUCTURAL ANALYSIS BASED ON 2018 NCRC.




REFERENCE MONUMENT
NOTES ON SHEET S-1

- DESIGN ASSUMPTIONS:
1. ULTIMATE WIND SPEED: 120 MPH
 2. SOIL FRICTION ANGLE: 30 DEGREES
 3. COEFFICIENT OF FRICTION: 0.50
 4. SOIL DENSITY: 110 PCF

LANDSCAPE ARCHITECTURE & LAND PLANNING

5011 SOUTH PARK DRIVE, STE. 200-DURHAM, NC 27713
p: (919) 484-8880 e: info@tmtla.com



Kipling Village
SIGN DETAILS

Harnett Central Road
Fuquay-Varina, North Carolina

developer / owner:
Insight @ Kipling Village LLC
16255 Sussex Highway
Bridgeville, DE 19933

09/18/2024

S-6