

Complaint # Ceeh2012-0001

SANITATION COMPLAINT

Date 12-22-20

Phone# (910) (919) 676-1929

Name of Complainant _____ [] ANONYMOUS

[☒] Sewer [] Solid Waste [] Other _____

Nature of Complaint Sewage on ground 9 people living
in house

Directions to site of Complaint _____

Owner of property site Yuliana + Celia Arroyo

Address and/or phone # 155 Roping Lane Cameron

Inspection Information

DATE _____ TIME _____ PERFORMED BY _____

PROBLEM(S) FOUND _____

Correction of Problem

DATE _____

COMMENTS _____

HAIETT COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SECTION

No 12320


OPERATIONS PERMIT

Name: (owner) Thomas Wamble ☒ New Installation ☒ Septic Tank
Property Location: SR# 1106 ☐ Repairs ☒ Nitrification Line
Subdivision Longhorn Est Lot # 9
TAX ID# _____ Quadrant # _____
Contractor: Mike Ray Registration # _____
Basement with Plumbing: ☐ Garage: ☒
Water Supply: ☐ Well ☒ Public ☐ Community
Distance From Well: 50 ft.

Following are the specifications for the sewage disposal system on above captioned property.

Type of system: ☒ Conventional ☐ Other _____
Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
Subsurface No. of exact length width of depth of
Drainage Field ditches 4 of each ditch 75 ft. ditches 3 ft. ditches 18 in.
French Drain: _____ Linear feet

PERMIT NO. 15634 Date: 7-2-99
Inspected by: J. W. [Signature]
Environmental Health Specialist



IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Thomas Womble ☒ New Installation ☒ Septic Tank
Property Location: SR# 1106 ☐ Repairs ☒ Nitrification Line

Subdivision Longhorn Est Set 2 Lot # 9

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 3 (28x70) Lot Size: .69 AC

Basement with Plumbing: ☐ Garage: ☐ MUST USE filter & marker

Water Supply: ☐ Well ☒ Public ☐ Community

Distance From Well: 50 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: ☒ Conventional ☐ Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons


Subsurface Drainage Field No. of ditches 1 exact length of each ditch 300 ft. width of ditches 3 ft. depth of ditches 18 in.

French Drain Required: _____ Linear feet

Date: 7-1-99

This permit is subject to revocation if site plans or intended use change.

Signed: [Signature]
Environmental Health Specialist



STUB out Plumbing shallow 18" ditch depth
Follow contours

[Print this page](#)**Property Description:**

LT#9 LONGHORN ESTATES SC2MAP#99-309

Harnett County GIS**PID:** 099564 0105 10**PIN:** 9564-17-6572.000**REID:** 0051069**Subdivision:****Taxable Acreage:** 1.000 LT ac**Calculated Acreage:** 0.69 ac**Account Number:** 1400040446**Owners:** ARROYO YULIANA & ARROYO CELIA**Owner Address :** 155 ROPING LN LOT 9 CAMERON, NC 28326-0000**Property Address:** 155 ROPING LN CAMERON, NC 28326**City, State, Zip:** CAMERON, NC, 28326**Building Count:** 1**Township Code:** 09**Fire Tax District:** Spout Springs**Parcel Building Value:** \$33560**Parcel Outbuilding Value :** \$0**Parcel Land Value :** \$20000**Parcel Special Land Value :** \$0**Total Value :** \$53560**Parcel Deferred Value :** \$0**Total Assessed Value :** \$53560**Neighborhood:** 00942**Actual Year Built:** 1999**Total Actual Area Heated:** 1620 Sq/Ft**Sale Month and Year:** 12 / 2009**Sale Price:** \$80000**Deed Book & Page:** 2695-0686**Deed Date:** 1259798400000**Plat Book & Page:** -**Instrument Type:** WD**Vacant or Improved:****Qualified Code:** Y**Transfer or Split:** T**Within 1mi of Agriculture District:** Yes**Prior Building Value:** \$51880**Prior Outbuilding Value :** \$0**Prior Land Value :** \$20000**Prior Special Land Value :** \$0**Prior Deferred Value :** \$0**Prior Assessed Value :** \$71880